



# **Appendix A: References**

**The  
Residential  
Runoff Reduction  
Study**

## **Appendix A: References**

- Ackerman and Schiff. in press. Modeling stormwater emissions to the Southern California Bight. *Journal of Environmental Engineering (ASCE)*.
- APHA. 2001. Standard methods for the examination of water and wastewater. American Public Health Association. Philadelphia, PA.
- AWWARF. 1999. Residential End Uses of Water.
- Bay, S., D. Greenstein, S. Lau, M. Stenstrom, and C. Kelley. 1996. Toxicity of dry weather flow from the Santa Monica Bay Watershed. *Southern California Academy of Sciences* 95: 33-45.
- Bricker, S.B., C.G. Clement, D.E. Pirhalla, S.P. Orlando, and D.R.G. Farrow. 1999. National estuarine eutrophication assessment: Effects of nutrient enrichment in the nation's estuaries. NOAA, National Ocean Service, Special Projects Office and the National Centers for Coastal Ocean Science. Washington, DC.
- DeVlaming, V.; Connor, V.; DiGiorgio, C.; Bailey, H.; Deanovic, L.; Hinton, D. 2000. Application of whole effluent toxicity test procedures to ambient water quality assessment. *Environmental Toxicology and Chemistry* 19: 42-62.
- IRWD. 2003. Irvine Ranch Water District San Diego Creek Watershed Natural Treatment System (NTS) Draft Master Plan.
- IRWD, MWDOC, and MWD. 2001. Residential weather-based irrigation scheduling: Evidence from the Irvine "ET Controller" Study.
- Noble, R.T., J.H. Dorsey, M. Leecaster, V. Orozco-Borbon, D. Reid, K. Schiff, and S.B. Weisberg. 2000. A regional survey of the microbiological water quality along the shoreline of the southern California Bight. *Environmental Monitoring and Assessment* 64: 435-447.
- OCPFRD. 2002. Orange County Stormwater Program 2000-2001 Annual Status Report. County of Orange Public Facilities and Resources Department. Anaheim, CA.
- OCPFRD. 2001. National Pollution Discharge Elimination Annual Progress Report. County of Orange Public Facilities and Resources Department.
- OCPFRD. September 2001. Newport Bay Fecal Coliform TMDL Annual Data Report.
- RWQCB. 1995. Water Quality Control Plan, Santa Ana River Basin (8).
- Smullen, J., S. A. and C. K. 1999. Updating the US nationwide urban runoff quality database. *Water Science and Technology* 39: 9-16.

- SCCWRP. 2003. Contributions of organophosphorus pesticides from residential land uses during dry and wet weather. Technical Report 406. Westminster, CA.
- Tetra Tech, Inc. July 2000c. Newport Bay Watershed Urban Nutrient TMDL Compliance Evaluation.
- USEPA. June 2002. Total maximum daily loads for toxic pollutants. San Diego Creek and Newport Bay, CA.
- USEPA. 2000. Water quality inventory 1998 Report to Congress. U.S. Environmental Protection Agency, Office of Water. Washington, DC EPA841-R-00-001.
- USEPA. 1998a. Total maximum daily loads for sediment and monitoring and implementation recommendations. San Diego Creek and Newport Bay, CA.
- USEPA. 1998b. Total maximum daily loads for nutrients. San Diego Creek and Newport Bay, CA.
- USEPA. 1995. Short-term methods for estimating the chronic toxicity of effluents and receiving waters to west coast marine and estuarine organisms. First Edition. U.S. Environmental Protection Agency, National Exposure Research Laboratory. Cincinnati, OH. EPA/600/R-95/136.
- USEPA. 1993. Methods for measuring the acute toxicity of effluents and receiving waters to freshwater and marine organisms. Fourth Edition. U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory. Cincinnati, OH. EPA/600/4-90/027F.
- USEPA. 1987. Results of the Nationwide Urban Runoff Study. PB84-185545. U. S. Environmental Protection Agency, Water Planning Division. Washington, D.C.
- USEPA. 1983. Chemical methods for the examination of water and wastes. U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory. Cincinnati, OH. EPA-600/4-79-020.
- Wong, K. M., E. W. Strecker and M. K. Stenstrom. 1997. GIS to estimate storm-water pollutant mass loadings. Journal of Environmental Engineering (ASCE) 123: 737 – 745.