

PUBLIC REVIEW DRAFT

Orange County Regional Water and Wastewater Hazard Mitigation Plan

Prepared by:

MUNICIPAL WATER DISTRICT OF ORANGE COUNTY

18700 Ward Street
Fountain Valley, California 92708

Contacts: Francisco Soto
Emergency Programs Coordinator
714-593-5032

Kelly Hubbard
WEROC Programs Manager
714-593-5010

MICHAEL BAKER INTERNATIONAL

5 Hutton Centre Drive, Suite 500
Santa Ana, California 92707

Contact: Ms. Starla Barker, AICP
949.472.3505

August 2018

JN 161720

This document is designed for double-sided printing to conserve natural resources.

TABLE OF CONTENTS

Section 1.0	Introduction.....	1-1
1.1	Purpose of the Plan and Authority	1-1
1.2	Multi-Jurisdictional Participation.....	1-3
1.2.1	Overview of Water and Wastewater Systems in Orange County	1-3
1.2.2	Participating Jurisdictions.....	1-4
1.3	What is New/What Has Changed from the 2012 Plan	1-6
1.4	Plan Organization	1-7
Section 2.0	Planning Process Documentation	2-1
2.1	Organizing Resources	2-1
2.1.1	Project Management Team.....	2-2
2.1.2	Planning Team.....	2-2
2.1.3	Public Outreach	2-6
2.1.4	Review and Incorporate Existing Information.....	2-7
2.2	Assess Risks	2-7
2.2.1	Identify/Profile Hazards.....	2-8
2.2.2	Assess Vulnerabilities	2-8
2.3	Develop Mitigation Plans	2-9
2.3.1	Identify Goals	2-9
2.3.2	Develop Capabilities Assessment.....	2-9
2.3.3	Identify Mitigation Actions	2-9
2.3.4	Plan Review and Revision	2-9
2.3.5	Plan Adoption and Submittal.....	2-9
2.3.6	Plan Maintenance	2-10
Section 3.0	Risk Assessment.....	3-1
3.1	Hazard Identification and Prioritization	3-1
3.1.1	Hazard Identification	3-1
3.1.2	Hazard Prioritization.....	3-4
3.2	Hazard Profiles	3-6
3.2.1	Climate Change	3-7
3.2.2	Coastal Storms/Erosion	3-9
3.2.3	Contamination/Salt Water Intrusion	3-11
3.2.4	Dam/Reservoir Failure	3-13
3.2.5	Drought	3-20
3.2.6	Earthquake Fault Rupture & Seismic Hazards (Ground Shaking & Liquefaction) ...	3-26
3.2.7	Flood	3-40
3.2.8	Geologic Hazards (Expansive Soils & Land Subsidence).....	3-45
3.2.9	High Winds/Santa Ana Winds	3-49
3.2.10	Landslide/Mudflow	3-52
3.2.11	Tsunami	3-56
3.2.12	Wildland/Urban Fire	3-58
3.2.13	Human-Caused Hazards.....	3-64
3.2.14	Power Outage	3-69
3.3	Vulnerability Assessment.....	3-70
3.3.1	Asset Inventory	3-70

TABLE OF CONTENTS

	3.3.2 Estimating Potential Exposure and Losses	3-71
	3.3.3 Land Use Development and Trends	3-72
	3.3.4 Vulnerable Populations	3-73
	3.4 Summary of Vulnerability	3-73
Section 4.0	Mitigation Strategy	4-1
	4.1 Hazard Mitigation Overview	4-1
	4.1.1 FEMA's National Flood Insurance Program	4-1
	4.2 Hazard Mitigation Goals	4-2
	4.3 Identify and Prioritize Mitigation Actions	4-2
	4.3.1 Hazard Mitigation Benefit-Cost Review	4-3
	4.4 Regional Considerations	4-5
	4.4.1 Regional Fiscal Resources	4-6
Section 5.0	Plan Maintenance	5-1
	5.1 Monitoring, Evaluating and Updating the Plan	5-1
	5.1.1 Plan Maintenance	5-1
	5.1.2 Plan Evaluation	5-1
	5.1.3 Plan Updates	5-2
	5.1.4 Plan Adoption	5-3
	5.1.5 Implementation Through Existing Programs	5-3
	5.1.6 Continued Public Involvement	5-3
Section 6.0	References	6-1
 APPENDICES		
Appendix A	Agency Adoption Resolutions	
Appendix B	Planning Process Documentation	

TABLE OF CONTENTS

LIST OF EXHIBITS

Figure 3-1	March 17, 2018 PDSI	3-24
Figure 3-2	July 26, 2014 PDSI	3-25
Figure 3-3	Ground Shaking Hazard	3-30
Figure 3-4	Alquist-Priolo Rupture Zones	3-31
Figure 3-5	Location of Earthquake Faults Bounding the CDWC Service Area and Orange County	3-34
Figure 3-6	Liquefaction Susceptibility Zones	3-36
Figure 3-7	Peak Ground Acceleration with 2 Percent Probability in 50 Years for the United States	3-39
Figure 3-8	Flood Zones	3-44
Figure 3-9	Subsidence	3-47
Figure 3-10	Landslide Susceptibility	3-55
Figure 3-11	Tsunami Hazard Zones	3-59
Figure 3-12	Fire Hazard Severity Zones	3-63

TABLE OF CONTENTS

LIST OF TABLES

Table 2-1	DMA 2000 CFR Crosswalk.....	2-1
Table 2-2	Members of the Planning Team	2-3
Table 2-3	Planning Team Meeting Summary	2-5
Table 2-4	Existing Plans and Studies	2-8
Table 3-1	Hazard Identification.....	3-2
Table 3-2	Hazard Rankings	3-4
Table 3-3	Hazard Ranking Methodology	3-5
Table 3-4	Severe and Extreme SC-PDSI Drought Periods 1920-2012 Lasting 12 Months or Longer (Santa Ana, CA).....	3-22
Table 3-5	Palmer Drought Severity Index.....	3-23
Table 3-6	Magnitude 5.0 or Greater Earthquakes in the Southern California Region.....	3-28
Table 3-7	Characteristics of Important Geologic Faults in Orange County.....	3-33
Table 3-8	Comparison of MMS and Modified Mercalli Intensity Scale.....	3-37
Table 3-9	Presidential Disaster Declarations for Flooding in Orange County Since 1969.....	3-41
Table 3-10	Major High Wind Events	3-50
Table 3-11	Major Wildfires.....	3-60
Table 3-12	Unit Replacement Costs of Facilities	3-72
Table 3-13	Summary Assets	3-74
Table 3-14	Planning Area Critical Facilities and Infrastructure Exposure Costs by Hazard	3-75
Table 4-1	STAPLEE Review and Selection Criteria	4-4

SECTION 1 INTRODUCTION

Across the United States, natural and manmade disasters have led to increasing levels of death, injury, property damage, and interruption of business and government services. The impact to water and wastewater utilities and the individuals they serve can be immense and damages to their infrastructure can result in regional economic and public health consequences. The water and wastewater utilities are vulnerable to a variety of hazards that can result in damaged equipment, loss of power, disruption to services, contaminated water supply, and revenue losses. By planning for natural and manmade hazards and implementing projects that mitigate risk, utilities can reduce costly damage and improve the reliability of service following a disaster.

In 2007, the Municipal Water District of Orange County (MWDOC) along with 19-member agencies prepared a Multi-Jurisdictional Hazard Mitigation Plan (HMP or Plan) that identified critical water and wastewater facilities in the county, and mitigation actions in the form of projects and programs to reduce the impact of natural and manmade hazards on these facilities. This plan builds on the original 2007 Plan and a previous update approved in 2012. MWDOC was joined in this current update by 18 participating water and wastewater utilities, hereafter, referred to as Member Agencies (MA), that serve communities in Orange County, California. The Plan was prepared with input from county residents, orange county emergency managers, and with the support of the California Governor's Office of Emergency Services (Cal OES) and the Federal Emergency Management Agency (FEMA). The process to develop the Plan included five planning team meetings and coordination with representatives from MWDOC and each participating MA.

The Plan is a guide for MWDOC and the MAs over the next five years toward greater disaster resistance in harmony with the character and needs of the local community and the MAs. The Plan focuses on participating water and wastewater facilities in the county and identifies mitigation actions to reduce the impact of natural and manmade hazards on critical facilities. In addition, each agency will utilize current, approved planning documents that identify implementation strategies for capital improvement, risk reduction, system upgrades, and operations. These documents complement the Plan and include but are not limited to: All Hazards SEMS/NIMS Emergency Response Plans, capital improvement plans, and asset management plans.

The Plan is a working document that will grow and change as our communities and MAs do. This means at times participating agencies may identify a higher priority than noted in this Plan, or a redirection of goals based on current information or updated decisions. In consideration of this concept, there may be projects or policies that need to be considered that were not included in this document. These changes will be documented during the Plan implementation and formal updates to the Plan will be made every five years as required.

1.1 PURPOSE OF THE PLAN AND AUTHORITY

Federal legislation has historically provided funding for disaster relief, recovery, and some hazard mitigation planning. The Disaster Mitigation Act of 2000 (DMA 2000) is the latest legislation to improve this planning process (Public Law 106-390). This legislation reinforces the importance of mitigation planning and emphasizes planning for disasters before they occur. As such, DMA 2000 establishes a pre-disaster hazard mitigation program and new requirements for the national post-disaster Hazard Mitigation Grant Program (HMGP). The Pre-Disaster Mitigation Act of 2010 was signed into law in January of 2011 but does not impact the planning process. The 2010 Act reauthorizes the pre-disaster mitigation program.

Section 322 of DMA 2000 specifically addresses mitigation planning at the state and local levels. It identifies the requirements that allow HMGP funds to be used for planning activities and increases the amount of HMGP funds available to states that have developed a comprehensive, enhanced mitigation plan prior to a disaster. States and communities must have an approved mitigation plan in place prior to receiving pre- or post-disaster funds. Local mitigation plans must demonstrate that their proposed mitigation measures are based on a sound planning process that accounts for the risk to and the capabilities of the individual communities.

DMA 2000 is intended to facilitate cooperation between state and local authorities, prompting them to work together. It encourages and rewards local and state pre-disaster planning and promotes sustainability as a strategy for disaster resistance. This enhanced planning network is intended to enable local and state governments to articulate accurate needs for mitigation, resulting in faster allocation of funding and more effective risk reduction projects.

FEMA prepared the Final Rule, published in the Federal Register on September 16, 2009 (Code of Federal Regulations (CFR) at Title 44, Chapter 1, Part 201 (44 CFR Part 201 and 206)), which establishes planning and funding criteria for states and local communities.

For federal approval, the following criteria must be met during the planning process:

- Complete documentation of the planning process.
- Detailed risk assessment of hazard exposures in the community and water and wastewater infrastructure.
- Comprehensive mitigation strategy, describing goals and objectives, proposed strategies, programs and actions to avoid long-term vulnerabilities.
- A planned maintenance process will describe the method and schedule of monitoring, evaluating and updating the plan, and the integration of the Plan into other planning mechanisms.
- The formal adoption of the governing bodies of each participating jurisdiction.
- Plan review by both Cal OES and FEMA.

As the cost of recovering from natural disasters continues to increase, the MAs realize the importance of identifying effective ways to reduce vulnerability to disasters. Hazard mitigation plans assist communities in reducing risk from natural hazards by identifying resources, information, and strategies for risk reduction, while guiding and coordinating mitigation activities.

The Orange County Water and Wastewater Hazard Mitigation Plan (HMP or Plan) provides a framework for participating water and wastewater utilities to plan for natural and man-made hazards in Orange County. The resources and information within the Plan will allow participating jurisdictions to identify and prioritize future mitigation projects, meet the requirements of federal assistance programs and grant applications, and encourage coordination and collaboration in meeting mitigation goals.

The Plan is intended to serve many purposes, including:

- Enhance Public Awareness and Understanding – To help county residents better understand the natural and man-made hazards that threaten public health, safety, and welfare; economic vitality; and the operational capability of important facilities;
- Create a Decision Tool for Management – To provide information so that water and wastewater managers and leaders of local government may act to address vulnerabilities;
- Enhance Local Policies for Hazard Mitigation Capability – To provide the policy basis for mitigation actions that will create a more disaster-resistant future;
- Provide Inter-Jurisdictional Coordination of Mitigation-Related Programming – To ensure that proposals for mitigation initiatives are reviewed and coordinated among MWDOC and MAs; and
- Promote Compliance with State and Federal Program Requirements – To ensure that MWDOC and MAs can take full advantage of state and federal grant programs, policies, and regulations.

To qualify for certain forms of federal aid for pre- and post-disaster funding, local jurisdictions must comply with the federal DMA 2000 and its implementing regulations. The Plan has been prepared to meet FEMA and Cal OES requirements, thus making MWDOC and the participating MAs eligible for funding and technical assistance for State and federal hazard mitigation grant programs.

DMA 2000 requires local hazard mitigation plans, including this Plan, to be updated every five years. This means that the Plan is designed to carry the MAs through the next five years, after which its assumptions, goals, and objectives will be revisited, updated, and resubmitted for approval.

1.2 MULTI-JURISDICTIONAL PARTICIPATION

1.2.1 Overview of Water and Wastewater Systems in Orange County

Water distribution and wastewater collection and treatment in Orange County involves dozens of agencies and utilities working together, and relies on integrated, regional systems and facilities. There are several retail water and wastewater utilities in Orange County, each with its own distinct service area and sources of potable water. The retail water agencies include water districts and city water departments.

The Municipal Water District of Orange County (MWDOC) is a wholesale water supplier and resource planning agency that serves all of Orange County (except Anaheim, Fullerton, and Santa Ana) through 28 retail water agencies. MWDOC purchases imported water from the Metropolitan Water District of Southern California (Metropolitan) for distribution to its member agencies, which provide retail water services to the public. Local supplies meet more than half of Orange County's total water demand. To meet the remaining demand, MWDOC purchases imported water from northern California (through the State Water Project) and the Colorado River. This water is provided by Metropolitan, which in addition to Orange County, also serves Ventura, Los Angeles, San Bernardino, Riverside, and San Diego counties.¹

¹ Municipal Water District of Orange County, *2015 Urban Water Management Plan*, May 2016.

Local water supplies in Orange County vary regionally and include groundwater, recycled wastewater, and surface water. Water supply resources in MWDOC's service area include groundwater basins, which provide a reliable local source and are also used as reservoirs to store water during wet years and draw from storage during dry years. Recycled water and surface water provide an additional local source to some MWDOC retail agencies, with surface water captured mostly from Santiago Creek into Santiago Reservoir.²

The Orange County Water District (OCWD) manages and replenishes the Orange County Groundwater Basin (Basin), ensures water reliability and quality, prevents seawater intrusion, and protects Orange County's rights to Santa Ana River water. The Basin contains approximately 500,000 acre-feet of usable storage water and covers 270 square miles. The Basin is a reliable source of water and provides approximately 75 percent of north and central Orange County's water supply, as south Orange County is virtually 100 percent dependent on imported water.³

MWDOC and OCWD work cooperatively and continue to evaluate new and innovative programs, including seawater desalination, wetlands expansion, recharge facility construction, surface storage, new water use efficiency programs, and system interconnections for enhanced reliability.

Wastewater collection and treatment in Orange County is managed by two regional agencies: The Orange County Sanitation District (OCSd) and the South Orange County Wastewater Authority (SOCWA). OCSd and SOCWA, which cover north and central Orange County and south Orange County, respectively, are responsible for the trunk line collection, treatment, biosolids management, and ocean outfalls for treated wastewater disposal. OCSd has two primary treatment facilities and SOCWA has three primary treatment facilities that treat wastewater from residential, commercial and industrial sources.

1.2.1.1 Potable Water Supplies – Current and Future

Potable water demand for Orange County was about 485,000 acre-feet per year (AF/yr) in 2017. The County's population is projected to rise from 3.1 million to 3.7 million people by 2025, and potable water demand is projected to rise at just about the same rate to about 575,000 AF/yr.

With planned local water-supply projects plus the continued availability of Metropolitan water to replenish the OCWD Basin, demand projections show a 12 percent decrease in demand for imported, full-service Metropolitan water by 2025. If the local projects do not get built or produce less than planned or are merely delayed, then additional Metropolitan water will be needed.

1.2.2 Participating Jurisdictions

Following is a list of the jurisdictions (MAs) participating in the Plan update. This list is organized first by the four utilities that have regional management responsibilities that extend to several water districts or city utilities and then by local water retail utilities:

- Municipal Water District of Orange County
- Orange County Water District
- Orange County Sanitation District

² Ibid.

³ Orange County Water District, *OCWD Brochure*, July 2017.

- South Orange County Wastewater Authority
- City of Buena Park
- El Toro Water District
- City of Garden Grove
- City of La Habra
- Laguna Beach County Water District
- Mesa Water District
- Moulton Niguel Water District
- City of Newport Beach
- City of Orange
- Santa Margarita Water District
- Serrano Water District
- South Coast Water District
- Trabuco Canyon Water District
- City of Westminster
- Yorba Linda Water District

It should be noted that the City of Tustin was a participant in the original 2007 Plan and 2012 Update; however, the City is not a participant in the 2018 Update.

Retailers can be grouped into the following three regions based on the availability of local groundwater resources:

- The Basin provides approximately 75 percent of north and central Orange County's water supply. The rest of their supply is primarily imported water provided by Metropolitan; although Serrano Water District and the City of Orange are partly served by local runoff captured in Irvine Lake. Participating MAs within the Basin include the water departments for the cities of Buena Park, Garden Grove, Newport Beach, Orange, and Westminster and the Mesa, Serrano, and Yorba Linda water districts.
- South Orange County is almost 100 percent dependent on Metropolitan for its potable water supply. Parts of this area are within the San Juan Capistrano Groundwater Basin, which is managed by the San Juan Basin Authority. Local groundwater in the area is high in salts and accounts for less of the water supply than utilities in the OCWD Basin. MAs include El Toro, Laguna Beach County, Moulton Niguel, Santa Margarita, South Coast, and Trabuco Canyon water districts.
- The Brea/La Habra region receives groundwater from the San Gabriel Basin in Los Angeles County through the California Domestic Water Company and from Metropolitan. Of the two utilities in the region, the City of La Habra is a MA. The city also operates a small groundwater well.

Although located within Orange County, the participating MAs do not comprise or serve the entire County. In addition, the service areas for each of the MAs participating in the Plan do not necessarily align with incorporated or unincorporated boundaries. In many cases a MA may serve multiple cities and/or portions of cities/unincorporated areas. Profiles for each of the participating water and wastewater utilities are provided in the Jurisdictional Annexes.

The Plan must be formally adopted by each jurisdiction's governing body, which may be the Board of Directors for each agency and districts and the City Council for each city water department. Some cities with water departments that are participating in this Plan may have a current, adopted single-jurisdiction local hazard mitigation plan in effect for the entire city. In these cases, it will be incumbent upon the individual cities and their decision-makers to decide how best to integrate elements of this Plan into its overall mitigation strategy and other existing plans and processes.

The resources and background information in the Plan are applicable countywide, providing the groundwork for goals and recommendations for other local mitigation plans and partnerships. In the identification of shared action items, the Plan fosters the development of partnerships and implementation of preventative activities. A unified, multi-jurisdictional plan will ensure that any proposals for mitigation initiatives are reviewed and coordinated among the participating agencies and utilities.

1.3 WHAT IS NEW/WHAT HAS CHANGED FROM THE 2012 PLAN

Several sections of the 2018 Plan update have been modified from the original 2007 Plan and 2012 Plan update, including the use of annexes for each of the participating jurisdictions. Changes made to specific sections of the Plan are summarized below:

Several sections of the 2018 Plan update have been modified and reorganized from the original 2007 Plan and 2012 Plan update, including the use of annexes for each of the participating jurisdictions. Changes made to specific sections of the Plan are summarized below:

- ***Section One:*** Section One has been significantly modified to move profile information specific to each participating jurisdiction to the Jurisdictional Annexes. Text has also been modified to clarify the multi-jurisdictional involvement, updated outdated or irrelevant information, and to streamline the section. This subsection, what is new/what has changed from the 2012 plan, has also been added.
- ***Section Two:*** Section Two now documents the Planning Process. This section has been completely revised and updated to discuss the process for the Plan update, including the Planning Team, meetings, public outreach, and overall process for the Plan update.
- ***Section Three:*** Section Three now comprises the Risk Assessment. The hazards have been updated to reflect hazards that affect the planning area, as determined by the Planning Team. This includes the removal of tornados and extreme heat (included in the 2012 plan) and the addition of power outage and climate change. In some cases, the hazards were reorganized or combined under a primary heading, such as Geologic Hazards, which includes expansive soils and land subsidence and Seismic Hazards, which include fault rupture, ground shaking and liquefaction. Each of the hazard profiles were updated to reflect hazard occurrences (if any) since the 2012 plan was prepared.

In preparation of the 2018 Plan update, infrastructure mapping for each of the MAs was completed. An independent consultant working directly with MWDOC (who coordinated with the MAs), updated water and wastewater infrastructure information for each MA. As part of the 2018 Plan update, these critical facilities were overlaid with mapped hazard areas to determine which assets are in each hazard area and to assess overall vulnerabilities.

- Section Four: Section Four now documents the Mitigation Strategy. This section was renamed and includes overarching hazard mitigation goals for the planning area. It was determined through the Planning Team meetings that mitigation goals are similar for all participating jurisdictions and therefore one set of goals were developed. Some participating jurisdictions identified additional goals specific to their agencies, which have been included in the respective Jurisdictional Annex. Updated mitigation actions and capabilities assessments specific to each participating jurisdiction have been moved to the Jurisdictional Annexes. An overview of hazard mitigation is provided, including the methodology for identifying and prioritizing mitigation actions.
- Section Five: Section Five now documents the Plan Maintenance process. This section involves minor modifications and updates.
- Section Six: Section Six now documents the Plan references and has been updated to reflect references used in preparation of the 2018 Plan update.
- Jurisdictional Annexes: The Jurisdictional Annexes are new to the Plan update. An annex is provided for each MA and includes updated components of the hazard mitigation plan that are specific to each jurisdiction.
- Appendices: The Appendices have been completely updated to include 2018 Plan update materials.

1.4 PLAN ORGANIZATION

The Orange County Regional Water and Wastewater HMP is organized into the following sections:

- Section One – Introduction: Provides an overview of the Plan, a discussion of the Plan’s purpose and authority, a description of the multi-jurisdictional participation, a summary of how this update differs from previous versions of the Plan and describes the Plan’s organization.
- Section Two – Planning Process Documentation: Describes the HMP planning process, as well as the meetings and outreach activities undertaken to engage the MAs and the public.
- Section Three – Risk Assessment: Identifies and profiles the hazards that threaten the area served by the MAs and identifies the vulnerability and risk to critical water and wastewater infrastructure associated with each hazard. Due to the vast planning area associated with the MAs participating in the Plan, this section addresses the entire geographic area served by the MAs. The Jurisdictional Annexes detail the hazards, risk assessments, and mitigation strategies specific to each MA.
- Section Four – Mitigation Strategy: Includes multi-jurisdictional goals for the 2018 Plan and summarizes the mitigation action plan process. Mitigation actions and capabilities specific to each MA are detailed in the Jurisdictional Annexes.
- Section Five – Plan Maintenance: Discusses how the 2018 Plan update will be monitored, evaluated, and updated over the next five years.

- Section Six – References: Identifies the resources used in preparation of the 2018 Plan update.
- Jurisdiction Annexes: Provides a profile of the jurisdiction, describe the hazards, assess the vulnerabilities, identify the capabilities, and describe the mitigation strategy specific to each participating jurisdiction.
- Appendices: Provides the 2018 Plan update materials.

Sections one through seven comprise the primary HMP. It describes the Plan, multi-jurisdictional planning process, and hazard mitigation planning requirements for each MA. The information in these sections are applicable to all the MAs. The Jurisdictional Annexes provide hazard mitigation planning information specific to each MA and supplements the information contained in the other sections.

SECTION 2 PLANNING PROCESS DOCUMENTATION

This section describes each stage of the planning process used to update the Multi-Hazard Mitigation Plan (Plan). The planning process provides a framework to document the Plan's update and follows the FEMA-recommended steps. The Plan update follows a prescribed series of planning steps, which includes organizing resources, assessing risk, updating the mitigation actions, updating the Plan, reviewing and revising the Plan, and adopting and submitting the Plan for approval. Each step is described in this section.

Hazard mitigation planning in the United States is guided by the statutory regulations described in the DMA 2000 and implemented through 44 Code of Federal Regulations (CFR) Parts 201 and 206. FEMA's hazard mitigation plan guidelines outline a four-step planning process for the development and approval of Hazard Mitigation Plans (HMPs). Table 2-1, *DMA 2000 CFR Crosswalk*, lists the specific CFR excerpts that identify the requirements for approval.

Table 2-1
DMA 2000 CFR Crosswalk

DMA 2000 (44 CFR 201.6)	2018 Plan Update Section
(1) Organize Resources	Section 3
201.6(c)(1)	Organize to prepare the plan
201.6(b)(1)	Involve the public
201.6(b)(2) and (3)	Coordinate with other agencies
(2) Assess Risks	Section 4
201.6(c)(2)(i)	Assess the hazard
201.6(c)(2)(ii) and (iii)	Assess the problem
(3) Develop the Mitigation Plan	Section 5
201.6(c)(3)(i)	Set goals
201.6(c)(3)(ii)	Review possible activities (actions)
201.6(c)(3)(iii)	Draft an action plan
(4) Plan Maintenance	Section 6
201.6(c)(5)	Adopt the plan
201.6(c)(4)	Implement, evaluate, and revise

As documented in the corresponding sections, the planning process for the 2018 Plan update is consistent with the requirements for hazard mitigation planning with customizations, as appropriate. All basic federal guidance documents and regulations are met through the customized process.

2.1 ORGANIZING RESOURCES

One of the first steps in the planning process involved organization of resources, including identifying the Project Management Team, and convening the Hazard Mitigation Plan Planning Team (Planning Team) and performing document review.

2.1.1 PROJECT MANAGEMENT TEAM

The Project Management Team was responsible for the day-to-day coordination of the Plan update work program, including forming and assembling the Planning Team; scheduling Planning Team meetings; preparing, reviewing, and disseminating Planning Team meeting materials; coordinating, scheduling, and participating in community engagement activities and meetings; and coordinating document review. The Project Management Team was led by an Emergency Coordinator from the Water Emergency Response Organization of Orange County (WEROC), administered by the Municipal Water District of Orange County (MWDOC), who served as Project Manager and participated on the Planning Team. The Project Manager monitored planning progress and met with participating jurisdictions as needed to assist with obtaining and updating information for the Plan. The Project Management Team also included the Emergency Manager from WEROC/MWDOC, who served as the Project Manager for the 2012 Plan update and provided guidance as well as historical insight and knowledge associated with the 2012 Plan.

The Project Management Team worked directly with the Consultant Project Management Team throughout development of the Plan update. The Consultant Team, consisting of a variety of hazard mitigation/planning professionals, provided guidance and support to MWDOC and the Planning Team through facilitation of the planning process, data collection, community engagement, and meeting material and document development.

2.1.2 PLANNING TEAM

The planning process for the Plan update involved ten water districts, two regional wastewater agencies, and the water departments for seven cities; a total of 19 jurisdictions participated in the planning process. Representatives from all Member Agencies (MA) provided input into the Plan update process. Each of the MA provided at least one representative to participate on the Planning Team and attend meetings. Each local team, made up of other jurisdictional staff/officials met separately and provided additional local-level input to the Planning Team representative for inclusion into the Plan. The MA participated in the planning process by exchanging information, discussing planning strategies, sharing goals, resolving issues, and monitoring progress. The MA benefited from working closely together because many of the hazards identified are shared by neighboring jurisdictions and participants were involved in the discussion of potential mitigation actions. Jurisdictional representatives included but were not limited to utility engineers, planners, and emergency management officers.

The Planning Team worked together to ensure the success of the planning process and is responsible for its implementation and future maintenance. The Planning Team's key responsibilities included:

- Participation in Planning Team meetings.
- Coordination of jurisdiction-specific meetings to relay information and obtain input.
- Collection of valuable local information and other requested data.
- Decision on plan process and content.
- Development and prioritization of mitigation actions for the Plan.
- Review and comment on Plan drafts.
- Coordination and involvement in the public engagement process.

Table 2-2, *Members of the Planning Team*, identifies the Planning Team members and their roles in the Plan update.

Table 2-2
Members of the Planning Team

Name	Title/Role	Organization	Planning Team Role
Francisco Soto	Emergency Programs Coordinator/Plan Update Project Manager	WEROC/MWDOC	Project Manager/Planning Team Representative – Organization of Planning Team and meetings, development of and participation in community outreach, hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan coordination and review.
Kelly Hubbard	WEROC Programs Manager	WEROC/MWDOC	Project Management Team – Historical knowledge and insight into 2012 Plan, overall guidance on 2018 Plan update, hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Karl Seckel	Assistant General Manager	MWDOC	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Paula Bouyounes	Risk and Safety Manager	Orange County Water District	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Rod Collins	Safety and Health Supervisor	Orange County Sanitation District	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Richard Spencer	Human Resources/Risk Manager	Orange County Sanitation District	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Sean Peacher	Environmental Compliance Safety Risk Manager	South Orange County Wastewater Authority	Capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Bill Paddock	Supervising Mechanic	South Orange County Wastewater Authority	Hazard identification.
Michael Grisso	Utilities Manager	City of Buena Park	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Sherri Seitz	Public Relations/ Emergency Preparedness Administrator	El Toro Water District	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Rick Olson	Operations Superintendent	El Toro Water District	Hazard identification, capabilities assessment.
Katie Victoria	Senior Administrative Analyst	City of Garden Grove	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Raquel Manson	Senior Administrative Analyst	City of Garden Grove	Hazard identification, capabilities assessment.

**Table 2-2 [continued]
Members of the Planning Team**

Name	Title/Role	Organization	Planning Team Role
A.J. Holmon	Streets/Environmental Division Manager	City of Garden Grove	Hazard identification.
Brian Jones	Water and Sewer Manager	City of La Habra	Hazard identification, mitigation actions and prioritization.
Leo Lopez	Safety Officer	Laguna Beach Water District	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Kaying Lee	Water Quality and Compliance Supervisor	Mesa Water District	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Tracy Ingebrigtsen	Safety and Compliance Coordinator	Moulton Niguel Water District	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Dan West	Water Distribution Supervisor	Moulton Niguel Water District	Hazard identification, capabilities assessment.
Kevin Crawford	Operator	Moulton Niguel Water District	Hazard identification.
Todd Novacek	Director of Operations	Moulton Niguel Water District	Hazard identification.
Casey Parks	Water Production Supervisor	City of Newport Beach	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Steffen Catron	Utilities Manager	City of Newport Beach	Hazard identification, mitigation actions and prioritization, plan review.
Mark Ouellette	Supervisor	City of Orange	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Chris Lopez	Safety Specialist	Santa Margarita Water District	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Daniel Peterson	Operations Business Manager	Santa Margarita Water District	Hazard identification.
Jerry Vilander	General Manager	Serrano Water District	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Trisha Woollsey	Environmental Health and Safety Manager	South Coast Water District	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Lorrie Lausten	Principal Engineer	Trabuco Canyon Water District	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Becky Rodstein	Administrative Analyst	City of Westminster	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.

**Table 2-2 [continued]
Members of the Planning Team**

Name	Title/Role	Organization	Planning Team Role
Anthony Manzano	Senior Project Manager	Yorba Linda Water District	Hazard identification, capabilities assessment, goal development, mitigation actions and prioritization, plan review.
Ethan Brown	Senior Program Coordinator	Sheriff's Department Emergency Management	Overview and perspective of the plan preparation process and review; information relevant to their area of expertise.

MWDOC also provided an opportunity for neighboring communities, local and regional utilities involved in hazard mitigation activities, and utilities that have the authority to regulate development, as well as business, academia and other private and non-profit interests to be involved in the planning process by reviewing an electronic copy of the plan. Distribution documentation will be provided in Appendix B of the Final Plan.

The Planning Team held five meetings. The meetings were designed to aid the MA in completing a thorough review of the hazards within their jurisdictions, identifying capabilities, understanding and assessing vulnerabilities, and identifying mitigation strategies. Table 2-3, Planning Team Meeting Summary, provides a summary of the meetings. Meeting materials, including PowerPoint presentations, sign-in sheets, agendas, notes, and other relevant handouts are provided in Appendix B.

**Table 2-3
Planning Team Meeting Summary**

Date	Meeting	Discussion
July 26, 2017	Planning Team Meeting #1	<ul style="list-style-type: none"> • Introductions • Project goals and objectives • Roles and responsibilities • Data/information needs • Plan Update and requirements • Preliminary discussion of community engagement strategy • Hazard identification and prioritization • Meeting schedule
August 30, 2017	Planning Team Meeting #2	<ul style="list-style-type: none"> • Summary of hazard profiles • Risk assessment methodology • Capabilities assessment • Community engagement update • Data/information needs
September 27, 2017	Planning Team Meeting #3	<ul style="list-style-type: none"> • Review/update of goals • Discussion of mitigation actions • Community engagement update • Capabilities assessment • Data/information needs

**Table 2-3 [continued]
Planning Team Meeting Summary**

Date	Meeting	Discussion
January 23, 2018	Planning Team Meeting #4	<ul style="list-style-type: none">• Overview of process• Public involvement and survey results• Overview of vulnerability/risk assessment• Discussion of hazard mapping• Schedule for plan review and submittal
April 11, 2018	Planning Team Meeting #5	<ul style="list-style-type: none">• Review of Draft Plan• Discussion of comments and revisions

In addition to the regularly scheduled meetings, Planning Team members coordinated individually with the Plan Update Project Manager, as necessary, to resolve any questions or discuss information requested at the Planning Team meetings. This was typically accomplished via telephone or email. Any MA that missed a scheduled planning meeting coordinated with the Project Manager separately to review what was discussed in the meeting and to obtain jurisdiction-specific information. The City of Orange was not able to participate directly in the scheduled Planning Team meetings and met separately with the Plan Update Project Manager to review items discussed at the meetings and provide information necessary for the Plan update.

2.1.3 PUBLIC OUTREACH

A public outreach and engagement strategy was developed to inform the public and maximize public involvement in the Plan update process. The public outreach strategy included posting information on the MA websites, email and social media distribution, community survey, and presentations at the Orange County Business Council and Orange County Emergency Management Organization meetings, as described below; refer to [Appendix B](#).

MEMBER AGENCY WEBSITES

Information regarding the Plan update was made available on each MA website. The webpages provided information on the Plan, the Plan update process, and how the public can be involved in the planning process, including a link to the community survey (discussed below). A link to the draft Plan was also made available for review and comment.

EMAIL AND SOCIAL MEDIA

Email notifications regarding the Plan update, including a link to the community survey were sent to MA email notification lists. Information regarding the Plan update was also disseminated through various MA social media accounts.

COMMUNITY SURVEY

A community survey was developed to obtain input from the community about various hazard mitigation topics. The survey was designed to help the MA gauge the level of knowledge the community has about natural disaster issues and to obtain input about areas of the County that may be vulnerable to various types of natural disasters. The information provided was used to identify and coordinate projects focused

on reducing the risk of injury or damage to property from future hazard events. A link to the survey was provided on each of the MA websites. Twenty surveys were completed.

STAKEHOLDER OUTREACH

Orange County Business Council – August 8, 2017

The Plan Update Project Manager presented to the Orange County Business Council during their monthly meeting. Francisco presented about hazard mitigation, the planning process, hazards affecting Orange County water and wastewater infrastructure, and the importance of their involvement in the development process.

Orange County Emergency Management Organization – April 5, 2018

The Plan Update Project Manager presented to the Orange County Emergency Management Organization during their monthly meeting. Francisco presented about hazard mitigation, the planning process, hazards affecting Orange County water and wastewater infrastructure, and the importance of their involvement in the development process.

Public Review Draft Hazard Mitigation Plan

The public review draft Plan was made available to the public for review and comment for a 30-day period beginning August 10, 2018 and concluding on September 10, 2018. The draft Plan was made available on the MA webpages and at the MA offices and/or front counters. Information was provided on how to submit comments or ask questions regarding the draft Plan.

2.1.4 REVIEW AND INCORPORATE EXISTING INFORMATION

The Planning Team and each MA local team reviewed and assessed existing plans and studies available from local, state, and federal sources during the planning process. The types of documents reviewed and incorporated as part of the Plan update are listed in [Table 2-4, *Existing Plans and Studies*](#). Due to the number of MA involved in the Plan update, similar plans and studies (e.g., General Plans, Municipal Codes, Urban Water Management Plans) specific to each jurisdiction were reviewed and incorporated in the Plan update. A complete list of references is included in [Section 7.0, *References*](#).

2.2 ASSESS RISKS

In accordance with FEMA requirements, the Planning Team identified and prioritized the hazards affecting the County and assessed the associated vulnerability from those hazards. Results from this phase of the planning process aided subsequent identification of appropriate mitigation actions to reduce risk from these hazards; refer to [Section 3.0](#).

Table 2-4
Existing Plans and Studies

Existing Plans and Studies	Planning Process / Area of Document Inclusion
Orange County Hazard Mitigation Plan	Hazard Profiles; Capabilities Assessment; Mitigation Strategy
State of California Multi-Hazard Mitigation Plan (2013)	Hazard Profiles
Agency Urban Water Management Plans	Hazard Profiles; Capabilities Assessment
Local General Plans	Hazard Profiles; Capabilities Assessment; Local Plan Integration
Local Municipal Codes	Capabilities Assessment; Mitigation Strategy
FEMA Hazard Mitigation How-to Guides	Plan Development; Plan Components
FEMA Local Mitigation Planning Handbook (March 2013)	Plan Development; Local Plan Integration Methods
FEMA Mitigation Ideas: A Resource for Reducing Risk to Natural Hazards (January 2013)	Mitigation Strategy Development
Orange County Water and Wastewater GIS Layers with Critical Infrastructure Facilities	Hazard Profiles; Risk/Vulnerability Assessments; Mitigation Strategy
Seismic Hazard Assessment, Orange County Seismic Vulnerability, Mitigation and Recovery Planning Study (August 28, 2015)	Hazard Profiles; Risk/Vulnerability Assessments; Mitigation Strategy
Agency-specific Reliability Studies	Hazard Profiles; Risk/Vulnerability Assessments; Mitigation Strategy

2.2.1 IDENTIFY/PROFILE HAZARDS

The Planning Team reviewed the hazards profiled in the 2012 Plan as well as a list of FEMA-identified hazards to determine which hazards had the potential to impact the County and should be profiled as part of the Plan update. Both the 2012 Plan and this Plan update include natural and human-caused hazards that may threaten all or a portion of the County and individual MA. It was noted that some location-specific hazards would not be applicable to every jurisdiction, but still warranted identification. Through discussions of the hazards, including the probability, location, maximum probable extent, and potential secondary impacts, a list of hazards was developed and prioritized. Content for each hazard profile is provided in [Section 3.0](#).

2.2.2 ASSESS VULNERABILITIES

Hazard profiling exposes the unique characteristics of individual hazards and begins the process of determining which areas within the County are vulnerable to specific hazard events. The vulnerability assessment included input from the Planning Team and a GIS overlaying method for hazard risk assessments using infrastructure mapping completed in preparation of the Plan update. Using these methodologies, water and wastewater infrastructure impacted by the profiled hazards were identified and potential loss estimates were determined. Detailed information on the vulnerability assessments for each hazard is provided in [Section 3.0](#).

2.3 DEVELOP MITIGATION PLANS

The Plan update was prepared in accordance with DMA 2000 and FEMA's HMP guidance documents. This plan provides an explicit strategy and blueprint for reducing the potential losses identified in the risk assessment, based on existing authorities, policies, programs, and resources, and the MA ability to expand on and improve these existing tools. Developing the mitigation plan involved identifying goals, assessing existing capabilities, and identifying mitigation actions. This step of the planning process is detailed in [Section 4.0](#) and summarized below.

2.3.1 IDENTIFY GOALS

The Planning Team reviewed the goals identified in the 2012 Plan and determined that many of the MA shared similar goals. As a result, one set of regional goals were developed as part of the Plan update. The Mitigation Goals are presented in [Section 4.0](#). For some MA, it was determined that additional goals specific to their agency were still warranted and are included in the Jurisdiction Annexes, where applicable.

2.3.2 DEVELOP CAPABILITIES ASSESSMENT

A capabilities assessment is a comprehensive review of all the various mitigation capabilities and tools currently available to the MA to implement the mitigation actions that are prescribed in the Plan. The Planning Team reviewed planning and regulatory, administrative and technical, financial, and education and outreach capabilities to implement mitigation actions. Each MA reviewed capabilities information from the 2012 Plan and working with their local teams, identified and updated the capabilities assessment specific to their agency. The capabilities assessments for each MA are included in the Jurisdiction Annexes.

2.3.3 IDENTIFY MITIGATION ACTIONS

As part of the planning process, the Planning Team worked to identify and develop mitigation actions to address the profiled hazards. The mitigation actions in the 2012 Plan were reviewed to determine whether they had been achieved, were still relevant, or were no longer relevant due to changing circumstances. Each MA considered the hazards applicable to their agency and identified and prioritized mitigation actions. The mitigation actions for each MA are included in the Jurisdiction Annexes.

2.3.4 PLAN REVIEW AND REVISION

Once the draft Plan was completed, a public review period was provided from August 10, 2018 to September 10, 2018 to allow public review and comments. Comments received on the draft Plan were reviewed and the Plan was revised, as appropriate.

2.3.5 PLAN ADOPTION AND SUBMITTAL

This plan will be submitted and approved by FEMA and adopted by the MA approving bodies as the official statement of their hazards. Copies of the resolutions will be provided in [Appendix A](#).

2.3.6 PLAN MAINTENANCE

Plan maintenance procedures, found in Section 5, include the measures each MA will take to ensure the Plan's continuous long-term implementation. The procedures also include the manner in which the Plan will be regularly monitored, reported upon, evaluated, and updated to remain a current and meaningful planning document.

SECTION 3 RISK ASSESSMENT

Risk Assessment requires the collection and analysis of hazard-related data to enable local jurisdictions to identify and prioritize appropriate mitigation actions that will reduce losses from potential hazards. FEMA's Local Hazard Mitigation Plan How-to Guide recommends four steps for conducting a risk assessment:

1. Describe hazards that pose a threat to the planning area;
2. Identify community assets (for the purposes of this Plan this includes water and wastewater infrastructure) in the planning area;
3. Analyze risks associated with the hazards, including describing the potential impacts and estimating losses for each hazard; and
4. Summarize vulnerability to understand the most significant risks and vulnerabilities associated with the identified hazards.

The risk assessment must result in an evaluation of potential impacts and overall vulnerability for each participating jurisdiction to develop specific mitigation actions. The following identifies the hazards for the entire planning area and notes if the hazard is applicable to all jurisdictions or is unique to specific jurisdictions. Hazards applicable to all jurisdictions are described in this section and are not described separately in the Jurisdictional Annexes. Hazards unique to a jurisdiction are further discussed in the Jurisdictional Annexes.

3.1 HAZARD IDENTIFICATION AND PRIORITIZATION

3.1.1 Hazard Identification

Hazard identification is the process of identifying hazards that threaten an area including both natural and man-made events. A natural event causes a hazard when it harms people or property. Such events would include floods, earthquakes, tsunamis, coastal storms, landslides, and wildfires that strike populated areas. Human-caused hazard events are caused by human activity and include technological hazards and terrorism. Technological hazards are generally accidental and/or have unintended consequences (for example, an accidental hazardous materials release). Terrorism is defined by the *Code of Federal Regulations* as "...unlawful use of force and violence against persons or property to intimidate or coerce a government, the civilian population, or any segment thereof, in furtherance of political or social objectives." Natural hazards that have harmed the County in the past are likely to happen in the future; consequently, the process of identifying hazards includes determining if the hazard has occurred previously.

The Planning Team reviewed the list of FEMA-identified hazards, the 2012 Plan, as well as other relevant information to determine the extent of hazards with potential to affect the planning area; refer to [Table 2-4, *Existing Plans and Studies*](#). A discussion of potential hazards during the first Planning Team meeting resulted in the identification of the natural and human-induced hazards that pose a potential risk to all or a portion of the County and individual Member Agency (MA). [Table 3-1, *Hazard Identification*](#), summarizes the Planning Team's discussion and identification of the hazards for inclusion in the Plan update.

**Table 3-1
Hazard Identification**

List of Hazards	Included in 2012 Plan?	Included in 2016 Plan?	Discussion Summary
Avalanche	No	No	Not applicable. Snowfall is not a typical occurrence in Orange County and there is no historical record of this hazard in the region.
Climate Change	No	Yes	Climate change is a phenomenon that could exacerbate hazards. This hazard has been added to the Plan update.
Coastal Erosion	No	Yes	Coastal erosion and storms occur within the coastal communities, which include development along the coast. These hazards are combined in the Plan.
Coastal Storm	Yes	Yes	Coastal erosion and storms occur within the coastal communities. These hazards are combined in the Plan.
Contamination	Yes	Yes	Water supplies are susceptible to contamination from human activities. In addition, salt water intrusion has occurred previously due to the low water table.
Dam Failure	Yes	Yes	Several dams and reservoirs are located throughout the County or in areas that could impact the County in the event of a failure. Infrastructure is located within inundation areas. This hazard includes dams and reservoirs.
Disease/Pest Management	No	No	Not applicable. Disease/pest management is not a hazard that impacts water/wastewater facilities and infrastructure.
Drought	Yes	Yes	Water supplies are dependent upon groundwater and imported surface water, both of which are susceptible to drought. The County has experienced historical droughts, including the most recent State-declared drought emergency (2014-2017).
Earthquake Fault Rupture	Yes	Yes	Alquist-Priolo fault zones occur within the County. The County has a long history of earthquakes, some resulting in considerable damage. This topic has been combined with Seismic Hazards (Ground Shaking and Liquefaction).
Expansive Soils	Yes	Yes	Expansive soils conditions occur within portions of the County and can be exacerbated by seismic ground shaking. This topic is addressed under Geological Hazards.
Extreme Heat	Yes	No	Extreme heat is not a hazard that typically affects the County, which is characterized by mild temperatures. This hazard has been removed from the Plan update.
Flood	Yes	Yes	Portions of the County are located within floodplains and have experienced historic flooding. More localized flooding also occurs during rainstorms.
Geological Hazards	Yes	Yes	The County is located in an area of geological hazards, including seismic activity. This topic has been combined with Expansive Soils and Land Subsidence.
Hailstorm	No	No	Not applicable. Hailstorms rarely occur within the County and there is no historical record of this hazard in the region.
Hazardous Materials	Yes	Yes	Water supplies could be compromised from accidental or intentional release of hazardous materials. These topical areas are addressed under Human-Caused Hazards.

**Table 3-1 [continued]
Hazard Identification**

List of Hazards	Included in 2012 Plan?	Included in 2016 Plan?	Discussion Summary
Human-Caused Hazards	Yes	Yes	Water supplies could be compromised from release of hazardous materials or as a result of terrorist activities. Heightened security concerns have resulted in increased measures to protect infrastructure systems. These topical areas are addressed under Human-Caused Hazards.
Hurricane	No	No	Not applicable.
Land Subsidence	Yes	Yes	Land subsidence conditions occur within the County. This topic is addressed under Geological Hazards.
Landslide and Mudflow	Yes	Yes	Areas of the County are susceptible to landslide and mudflow which can be exacerbated by other hazards including seismic ground shaking, drought conditions, and wildfires.
Lightning	No	No	Not applicable. Although lightning sometimes occurs during storm events, it is limited within the region and there is no historical record of this hazard in the region.
Liquefaction	Yes	Yes	Liquefaction zones occur within the County. This topic has been combined with Earthquake Fault Rupture and Seismic Hazards (Ground Shaking and Liquefaction).
Power outage	No	Yes	Although typically associated with other hazards, power outages can directly impact water and wastewater systems and has been added to the Plan update.
Sea Level Rise	No	Yes	Sea level rise has been identified as a hazard affecting some of the coastal communities. This hazard has been added to the Plan update.
Seismic Hazards	Yes	Yes	The County has a long history of earthquakes, some resulting in considerable damage. This topic has been combined with Earthquake Fault Rupture and addresses Ground Shaking and Liquefaction.
Severe Winter Storm	No	No	Not applicable. Severe winter storms are not common in the County and there are no historical records of this hazard in the region.
Tornado	Yes	No	Tornados are not a typical occurrence in the County. This topic has been removed from the Plan.
Tsunami	Yes	Yes	Portions of the Orange County coastline are identified as tsunami inundation areas.
Volcano	No	No	Not applicable. There are no active volcanoes in the County or surrounding area.
Wildfire	Yes	Yes	Portions of the County are located within very high and high fire hazard zones, which are adjacent to existing urban development. Wildland and urban fires are combined topics in the Plan.
Wind	No	No	Regular wind is not a typical occurrence and does not cause severe damage within the area. High winds/Santa Ana winds are common throughout the County and are addressed in the Plan (see Windstorm below).
Windstorm	Yes	Yes	High Winds/Santa Ana Winds are a common occurrence in the planning area and can impact power transmission lines.

3.1.2 Hazard Prioritization

The Planning Team used a Microsoft Excel-based tool to prioritize the identified hazards by assigning each hazard a ranking based on probability of occurrence and the potential impact. These rankings were assigned based on a group discussion, knowledge of past occurrences, and familiarity with each MAs vulnerabilities. Four criteria were used to establish priority:

- Probability (likelihood of occurrence)
- Location (size of potentially affected area)
- Maximum Probable Extent (intensity of damage)
- Secondary Impacts (severity of impacts to community)

A value from 1 to 4 was assigned for each criterion. The four criteria were then weighted based on the Planning Team's opinion of each criterion's importance. Table 3-2, Hazard Rankings, presents the results of the hazard rankings.

**Table 3-2
Hazard Rankings**

Hazard Type	Probability	Impact			Total Score	Hazard Planning Consideration
		Affected Area	Primary Impact	Secondary Impact		
Power Outage	4	3	4	4	57.60	High
Wildfire	4	3	3	4	52.00	High
Seismic Hazards – Ground Shaking	3	3	4	4	43.20	High
Seismic Hazards – Liquefaction	3	3	4	4	43.20	High
High Winds/Santa Ana Winds	4	4	2	1	40.80	Medium
Drought	4	4	1	1	35.20	Medium
Dam/Reservoir Failure	2	3	4	4	28.80	Medium
Flood	3	3	2	1	25.80	Medium
Earthquake Fault Rupture	2	1	4	2	18.40	Medium
Landslide/Mudflow	2	2	2	3	18.00	Medium
Contamination	1	2	3	4	11.40	Low
Human-Cause Hazards – Terrorism	1	1	3	3	8.80	Low
Human-Cause Hazards – Hazardous Materials	1	1	2	3	7.40	Low
Urban Fire	1	1	2	1	5.40	Low
Geologic Hazards – Land Subsidence	1	1	1	2	5.00	Low
Geologic Hazards – Expansive Soils	1	1	1	2	5.00	Low
Tsunami	1	1	1	1	4.00	Low
Scores are based on a scale from 1 to 4, where 4 is the highest score and 1 is the lowest. Refer to Table 3-3 for additional information. The total score is based on an equation that weights categories by importance. Refer to Table 3-3 for additional information.						

Table 3-3, *Hazard Ranking Methodology*, provides additional detail regarding how the probability, affected area, and impact categories are weighted and how the total score is calculated for the hazard rankings.

Table 3-3
Hazard Ranking Methodology

Probability	Importance	2.0	Secondary Impacts	Importance	0.5
Based on estimated likelihood of occurrence from historical data.			Based on estimated secondary impacts to community at large.		
<i>Probability</i>		<i>Score</i>	<i>Impact</i>		<i>Score</i>
Unlikely (less than 1% probability in next 100 years or has a recurrence interval of greater than every 100 years)		1	Negligible – no loss of function, downtime, and/or evacuations		1
Somewhat Likely (between 1% and 10% probability in next year or has a recurrence interval of 11 to 100 years)		2	Limited – minimal loss of function, downtime, and/or evacuations		2
Likely (between 10% and 100% probability in next year or has a recurrence interval of 10 years or less)		3	Moderate – some loss of function, downtime, and/or evacuations		3
Highly Likely (near 100% probability in next year or happens every year)		4	High – major loss of function, downtime, and/or evacuations		4
Affected Area	Importance	0.8	Total Score = Probability x Impact, where:		
Based on size of geographical area of community affected by hazard.			Probability = (Probability Score x Importance)		
<i>Affected Area</i>		<i>Score</i>	Impact = (Affected Area + Primary Impact + Secondary Impacts), where:		
Isolated		1	Affected Area = Affected Area Score x Importance		
Small		2	Primary Impact = Primary Impact Score x Importance		
Medium		3	Secondary Impacts = Secondary Impacts Score x Importance		
Large		4			
Primary Impact	Importance	0.8	Hazard Planning Consideration		
Based on percentage of damage to typical facility in community.			Total Score	Range	Distribution
<i>Impact</i>		<i>Score</i>			Hazard Level
Negligible – less than 10% damage		1	0.0	20.0	0
Limited – between 10% and 25% damage		2	20.1	42.0	6
Critical – between 25% and 50% damage		3	42.1	64.0	3
Catastrophic – more than 50% damage		4			
The probability of each hazard is determined by assigning a level, from unlikely to highly likely, based on the likelihood of occurrence from historical data. The total impact value includes the affected area, primary impact, and secondary impact levels of each hazard. Each level's score is reflected in the matrix. The total score for each hazard is the probability score multiplied by its importance factor times the sum of the impact level scores multiplied by their importance factors. Based on this total score, the hazards are separated into three categories based on the hazard level they pose to the communities: High, Medium, and Low.					

It should be noted that climate change and coastal storm/erosion were not prioritized for the planning area; refer to the Jurisdiction Annexes for an assessment of each of the hazards specific to the individual jurisdiction. Although climate change is identified as a hazard in the Plan update, there was not consensus on how it impacts the individual jurisdictions. Similarly, coastal storm/erosion was considered distinct to specific MAs and potentially exacerbated by climate change. Regardless of the prioritization (low, medium, or high), it was determined by the Planning Team that all the hazards identified in [Table 3-1](#) would be profiled. Due to the vast geography and hazards that impact the various MAs, it was recognized by the Planning Team that some hazards that ranked low overall, may be a high priority depending upon the jurisdiction.

3.2 HAZARD PROFILES

This section contains profiles for the hazards identified in [Table 3-1](#). Due to the nature of the hazards, some hazards were combined for purposes of the profiles as noted in [Table 3-1](#). Information was obtained from various Federal, State and local sources, as well as the Planning Team. A detailed list of References is provided in [Section 6.0](#).

The service areas for each of the MAs participating in the Plan update do not always align with incorporated City or unincorporated County boundaries. In many cases, a MA may serve multiple cities and/or portions of cities/unincorporated areas. For purposes of this Plan update, the planning area refers to Orange County, since the MAs provide services and infrastructure throughout most of the County. Because much of the available hazard data is provided by jurisdictional boundary (County or City), it is not always possible to obtain or delineate data specific to the MA jurisdictional (service) boundary. The Jurisdictional Annexes detail the hazards, risk assessments, and mitigation strategies specific to each jurisdiction.

Each hazard profile addresses the following:

- *Description (Nature) of the Hazard:* Describes the hazard and its characteristics.
- *History/Past Occurrences:* Provides a history of the hazard and identifies previous occurrences. Where an occurrence is specific to a MA, this information is provided.
- *Location/Geographic Extent:* Describes the location (geographic) area affected by the hazard. If the hazard affects the entire planning area, it is noted. For geographically specific hazards, the specific MAs affected by the hazard are identified and discussed further in the Jurisdictional Annexes.
- *Magnitude/Severity:* Describes the extent (magnitude or severity) of each hazard. If a hazard has a uniform extent for all the MAs, it is noted. For geographically specific hazards, mapping is provided that illustrates the extent of the hazard for the entire planning area. Mapping for applicable hazards specific to a MA are provided in the Jurisdictional Annexes.
- *Probability of Future Occurrences:* Provides a discussion of the probability of future occurrences of the hazard based on the history of past occurrence, location, and severity. If the likelihood of occurrence is the same for all jurisdictions or varies amongst the jurisdictions, it is noted.

3.2.1 Climate Change

3.2.1.1 Description (Nature) of the Hazard

According to NASA's Global Climate Change website, the mean global temperature has increased 1.8 degrees Fahrenheit since 1880, and 17 of the 18 warmest years on record have occurred since 2001.¹ The scientific consensus is that these changes are the result of human activity increasing the levels of carbon dioxide and other greenhouse gases in the atmosphere, and that they will intensify. The Intergovernmental Panel on Climate Change forecasts temperatures to rise an additional 2.5 to 10 degrees over the next century. Such drastic changes to the earth's climate will have significant consequences around the globe. Long-term effects include rising sea levels due to melting ice, changes in precipitation patterns, heat waves, and more frequent and intense storms.

Based on local data from the National Oceanic and Atmospheric Administration (NOAA)², Orange County can expect to see its daily maximum temperature increase from a current annual average of 73 degrees to 78 degrees by 2100 under a low-emission scenario and 82 degrees under a high-emission scenario. The County currently experiences an average of 4.5 days a year where temperatures reach 95 degrees; that is projected to increase to as many as 31 days a year. Under both emission scenarios, the County is likely to see a 43 to 44 percent increase in the amount of rain that falls during the winter by the latter half of the century.

Climate Change presents a number of challenges for Orange County. According to the 2014 National Climate Assessment Report, as is common in coastal areas, many roads and bridges, high-priced homes, and wastewater systems are located in low-lying areas near the ocean. Increases in storm water runoff have the potential to overwhelm the capacity of wastewater and drainage systems, flood control channels, and pump stations. Climate change may endanger vulnerable coastal ecosystems and wildlife habitats or degrade water quality at beaches. In addition, because the region relies extensively on imported water, climate effects beyond Orange County, particularly in Northern California and the Colorado River watershed, will have consequences for the County's water supply.

Climate change may influence many of the other hazards addressed in this plan. As the oceans rise, more areas may be subject to coastal flooding and tsunami risk, coastal erosion may increase, and aquifers may be contaminated by additional salt water intrusion. Seasonal changes in rainfall may result in greater risk of flooding, dam failure, drought, wildfire, land subsidence, expansive soils, and landslides and mudflows. Extreme heat can reduce soil moisture, further exacerbating such hazards as drought, wildfire, and expansive soils.

This profile focuses on the hazard of coastal flooding as a result of sea-level rise, while any interactions between climate change and other hazards will be primarily addressed in those hazard profiles. In contrast to the Atlantic and Gulf coasts, where coastal flooding is mainly associated with major storms, flooding along the Pacific Coast is the result of a number of more subtle factors, including tidal cycles; the El Niño climate pattern; distant, wind-generated ocean swells; local storms; and the time of year. Sea-level rise means that more areas will be more susceptible to the complex interactions between these processes and more frequent flooding.

¹ NASA (2018, March 19). Global Climate Change Vital Signs of the Planet. <https://climate.nasa.gov/>. Accessed March 2018.

² U.S. Climate Resilience Toolkit, The Climate Explorer. <https://toolkit.climate.gov/climate-explorer2/>. Accessed March 2018.

3.2.1.2 History/Past Occurrences

NOAA offers an online Climate Explorer toolkit³ that shows climate projections and observed historical trends by county. The data shows that, from 1949 to 2009, the daily maximum temperature in Orange County has been gradually rising at a rate of about 0.02 degrees Fahrenheit per year. This is expected to accelerate through the end of the century, although the degree depends on the success of efforts to limit global carbon emissions.

NASA reports that the global average sea level has risen almost 7 inches in the last 100 years. Rising sea levels have been observed in Orange County, as well. Measurements taken at Newport Beach since 1955 show that the sea level there has risen an average of 2.22 millimeters, or 0.09 inches, per year.⁴ This is also expected to accelerate as more ice melts due to rising global temperatures.

King tides have flooded Orange County coastal communities, including Seal Beach, Huntington Beach, Balboa Peninsula and Balboa Island in Newport Beach, and Sunset Beach in the past.⁵ In the last 10 years, the National Centers for Environmental Information (NCEI) Storm Events Database reports four coastal flooding incidents affecting Orange County: in October and November 2015, and May and October 2017. It is difficult to say how higher sea levels may have affected the severity of these events. The independent organization Climate Central estimates that La Jolla, California, located 46 miles from Huntington Beach, experienced 60 days of coastal flooding between 2005 and 2014, based on observed impacts such as flooded roads. Of those events, only four would have occurred without climate-linked sea-level rise.⁶

3.2.1.3 Location/Geographic Extent

Sea-level rise presents a risk for all coastal communities with low-lying areas. In Orange County, Huntington Beach is particularly vulnerable.

A 2017 report by the Union of Concerned Scientists, “When Rising Seas Hit Home,” includes a mapping tool that shows what coastal areas will experience flooding at least 26 times a year under various sea-level rise scenarios. Under a moderate scenario of a 4-foot rise, the area of north Orange County roughly bounded by the Santa Ana River and State Route 22 will see 14 percent of its land chronically inundated by 2100, even with existing levees. With a rise of 6 feet, 24 percent of the land will be chronically inundated. Affected areas include neighborhoods in Seal Beach, Huntington Beach, and Newport Beach.

NOAA offers another mapping tool to visualize areas vulnerable to flooding due to climate change. Its Sea Level Rise Viewer projects that, with a 1-foot rise in sea levels, there will be flooding through many parts of southeastern Huntington Beach, including neighborhoods between the Talbert Chanel and Huntington Beach Channel. A 2-foot rise will also start to affect parts of Sunset Beach and Balboa Island in Newport Beach, as well as less developed areas of Upper Newport Bay, Bolsa Chica Ecological Reserve.

³ Available at <https://toolkit.climate.gov/climate-explorer2/>

⁴ NOAA. Tides and Currents. https://tidesandcurrents.noaa.gov/sltrends/sltrends_station.shtml?stnid=9410580. Accessed March 2018.

⁵ The OCR. January 10, 2017. Orange County Beach Cities Bracing for 7-foot King Tides; Flooding Possible. <https://www.ocregister.com/2017/01/10/orange-county-beach-cities-bracing-for-7-foot-king-tides-flooding-possible/>. Accessed March 2018.

⁶ Climate Central, Surging Seas Risk Finder. https://riskfinder.climatecentral.org/place/huntington-beach.ca.us?comparisonType=place&forecastName=Single-year&forecastType=NOAA2017_int_p50&level=3&unit=ft. Accessed March 2018.

3.2.1.4 Magnitude/Severity

Sea level is measured by local tide gauges and satellite. Sea-level rise describes projected changes in those measurements based on different climate models. NOAA's Sea Level Rise Viewer projects that the sea level at Newport Bay will rise by at least 0.75 feet and as much as 2.72 feet by 2050, based on different global scenarios. By 2100, the level may rise by as much as 10.14 feet under the most extreme scenario.

3.2.1.5 Probability of Future Occurrences

FEMA's Flood Insurance Rate Map (FIRM) panels, which show areas that are subject to a 1 percent annual chance of flooding, reflect only current risk; they do not attempt to make projections based on anticipated changes due to climate change and sea-level rise.

Climate Central's Surging Sea Risk Finder attempts to estimate the probability that coastal floods will reach elevations above the local high tide line. The tool does not have estimates for every tide gauge, and estimates for Orange County are based on data from the gauge at Los Angeles' Outer Harbor. It shows that, while there is currently less than a 1 percent chance of coastal flooding reaching areas three feet above the tide line in any given year, those chances increased to 6 percent annually by 2040 under a medium sea-level rise scenario. By 2070, these areas will be flooding every year. Under an extreme scenario, annual flooding will happen as soon as 2040.

3.2.2 Coastal Storms/Erosion**3.2.2.1 Nature of Hazard**

Erosion is a naturally occurring phenomenon all along California's coastline. Erosion can be severe during winter storms, which are often accompanied by high surf, particularly during El Nino events. Rising sea levels caused by climate change will increase coastal erosion by exacerbating the impact of high tides and waves. Climate change is also expected to increase the frequency and severity of storms. As a result, even areas that have not experienced significant erosion in the past may be at risk in the future. (Effects of climate change are discussed in detail in [Section 3.1.1](#)).

Erosion can also be affected by manmade structures that impede the deposit of new sediment at beaches; these include inland dams, channelized rivers, harbors, jetties, and seawalls/revetments.⁷ This has been the case in Orange County, where the channelization of the Santa Ana River has reduced the amount of sediment reaching the coast, while the construction of jetties at Anaheim Bay and breakwaters at Long Beach have changed deposit patterns.⁸ This led to the formation of several chronic erosion hotspots along the County's coastline. In some cases, long-term beach replenishment efforts and management plans have been able to counteract or reverse these trends.

In addition to the gradual narrowing of sandy beaches, storms and erosion can damage steep coastal bluffs and cliffs. Landforms that appear to have been stable for years may retreat several feet in just a few hours. In either case, erosion can cause considerable damage to coastal infrastructure and property. As

⁷ Coastal Erosion – Needs for Beach Nourishment. http://www.dbw.ca.gov/csmw/PDF/Results_From_CSMW_Task1.pdf.

⁸ California Beach Restoration Study. January 2002. https://www.parks.ca.gov/pages/28702/files/cbrs_ch6_effectiveness.pdf.

Orange County's beaches are centers for recreation and tourism, loss of land has economic consequences, as well.

3.2.2.2 History/Past Occurrences

Problems with chronic erosion in Orange County have been recognized since at least 1945, when beach nourishment operations were undertaken to shore up the eroding Surfside-Sunset shoreline.⁹ A 2006 U.S. Geological Survey (USGS) assessment of the entire California coast found that, between Los Angeles Harbor and Dana Point, the shoreline had receded since the early 1970s for 35 percent of the 29-miles coastline. Beach nourishment projects prevented further observable erosion during this period.

California typically experiences the most erosion during significant El Nino events. The three strongest El Nino events on record were during the winters of 1982-1983, 1997-1998, and 2015-2016. Historic erosion was reported all along the West Coast in 2015-2016, according to the USGS.¹⁰ While the winter storms brought extreme wave action to California's shores, they featured surprisingly little rainfall. With California in the midst of a major drought, less sediment was washed to the ocean to replenish beaches. Portions of beaches in San Clemente and Laguna Beach were temporarily closed to the public due to hazardous conditions.¹¹

3.2.2.3 Location/Geographic Extent

Orange County's coastline includes sand and cobble beaches, rocky cliffs and coastal bluffs, and intertidal areas. In general, beach erosion is more of an issue along the County's northern coast, while bluff retreat is a greater concern along the southern portion.

Beginning in 1964, the Orange County Erosion Control Project targeted Surfside-Sunset and West Newport Beach as locations in need of restoration. The U.S. Army Corps of Engineers spearheaded efforts to import sand and installing retention devices in these areas.

The 2006 USGS study found that West Newport Beach had the largest measurable erosion rate in Orange County between the early 1970s and 1998.

As part of the Coastal Storm Modeling System (CoSMoS), data available from the USGS shows the projected location of the California shoreline under various scenarios of sea-level rise. The Coastal Storm Modeling System (CoSMoS-COAST) shows that with a 3.3-foot rise in sea levels, Huntington State Beach will see the greatest erosion, followed by parts of Huntington City Beach, West Newport Beach, Surfside, and Bolsa Chica State Beach.

3.2.2.4 Magnitude/Severity

Erosion is usually described in terms of how much the beach width decreases per year. The 2006 USGS study, for example, found that erosion at West Newport Beach was at a rate of -2.2 meters per year.

⁹ California Beach Restoration Study. January 2002. https://www.parks.ca.gov/pages/28702/files/cbrs_ch6_effectiveness.pdf.

¹⁰ USGS. February 14, 2017. Severe West Coast Erosion During 2015-16 El Nino. <https://www.usgs.gov/news/severe-west-coast-erosion-during-2015-16-el-ni-o>.

¹¹ The Orange County Register. February 9, 2016. Our Eroding Coastline: Recent storms are reshaping beaches, and some are getting tougher to visit. <https://www.ocregister.com/2016/02/09/our-eroding-coastline-recent-storms-are-reshaping-beaches-and-some-are-getting-tougher-to-visit/>. Accessed August 2017.

Overall, the shoreline of Los Angeles Harbor and Dana Point grew by an average of 0.5 meters per year, the highest rate in all of California, due largely to beach nourishment projects. Among those sections that did experience erosion, it happened at an average rate of -0.5 meters per year.

The volume of sand used to fight erosion can also indicate the magnitude of the problem. For example, from 1945 to 2009, more than 20 million cubic yards of sediment has been added to Surfside-Sunset Beach.¹²

3.2.2.5 Probability of Future Occurrences

Climate change all but ensures that the entire Orange County coast will experience some degree of erosion through the end of the century. The amount will depend on how much sea levels rise, which is contingent on global efforts to curb greenhouse gas emissions. An online mapping tool produced by Our Coast Our Future, a collaborative effort of 15 organizations including the USGS and California Coastal Commission, using CoSMoS data projects that very few sections of the County's shoreline will maintain their current position assuming a 3.3-foot rise in sea level, even with the continuation of current beach nourishment efforts.

A new study released in 2017 using CoSMoS data found that, without human intervention, 31 to 67 percent of Southern California beaches may be completely eroded by 2100 if sea levels rise by 1 to 2 meters.¹³

3.2.3 Contamination/Salt Water Intrusion

3.2.3.1 Description (Nature) of the Hazard

GROUNDWATER CONTAMINATION

Groundwater contamination occurs when pollutants are released to the ground, navigate through the soil, and ultimately end up in the groundwater. Human activity is almost always the underlying cause of groundwater contamination. In areas where population density is high and human use of land is intensive, groundwater is especially vulnerable. Virtually any activity whereby chemicals or wastes may be released to the environment, either intentionally or accidentally, has the potential to pollute groundwater.

SALT WATER INTRUSION

When fresh water is withdrawn from aquifers at a faster rate than it is replenished, a drawdown of the water table occurs with a resulting decrease in the overall hydrostatic pressure. When this happens near a coastal ocean area, salt water from the ocean can intrude into the fresh water aquifer. The result is that fresh water supplies become contaminated with salt water.

¹² U.S. Army Corps of Engineers. 2012. Orange County Coastal Regional Sediment Management Plan Draft Report. http://www.dbw.ca.gov/csmw/pdf/OCCRSMP_DraftReport.pdf.

¹³ USGS. March 27, 2017. Disappearing Beaches: Modeling Shoreline Change in Southern California. <https://www.usgs.gov/news/disappearing-beaches-modeling-shoreline-change-southern-california>.

3.2.3.2 History/Past Occurrences**GROUNDWATER CONTAMINATION**

Over the last several decades, Orange County's North Basin has experienced industrial solvent spills and leaks from manufacturing, metals processing businesses, and dry-cleaning facilities. As a result, a contamination plume several miles long and over a mile wide currently exists under the cities of Fullerton, Anaheim, and Placentia. The Orange County groundwater basin is a source of drinking water for the region, providing most of the water used in 22 cities. The contamination plume has already taken five wells off line, including three of Fullerton's 12 total wells. Those wells draw water from shallower sources closer to the surface and consequently are closer to the pollution. Under the supervision of the United States Environmental Protection Agency (USEPA), a remedial investigation and feasibility study will be conducted to address the extent of contamination and to develop an initial cleanup plan.

Salt Water Intrusion

In Orange County, by 1956, years of heavy pumping to sustain the region's agricultural economy had lowered the water table by 15-feet below sea level and saltwater from the Pacific Ocean had encroached as far as five miles inland. The area of intrusion is primarily across a four-mile front between the cities of Newport Beach and Huntington Beach known as the Talbert Gap. The mouth of an alluvial fan formed millions of years ago by the Santa Ana River; the Talbert Gap has since been buried along the coast by several hundred feet of clay. In 1976 the Water Factory 21 Direct Injection Project, operated by OCWD, began injecting highly treated recycled water into the aquifer to prevent salt water intrusion, while augmenting the potable groundwater supply. This system was shutdown to make way for the Groundwater Replenishment System (GWRS) Project which began operation in 2008. The GWRS provides highly treated water for injection into the seawater barrier system to prevent seawater intrusion into the groundwater basin managed by OCWD. As of March 21, 2018, approximately 248 billion gallons of water have been successfully treated and injected into the seawater barrier system.

3.2.3.3 Location /Geographic Extent

Groundwater contamination may occur County wide by means of intentional or accidental spillage to groundwater.

Conversely, the coastal area of the Basin is vulnerable to seawater intrusion due to geologic features and increased pumping from inland municipal wells to meet consumer demands. The susceptible locations in the Basin are the Talbert, Bolsa, Sunset, and Alamitos Gaps.

3.2.3.4 Magnitude/Severity

The 1974 Safe Drinking Water Act require the USEPA set standards for contaminants in drinking water that may pose health risks to humans. The USEPA standard for lifetime exposures in drinking water, the maximum contaminant level (MCL), is the highest amount of a contaminant allowed in drinking water supplied by municipal water systems.¹⁴ In Orange County over 700 monitoring wells assess water quality conditions.¹⁵ Thus, it is unlikely that human consumption of contaminated groundwater will occur. A

¹⁴ USEPA. National Primary Drinking Water Regulations. <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulations>.

¹⁵ Orange County Water District Groundwater Management Plan. 2015. https://www.ocwd.com/media/3622/groundwatermanagementplan2015update_20150624.pdf.

large environmental spill could result in contamination of groundwater; however, the extent and the severity cannot be predicted. Based on historical occurrences, a contamination in the groundwater basin could extend several miles and result in water wells being unavailable.

Massive seawater intrusion has been prevented in Orange County by the OCWD basin management programs. However, the threat of saltwater intrusion along the coast is still present. To prevent further intrusion and to provide basin management flexibility, OCWD operates a hydraulic barrier system. A series of 23 multi-point injection wells four miles inland delivers fresh water into the underground aquifers to form a water mound, blocking further passage of seawater. Continued injection of recycled water into the aquifer is essential to keep saltwater from intruding into the groundwater table and contaminating a major source of the county's potable water. OCWD maintains the Coastal Aquifer Mergence Zones and Chloride Concentration map, which indicates a 250 mg/L Chloride Concentration Contour. This contour is used to indicate the approximate leading edge of seawater intrusion. OCWD monitors the movement of the chloride contour to provide an indication of whether seawater intrusion is worsening or improving in a given area.

3.2.3.5 *Probability of Future Occurrences*

Due to the amount and types of urban development that occur within the County, and the transportation systems that allow for the movement of hazardous materials through the County and greater region, future groundwater contamination is likely. However, as a result of groundwater monitoring and protection systems, human consumption of contaminated groundwater is unlikely.

Due to the successful operation of the OCWD basin management programs, the probability of saltwater intrusion to occur in the future is unlikely.

3.2.4 Dam/Reservoir Failure

3.2.4.1 *Description (Nature) of the Hazard*

Dam failures can result from several natural or human caused threats such as earthquakes, erosion of the face or foundation, improper silting, rapidly rising flood waters, malicious events, and structural/design flaws. Seismic activity can also compromise dam regulating structures, resulting in catastrophic flooding. A dam failure can cause loss of life, damage to property, the displacement of persons, and other ensuing hazards residing in the inundation path. Damage to electric generating facilities and transmission lines could also impact life support systems in communities outside the immediate hazard areas.

In the event of a major dam failure, mutual aid from all levels of government would be required for an extended period. Recovery efforts would include the removal of debris, clearing roadways, demolishing unsafe structures, assistance in reestablishing public services, and providing continued care and welfare for the affected population.

There are 33 dams in Orange County with ownership ranging from the Federal government to homeowners' associations. These dams hold billions of gallons of water in reservoirs. The major reservoirs are designed to protect Southern California from flood waters and to store domestic and recycled water.

In addition to reservoirs with dams in Orange County, there are many water storage tanks that are potentially susceptible to failure or damage by natural or manmade events. These water tanks contain millions of gallons of water each and provide an important source of water storage. Their capacity is large enough to cause substantial damage down slope from a tank should one fail. Correspondingly, the history of failure of water storage tanks is considered.

Because dam failure can have severe consequences, FEMA and Cal OES require all dam owners to develop Emergency Action Plans (EAP) for warning, evacuation, and post-flood actions. Although there has been extensive coordination with County officials in the development of a County Response Plan, the responsibility for developing potential flood inundation maps and facilitation of emergency response is the responsibility of the dam owner.

3.2.4.2 History/Past Occurrences

Orange County has never experienced a major dam failure, but there have been two deadly incidents involving dams built to supply water for the City of Los Angeles. In addition, the failure of a water tank caused considerable damage within the City of Westminster in 1998. These three disasters are detailed below.

ST. FRANCIS DAM, DISASTER OF 1928

In Los Angeles, the failure of the St. Francis Dam, and the resulting loss of over 500 lives was a scandal that resulted in the almost complete destruction of the reputation of its builder, William Mulholland. It was he who proposed, designed, and supervised the construction of the Los Angeles Aqueduct, which brought water from the Owens Valley to the city. The St. Francis Dam, built in 1926, was 180 feet high and 600 feet long. It was located near the City of Saugus in San Francisquito Canyon.

The dam failed on March 12, 1928 three minutes before midnight. Its waters swept through the Santa Clara Valley toward the Pacific Ocean about 54 miles away. The valley was devastated before the water finally made its way into the ocean between Oxnard and Ventura. At its peak the wall of water was said to be 78 feet high. At the time the water flowed through Santa Paula, 42 miles south of the dam, the water was estimated to be 25 feet deep. Almost everything in its path was destroyed: livestock, structures, railways, bridges, and orchards. In the end Ventura County lay below 70 feet of mud and damage estimates topped \$20 million.

BALDWIN HILLS DAM, DISASTER OF 1963

The Baldwin Hills Dam collapse sent a 50-foot wall of water down Los Angeles' Cloverdale Avenue on December 14, 1963. Five people were killed. Sixty-five hillside houses were ripped apart, and 210 homes and apartments were damaged. The flood swept northward in a V-shaped path roughly bounded by La Brea Avenue, Jefferson Boulevard, and La Cienega Boulevard.

The earthen dam that created a 19-acre reservoir to supply drinking water to West Los Angeles residents ruptured at 3:38 p.m. A pencil thin crack widened to a 75-foot gash allowing 292 million gallons to surge out in 77 minutes. The cascade caused an unexpected ripple effect that is still being felt in Los Angeles and beyond. It prompted the end of urban-area earthen dams as a major element of water storage systems, and a tightening of the Division of Safety of Dams control over reservoirs throughout the state.

WESTMINSTER WATER TANK FAILURE, DISASTER OF 1998

In September of 1998, a 5-million-gallon municipal water storage tank in the City of Westminster ruptured because of corrosion and construction defects. There was no loss of life, but damage was extensive. The flow of water from the 32-year-old tank destroyed most of the storage facility as well as several private residences. Additionally, there were approximately 30 more homes inundated with water and silt. Through the Public Works Mutual Aid Agreement, the Orange County Public Works Department assisted the City of Westminster in the cleanup and temporary repair of the streets.

City employees, the Orange County Fire Authority, neighboring fire services, and the Red Cross were on-site for days assessing the damage and assisting residents. Water storage for the City was non-existent following this event while the other 5-million-gallon tank of similar age and construction was removed from service as a precautionary measure.

A new reservoir facility came on-line in March 2003, consisting of two 8-million-gallon water storage tanks, a 17-million-gallon-per-day booster station, and a new groundwater well with a capacity of 3,000 gallons per minute. All new construction has passed rigorous inspections and has obtained the required permits from the California Department of Public Health.

3.2.4.3 Location/Geographic Extent

The following is a list of the larger reservoirs and dams in Orange County and their owners/operators:

<u>Name of Facility</u>	<u>Owner/Operator</u>
Santiago Dam/Reservoir (Irvine Lake)	Serrano Water District/Irvine Ranch Water District
Villa Park Dam	County of Orange
Sulphur Creek Dam	County of Orange
Peters Canyon Dam	County of Orange
Walnut Canyon Dam/Reservoir	City of Anaheim
San Joaquin Dam/Reservoir	Irvine Ranch Water District
Sand Canyon Dam/Reservoir	Irvine Ranch Water District
Rattlesnake Canyon Dam/Reservoir	Irvine Ranch Water District
Big Canyon Dam/Reservoir	City of Newport Beach
Lake Mission Viejo	Lake Mission Viejo Association
El Toro R-6 Dam/Reservoir	El Toro Water District
Rossmoor #2 Dam/Reservoir	El Toro Water District
Diemer Filtration Plant	Metropolitan Water District
Palisades Bradt Dam/Reservoir	South Coast Water District
Portola Dam/Reservoir	Santa Margarita Water District
Syphon Canyon Dam/Reservoir	The Irvine Company
Trabuco Dam & Reservoir	Trabuco Canyon Water District
Dove Canyon Dam	Dove Canyon Master Association/ Trabuco Canyon Water District
Upper Oso Dam/Reservoir	Santa Margarita Water District
Upper Chiquita Dam/Reservoir	Santa Margarita Water District
Brea Dam	U. S. Army Corps of Engineers
Fullerton Dam	U. S. Army Corps of Engineers
Carbon Canyon Dam	U. S. Army Corps of Engineers
Prado Dam	U.S. Army Corps of Engineers

As mentioned above, the responsibility for developing maps showing areas that would be inundated in the event of a failure is the responsibility of the dam's owner. Dams and reservoirs impacting the planning area are summarized below:

Big Canyon Reservoir is a 600-acre foot potable water storage facility constructed in 1959 and owned by the City of Newport Beach. It is in the San Joaquin Hills overlooking Newport Bay. Big Canyon Reservoir is retained on three sides by a homogenous earth filled embankment dam, while the east side was formed by a slope cut. At its maximum section the dam embankment is 65 feet high. The spillway is an ungated concrete lined overflow structure located on the west side of the reservoir. The bottom of the reservoir and the cut slopes are lined with minimum 5-foot-thick clay blanket, and the entire inside surface, including the embankments and cut slopes, is overlain with a three-inch-thick porous asphalt pavement. The reservoir is covered with a reinforced polypropylene weight-tensioned floating cover that was installed in 2004.

Dove Canyon Dam is an earth-filled dam completed in 1990. The dam is in the Dove Canyon residential community within the City of Rancho Santa Margarita, Orange County. The dam is owned by the Dove Canyon Master Association (DCMA). DCMA owns and operates recreational facilities situated immediately downstream of the dam crest on compacted backfill. The recreational facilities were included in the construction documents for the Dam and approved by the State Division of Safety of Dams. The impounded reservoir is located on land owned by Trabuco Canyon Water District (TCWD) and is used to store up to about 415 acre-feet of runoff. TCWD and DCMA have an agreement to operate and maintain the dam and reservoir. TCWD utilizes storage in the reservoir to supplement its recycled water demands for landscape irrigation. The impounded water can be stored to an elevation of 1090 feet, approximately 11 feet below the top of the dam crest's elevation of 1101 feet, MSL.

El Toro Reservoir is an earth-filled dam owned by the ETWD. The impounded reservoir has a storage capacity of about 850 acre-feet with a surface area of approximately 20.6 acres. The reservoir is presently being used for operational and emergency storage for the ETWD, Santa Margarita Water District and Moulton Niguel Water District.

ETWD also owns and operates Rossmoor #2, a dam/reservoir also known as the Water Recycling Effluent Holding Pond. If problems occur at either location, operations personnel at the El Toro Water District who will notify the Sheriff's Department Control One of dam failure or possible dam failure.

Palisades Bradt Reservoir provides up to 48 million gallons of potable water storage with a 146-foot-high, zoned, earthen embankment dam constructed in 1963. The bottom and internal slopes of the reservoir are lined and the reservoir surface has a floating cover. The dam has a low-level outlet, an emergency outlet, and an emergency spillway. The upstream watershed that contributes inflow to the reservoir has an area of 19 acres.

Peters Canyon Dam is an earth-filled structure owned by the County of Orange and has a capacity of 626 acre-feet at the spillway pipe elevation of 537 feet MSL. Water storage varies from 200 acre-feet to 600 acre-feet depending on seasonal rain amounts. Alerting would come primarily from the Park Ranger at Peters Canyon Regional Park who would notify the Sheriff Department, Control One of dam failure or possible dam failure.

Prado Dam is owned and operated by the Army Corps of Engineers and provides flood control and water conservation storage for Orange, Riverside and San Bernardino counties. Prado Dam is a major component of the Santa Ana Mainstem Project, which extends from the upper canyon in the San

Bernardino Mountains downstream to the Pacific Ocean at Newport Beach - some 75 miles along the Santa Ana River. The entire system is designed to provide various levels of flood protection ranging from 100 to 190 years for areas most susceptible to damage from flooding.

Prado Dam collects upstream water releases from storage facilities and runoff from uncontrolled drainage areas. It primarily benefits Orange County by reducing the potential for flood-induced damage and by providing water conservation storage. Prado Dam has been undergoing major improvements including raising the embankment and spillway; increasing the maximum discharge capacity, constructing new levees and dikes, relocating and protecting utility lines, increasing reservoir area and increasing impoundment.

Portola Dam is located near the northern end of Canada Gobernadora in southern Orange County; within the Coto de Caza gated community. Canada Gobernadora flows north to south and confluences with San Juan Creek approximately 7.5 miles upstream of the Pacific Ocean. Portola Dam is an earth-filled structure situated about 8 miles north of San Juan Creek with a maximum recycled water (or domestic water blend) storage capacity of 586 acre-feet and a high-water elevation of 936 feet.

The Canada Gobernadora valley channel area between the dam and San Juan Creek has been developed with a golf course and lined on each side by thousands of homes positioned just at or above the 100-year flood plain. If a dam break occurred, the flow would likely destroy streets crossing the flood plain, damage the water, sewer and recycled water pipeline infrastructure in them and may also affect some or many home locations near the stream channel. Streets in Coto de Caza certain to be affected are: Trigo Trail, Via Pajaro, Via Conejo, Vista Del Verde, San Miguel, Cantamar and South Bend Road. Along with the golf course and the equestrian center, additional District facilities that are anticipated to be damaged or destroyed by a dam break in Coto de Caza and farther downstream are:

- Coto Lift Station and force main
- South Ranch lift station and force main
- South County pipeline
- Ortega Lift Station (Talega) force mains
- Talega recycled water transmission main
- Chiquita Land Outfall pipeline

Per the compliance report, after entering San Juan Creek, the dam break inundation flood area would be about the same as the 100-year flood plain all the way down to the Pacific Ocean.

Santiago Dam is an earth fill dam with a 25,000 acre-feet capacity reservoir (Irvine Lake). The dam is jointly owned by the Irvine Ranch Water District and the Serrano Water District. Villa Park Dam is a flood control dam located downstream from Santiago Dam. It is an earth-fill structure with a capacity of 15,600 acre-feet and is owned by the Orange County Flood Control District. Initial alerting is expected from Dam keepers who are on duty at both Santiago Dam and Villa Park Dam.

Trabuco Dam is an earth-filled dam completed in 1984. The dam is located adjacent to the Robinson Ranch residential community within the City of Rancho Santa Margarita, Orange County. The dam and impounded reservoir is owned and operated by the Trabuco Canyon Water District (TCWD). TCWD utilizes the reservoir to store up to approximately 135 acre-feet of reclaimed water produced from the Robinson Ranch Wastewater Treatment Plant located adjacent to the reservoir. The reclaimed water can be stored to an elevation of 1274 feet, approximately 6 feet below the top of the dam crest's elevation of 1280 feet, MSL.

Upper Oso Reservoir (UOR) and Dam are located within the Cities of Mission Viejo and Rancho Santa Margarita near the northern end of the Oso Creek watershed in southern Orange County. Upper Oso Dam is an earth-filled structure situated between El Toro Road and Los Alisos Boulevard nearly 10 miles north of the Trabuco Creek confluence point. UOR has a high-water elevation of 953 feet and stores up to 4000 acre-feet of recycled water for landscape irrigation that is mainly used within Santa Margarita and Moulton Niguel Water Districts.

Immediately downstream of the UOR dam, a long bridge for State Route 241 crosses the flood channel and may not experience problems during a major flood event. Just upstream of Los Alisos Boulevard, some commercial property lies adjacent to the Oso Creek channel and may be affected. About three miles downstream on Oso Creek and upstream of Olympiad Road, a large basin area was created (now a sports park) to capture and attenuate major discharges from UOR before they enter Lake Mission Viejo (LMV). LMV is created by a dam lying under Alicia Parkway. A UOR dam breach may also overflow LMV and damage the dam to point where it could release stored water and create a catastrophic flood hazard all the way to the Pacific Ocean.

Downstream of LMV, two golf courses have been developed within the Oso Creek channel area and numerous commercial properties are on adjacent sides. Housing tracts have been built above the 100-year flood plain but if a dam break occurred, the flow from UOR and LMV would likely destroy streets crossing the flood plain and damage the water, sewer and recycled water pipeline infrastructure in them. In addition to the many pipelines crossing the flood plain, District facilities that are anticipated to be damaged or destroyed by a UOR dam break are:

- Eastbrook RW Pump Station
- Lakeside Pump Station
- South County Pipeline
- Oso Creek Water Reclamation Plant
- Oso Creek Trunk Sewer
- Oso Barrier RW Pump Station and Pipelines

Due to proximity and elevation, a considerable number of the residential and commercial properties in many areas close to the banks of Oso Creek and farther downstream would likely be flooded for short period of time and damaged. Streets in Mission Viejo and farther south likely to be affected by a dam failure are: Los Alisos Boulevard, Santa Margarita Parkway, Olympiad Road, Alicia Parkway, Jeronimo Road, Marguerite Parkway, Casta del Sol, La Paz Road, Oso Parkway, Interstate 5, Camino Capistrano, Del Obispo Street, Stonehill Drive and Pacific Coast Highway.

Upper Chiquita Reservoir (UCR) – SMWD constructed the Upper Chiquita Reservoir to provide the South Orange County region with substantial new water reserves to meet customer demand during disruptions of water deliveries. These interruptions can be unanticipated, like the break of the Allen McColloch Pipeline in 1999, or planned, like the shutdowns of the Diemer Filtration plant in Yorba Linda to complete improvements or maintenance and repairs.

The Upper Chiquita Reservoir Emergency Storage Reservoir consists of an earthfill dam structure and a covered, domestic water reservoir with a storage volume of 750 acre-feet. The reservoir footprint is approximately 19.7 acres with a surface area of approximately 15.4 acres and has a High-Water Level (HWL) of 860 feet.

In addition to the dam and reservoir, the site contains the following facilities:

- Floating Cover
- Access Roads
- Spillway and Drainage Facilities
- Inlet/Outlet Facilities and Pipelines
- Pump Station
- Disinfection Equipment
- Pipeline connection to the South Orange County Pipeline

The Upper Chiquita reservoir site is located on the western side of Chiquita Canyon north of Oso Parkway and west of the current terminus of State Route 241 (SR-241) within the City of Rancho Santa Margarita, east of the community of Las Flores in southern Orange County.

A portion of the site is encumbered within the Transportation Corridor Agency's (TCA) Chiquita Canyon Perimeter Conservation Easement. The closest developed areas are the Tesoro High School campus (located across Oso Parkway and south of the reservoir site) and the residential community of Las Flores (approximately 0.8-mile west of the site). Additional land uses in the proximity to the reservoir site include a neighborhood park, Crestview Park, located just over 300 feet west of the site, and the SMWD Las Flores Reservoir, located approximately 250 feet west of the site.

Under an extreme catastrophic dam failure scenario, the flood zone would exceed the FEMA 100-year floodplain in the Canada Chiquita Channel. Under this extreme scenario, land use categories that would be affected include the Oso Parkway, SR-241 and the Tesoro High School. Once the flood waters reach the San Juan Creek the flood flows would be less than the FEMA 100-year flood.

The Upper Chiquita Reservoir is located on the western slope of Chiquita Canyon, just north of Oso Parkway in the City of Rancho Santa Margarita. Completed in October 2011, the 244 million-gallon Upper Chiquita Reservoir is the largest domestic water reservoir built in south Orange County in nearly 45 years. Information regarding UCR:

- Storage capacity of approximately 244 million gallons of domestic water (750 acre-feet) is contained in a lined and covered reservoir.
- Surface area of approximately 17.8 acres.
- A regional partnership between SMWD (lead agency), Moulton Niguel Water District, City of San Juan Capistrano, City of San Clemente and South Coast Water District (storage owners).
- Capable of providing upwards of 168,000 families with approximately 200 gallons of fresh water a day for one week.
- Included in the South Orange County Natural Community Conservation Plan, which designates habitat conservation and species protection measures to ensure an environmentally sensitive design.
- Reservoir is not visible from homes in local neighborhoods, including Las Flores and Wagon Wheel.

- Earthen embankment significantly reduces any visual impacts while traveling west along Oso Parkway near Highway 241.
- Reservoir design conforms to the rigorous standards set forth by the State of California.
- Safety features, including piezometers (moisture sensors), to continually monitor water levels and test for irregularities.

3.2.4.4 *Magnitude/Severity*

Orange County's reservoirs range in capacity from 18 to 196,235 acre-feet of water storage. Inundation maps and studies, when available, indicate the area that would be flooded and can be used to gauge the severity of a dam failure.

A compliance analysis and inundation study report was prepared for Upper Oso Dam in 1979 to allow for construction permitting by the State of California. This study indicated that if the dam was breached, a potential maximum flow rate exceeding 250,000 cubic feet per second may be expected when the water surface elevation drops to about 935 feet. Should such an event occur, the Upper Oso Reservoir could potentially empty in about a half hour.

A similar report for Portola Dam was done in 1980. This study indicated that if the dam was breached, a potential maximum flow rate of 22,645 cubic feet per second may be expected after about three hours once the water surface elevation is at elevation 920 feet. Should such an event occur, Portola Dam would potentially empty in just over six hours.

Failure of a reservoir or a dam could extend throughout most of the planning area, depending upon the size of the facility and associated failure.

3.2.4.5 *Probability of Future Occurrences*

There has been just one incident involving a water storage structure in the 110 years since construction of the first contemporary dam in Orange County. It is expected that future events will remain highly unlikely, with a less than 1 percent chance of happening in any given year. However, such occurrences have the potential to be highly destructive.

In the more than 50 years since the collapse of the Baldwin Hills Dam, there have been very few incidents in California due to stringent standards, regulations, and regular inspections. The near-catastrophic failure of the main spillway of the Oroville Dam in Northern California in 2017 is a reminder of the ongoing risk presented by dams.

3.2.5 Drought

3.2.5.1 *Description (Nature) of the Hazard*

Many governmental utilities, the National Oceanic and Atmospheric Administration (NOAA) and the California Department of Water Resources, as well as academic institutions, such as the University of Nebraska-Lincoln's National Drought Mitigation Center, generally agree that there is no clear definition of drought. Drought is highly variable depending on one's location within a state, the country or globe.

Drought in its simplest definition is an extremely dry climatic period where the available water falls below a statistical average for a region. Drought is also defined by factors other than rainfall, including vegetation conditions, agricultural productivity, soil moisture, water levels in reservoirs, and stream flow. In effect, there are essentially three forms of drought: meteorological or hydrological drought, agricultural drought, and regulatory drought:

- A meteorological or hydrological drought is typically defined when there is a prolonged period of less than average precipitation resulting in the water level in aquifers, lakes, or above ground storage reservoirs falling below sustainable levels.
- An agricultural drought occurs when there is insufficient moisture for an average crop yield. Agricultural drought can be caused by the overuse of groundwater, poor management of cultivated fields, as well as lack of precipitation.
- A regulatory drought can occur when the availability of water is reduced due to imposition of regulatory restrictions on the diversion and export of water out of a watershed to another area. A significant percentage of water in Southern California is imported from other regions (Colorado River and Northern California) via aqueducts. Correspondingly, drought in California can be made worse by water availability conditions in the regions at which the water originates.

An example of regulatory drought occurred between 1999 and 2004; a six-year drought on the Colorado River basin, a major water supply for Southern California, resulted in a draw-down of Colorado River water storage by more than 50%. More recently, beginning in 2008, regulatory restriction in exporting water via the State Water Project combined with unusually dry weather patterns resulted in two years of water rationing in Southern California. Additionally, a meteorological drought can lead to regulatory restrictions; for example, California experienced prolonged drought from 2013 to 2017, resulting in mandatory water restrictions for residents through November 25, 2017.

Even distant droughts may have consequences for the plan area and participating jurisdictions. The great drought of the 1930s, coined the “Dust Bowl,” was geographically centered in the Great Plains yet ultimately affected water shortages in California. The drought conditions in the plains resulted in a large influx of people to the west coast. Approximately 350,000 people from Arkansas and Oklahoma immigrated mainly to the Great Valley of California. As more people moved into California, including Orange County, increases in intensive agriculture led to overuse of the Santa Ana River watershed and groundwater resulting in regional water shortages.

Droughts can exacerbate other natural hazards. For example, droughts in Southern California have corollary effects on forests in the mountains of San Bernardino, San Jacinto, and Palomar Mountains. Drought weakens trees, which make them susceptible to infestation by bark-beetles. In turn, dry vegetation and beetle-infested trees are more susceptible to fire than healthy forests. For more on wildfire hazards, see [Section 3.2.12](#).

In addition, climate change (see [Section 3.2.1](#)) may lead to more frequent and persistent droughts in the future.

Several bills have been introduced into Congress to mitigate the effects of drought. In 1998, President Clinton signed into law the National Drought Policy Act, which called for the development of a national drought policy or framework that integrates actions and responsibilities among all levels of government.

In addition, it established the National Drought Policy Commission to provide advice and recommendations on the creation of an integrated federal policy. The most recent bill introduced into Congress was the National Drought Preparedness Act of 2003, which established a comprehensive national drought policy and statutorily authorized a lead federal utility for drought assistance. Currently there exists only an ad-hoc response approach to drought unlike other disasters (e.g., hurricanes, floods, and tornadoes) which are under the purview of FEMA.

3.2.5.2 History/Past Occurrences

Based on years of recorded water trends in Southern California, it is quite apparent that droughts and water shortages can occur. Paleo records indicate that much more extreme events can occur than those since historical record-keeping began. A significant drought, reported by many of the ranchers in Southern California, occurred in 1860.

The National Drought Mitigation Center maintains a Drought Risk Atlas with historic data on drought classifications throughout the United States. Based on the Palmer Drought Severity Index (PDSI), there have been six occasions since records began in 1920 when the monitoring station in the City of Santa Ana recorded “severe” or “extreme” drought conditions for a period of at least 12 months. These periods, based on a “self-calibrating” PDSI, which uses data adjusted to be more sensitive to the local climate, are listed in Table 3-4, Severe and Extreme SC-PDSI Drought Periods 1920-2012 Lasting 12 Months or Longer (Santa Ana, CA).¹⁶

Table 3-4
Severe and Extreme SC-PDSI Drought Periods 1920-2012
Lasting 12 Months or Longer (Santa Ana, CA)

Drought Start	Drought End	Duration(Months)
February 1961	September 1963	31
March 1971	January 1978	82
May 1984	December 1992	103
January 1994	January 1995	12
December 1999	October 2004	58
January 2006	October 2010	57

The certified Drought Risk Atlas data does not yet include the historic, statewide drought that California experienced within the last five years. Governor Jerry Brown proclaimed a State of Emergency in January 2014; the declaration was not lifted until April 2017. In Orange County, precipitation totals were well below average for five 12-month periods in a row. From July 2013 to June 2014, the weather station in Santa Ana recorded just 4.4 inches of rain, about one-third of the normal annual amount.¹⁷

¹⁶ NDMC. U.S. Drought Risk Atlas. <http://droughtatlas.unl.edu/Data.aspx>. Accessed March 2018.

¹⁷ Orange County Public Works. Historic Rainfall Data. http://www.ocwatersheds.com/rainrecords/rainfalldata/historic_data.

3.2.5.3 Location/Geographic Extent

Droughts occur over large regions and thus can affect the entire planning area.

3.2.5.4 Magnitude/Severity


Of the many varied indexes used to measure drought, the Palmer Drought Severity Index (PDSI) is the most commonly used in the United States. Developed by meteorologist Wayne Palmer, the PDSI is used to measure dryness based on recent temperature compared to the amount of precipitation. It utilizes a number range, where 0 indicates normal conditions, negative numbers indicate drought, and positive numbers indicate wet spells; refer to [Table 3-5, *Palmer Drought Severity Index*](#).

Table 3-5
Palmer Drought Severity Index

Drought	Wet Spells
-4.0 or less (Extreme Drought)	+2.0 or +2.9 (Unusual Moist Spell)
-3.0 or -3.9 (Severe Drought)	+3.0 or +3.9 (Very Moist Spell)
-2.0 or -2.9 (Moderate Drought)	+4.0 or above (Extremely Moist)
-1.9 to +1.9 (Near Normal)	


The PDSI is very effective at evaluation trends in the severity and frequency of prolonged periods of drought, and conversely wet weather. NOAA publish weekly PDSI maps, which are also used by other scientists to analyze the long-term trends associated with global warming and how this has affected drought conditions. [Figure 3-1](#) shows the current NOAA PDSI map for the week ending on March 17, 2018.

Figure 3-1
March 17, 2018 PDSI



In 2014, at the peak of the statewide drought, the index assigned the extreme drought category to the southern coastal California climate division for 40 consecutive weeks. [Figure 3-2](#) shows the NOAA PDSI for the week ending on July 26, 2014.

Figure 3-2
July 26, 2014 PDSI



The average duration of the droughts listed in [Table 3-4](#), which includes drought periods classified as severe or extreme, is 57 months.

3.2.5.5 Probability of Future Occurrences

The University of Nebraska-Lincoln has published PDSI maps analyzing trends over the past 100 years (National Drought Mitigation Center 2005; Figure 1). In coastal southern California, from 1895 to 1995, severe droughts occurred 10 to 15 percent of the time. From 1990 to 1995, severe droughts occurred 10 to 20 percent of the time.

Based on the droughts listed in [Table 3-4](#), Orange County has been in severe or extreme drought for a total of 343 months, or 31 percent of the time since 1920 and 54 percent of the time since 1960 (Note: these calculations do not include the historic drought that officially ended in 2017).

3.2.6 Earthquake Fault Rupture & Seismic Hazards (Ground Shaking & Liquefaction)**3.2.6.1 *Description (Nature) of the Hazard***

Earthquakes are considered a major threat to the County, especially when focusing on water and wastewater facilities and pipelines that run throughout the County. A significant earthquake along one of the major faults could cause substantial casualties, extensive damage to infrastructure, fires, and other threats to life and property. Significant damages and outages of water and wastewater facilities could also occur. The effects could be aggravated by aftershocks and by secondary effects such as fire, landslides and dam failure. A major earthquake could be catastrophic in its effects on the population and could exceed the response capability of the local communities and even the State.

Following major earthquakes, extensive search and rescue operations may be required to assist trapped or injured persons. Emergency medical care, food/water and temporary shelter would be required for injured or displaced persons. In the event of a truly catastrophic earthquake, identification and burial of the dead would pose difficult problems. Mass evacuation may be essential to save lives. Emergency operations could be seriously hampered by the loss of communications, damage to transportation routes within, to, and out of the disaster area, and by the disruption of public utilities and services. With damage to critical water and wastewater infrastructure there will be significant public health concerns, such as dehydration or exposure to contaminated water, and the potential for reduced fire protection due to limited sources of water. Facilities at greatest risk from severe earthquakes are dams and pipelines. Additionally, damage to water and sewer lines that service commercial and industrial areas could have a significant impact on the economy of the region. Extensive mutual aid for an extended period may be required to bring water and wastewater services back online.

Earthquakes strike with little to no warning and they can have multiple impacts on an area. After effects from an earthquake may include impacted roadways, downed power and communication lines, fires, and damages to structures (especially poorly built, or those already in disrepair). Should a major event occur, major damages and losses should be expected to pumping systems and wastewater treatment infrastructure. Earthquakes are not a seasonal hazard, and thus can be experienced year-round. This fact presents its own set of planning and preparedness concerns.

Seismic-specific building codes can provide MAs with reasonable guidance for structural mitigation. As maintenance and potentially new building occurs within the planning area, seismic retrofitting is highly recommended to prevent extensive damage to essential infrastructure.

For decades, partnerships have flourished between the United State Geological Survey (USGS), Cal Tech, the California Geological Survey (CGS) and California universities to share research and educational efforts with Californians. Tremendous earthquake mapping and mitigation efforts have been made in California in the past two decades, and public awareness has risen remarkably during this time. Major federal, state, and local government utilities and private organizations support earthquake risk reduction. These partners have made significant contributions in reducing the adverse impacts of earthquakes.

LIQUEFACTION

Liquefaction is the phenomenon that occurs when ground shaking causes groundwater to mix with the soil. The mixture temporarily becomes a fluid and loses its strength. Liquefaction causes two types of ground failure: lateral spread and loss of bearing strength. Lateral spreads develop on gentle slopes and entails the sidelong movement of large masses of soil as an underlying layer liquefies. Loss of bearing

strength results when the soil supporting structures liquefies and causes structures to settle and/or collapse from weakened foundations. Liquefaction can also occur independently of an earthquake, if any sudden and significant stress causes the mixing of groundwater and soil. The risk of liquefaction depends on several factors, including the height of the groundwater table and the types of soil in the area.

3.2.6.2 History/Past Occurrences

Southern California and Orange County have experienced several powerful earthquakes. The earliest recorded earthquake in California occurred in Orange County in 1769. To better understand the potential for damaging earthquakes in southern California, the scientific community has reviewed historical records and conducted extensive research on faults that are the sources of the earthquakes occurring in southern California. Historical earthquake records can generally be divided into records of the pre-instrumental period and the instrumental period. In the absence of instrumentation, historic records of past earthquakes are based on observations and the level of information is often dependent upon population density in the area of the earthquake. Since California was sparsely populated in the 1800s, detailed information on pre-instrumental earthquakes is relatively sparse. However, two very large earthquakes, the Fort Tejon in 1857 (M 7.9) and the Owens Valley in 1872 (M 7.6) are evidence of the tremendously damaging potential of earthquakes in southern California. Other notable earthquakes that have impacted southern California include the 1910 Glen Ivy Hot Springs earthquake (Elsinore Fault Zone, M 6.0), the 1933 Long Beach earthquake (Newport-Inglewood Fault Zone, M 6.4), the 1952 Kern County and Lander earthquakes (M 7.3), the 1971 San Fernando earthquake (San Fernando Fault Zone, M 6.6), the 1987 Whittier earthquake (Whittier Fault Zone, M 5.9), and the 1994 Northridge earthquake (Pico Thrust, M 6.7). The 1987 Whittier Quake caused damage to the Puente Hills Reservoir in La Habra and after inspection the reservoir was found to have cracks in the concrete lining.

Damage from some of these earthquakes was limited because they occurred in areas which were sparsely populated at the time they occurred. However, developed areas were much more severely affected. Damage from the 1933 Long Beach earthquake was estimated at more than \$40 million (\$889 million in 2018 dollars), and 115 lives were lost. The seismic risk is much more severe today than in the past because the population at risk is in the millions, rather than a few hundred or a few thousand persons. Earthquakes of great magnitudes have caused lasting effects in developed regions.

The most recent significant earthquake event affecting southern California was the 1994 Northridge Earthquake. At 4:31 A.M. on Monday, January 17, a moderate, but very damaging earthquake with a magnitude of 6.7 struck the San Fernando Valley. In the following days and weeks, thousands of aftershocks occurred, causing additional damage to affected structures. In this earthquake, 57 people were killed and more than 1,500 people seriously injured. For days afterward, thousands of homes and businesses were without electricity, tens of thousands had no gas, and nearly 50,000 had little or no water. Out of the approximately 66,000 structures inspected, approximately 15,000 structures were moderately to severely damaged, which left thousands of people temporarily homeless. Several collapsed bridges and overpasses created commuter havoc on the freeway system. Extensive damage was caused by ground shaking, but earthquake triggered liquefaction, and dozens of fires also caused additional severe damage. The extremely strong ground motion felt in sizable portions of Los Angeles County resulted in record economic losses. The fact that the earthquake occurred early in the morning on a holiday considerably reduced the potential effects. Many collapsed buildings were unoccupied, and most businesses were not yet open. The direct and indirect economic losses ran into the tens of billions of dollars.

Clearly, no community in southern California is beyond the reach of a damaging earthquake. The historical earthquake events that have affected southern California are listed below in Table 3-6, Magnitude 5.0 or Greater Earthquakes in the Southern California Region.

Table 3-6
Magnitude 5.0 or Greater Earthquakes in the Southern California Region

Date / Location / Magnitude	
1769 Los Angeles Basin (M 6.0)	1941 Carpinteria (M 5.9)
1800 San Diego Region (M 6.5)	1952 Kern County (M 7.7)
1812 Wrightwood (M 7.0)	1954 West of Wheeler Ridge (M 5.9)
1812 Santa Barbara Channel (M 7.0)	1971 San Fernando (M 6.5)
1827 Los Angeles Region (M 5.5)	1973 Point Mugu (M 5.2)
1855 Los Angeles Region (M 6.0)	1979 Imperial Valley (6.5)
1857 Great Fort Tejon Earthquake (M 8.3)	1986 North Palm Springs (M 6.0)
1858 San Bernardino Region (M 6.0)	1987 Whittier Narrows (M 5.8)
1862 San Diego Region (M 6.0)	1990 Upland (M 5.7)
1892 San Jacinto or Elsinore Fault (M 6.5)	1991 Sierra Madre (M 5.6)
1893 Pico Canyon (M 5.8)	1992 Landers (M 7.3)
1894 Lytle Creek Region (M 6.0)	1992 Big Bear (M 6.2)
1894 E. of San Diego (M 5.8)	1994 Northridge (M 6.7)
1899 Lytle Creek Region (M 5.8)	1999 Hector Mine (M 7.1)
1899 San Jacinto and Hemet (M 6.4)	2004 San Luis Obispo (M unknown)
1907 San Bernardino Region (M 5.3)	2008 Greater Los Angeles Area (M 5.5)
1910 Glen Ivy Hot Springs (M 5.5)	2008 Borrego Springs (M 5.4)
1916 Tejon Pass Region (M 5.3)	2009 El Centro/Baja, Ca (M 5.9)
1918 San Jacinto (M 6.9)	2010 El Centro/Baja, Ca (M 7.2)
1923 San Bernardino Region (M 6.0)	2010 El Centro/Baja, Ca (M 5.7)
1925 Santa Barbara (M 6.3)	2014 La Habra (5.1)
1933 Long Beach (M 6.3)	

LIQUEFACTION

Comprehensive, historic accounts of damage to structures from liquefaction are not readily available. Some damage caused by the Northridge earthquake of 1994, such as damage to the King Harbor area of Redondo Beach in Los Angeles County, was due to liquefaction, as opposed to ground shaking.

3.2.6.3 *Location/Geographic Extent*

Nearly all of Orange County is at risk of moderate to extreme ground shaking. [Figure 3-3](#) shows ground shaking severity zones for Orange County. The areas most susceptible to damage from earthquakes based on the shaking intensity hazard map include Yorba Linda Water District and the Cities of La Habra and Buena Park. These communities can be severely impacted by landslides, liquefaction, extensive infrastructure damage, fire, dam failure, and other secondary earthquake affects. A major earthquake could be catastrophic in its effect on the population and could exceed the response capability of the local communities and even the State. Although the above noted water/wastewater utilities are most likely to experience “extreme” shaking, all of the County’s water/wastewater utilities fall within a moderate to extreme shaking intensity zone and therefore should expect the potential of damage from an earthquake.

The area at risk of fault rupture is limited to areas in the immediate vicinity of a fault. California began extensive mapping of earthquake faults with the Alquist-Priolo Earthquake Fault Zoning Act of 1972. [Figure 3-4](#) shows both the fault zones in Orange County that have been mapped through the act. The Whittier Fault Zone near the county’s northern border passes through part of the Yorba Linda Water District. The Newport-Inglewood Fault Zone parallels the coast in western Orange County.

There are many additional large faults that could affect Orange County in addition to the Whittier and Newport-Inglewood-Rose Canyon faults. These include the Elsinore Fault, Peralta Fault, Puente Hills Fault, San Andreas Fault, and San Jacinto Fault. Smaller faults include the Norwalk Fault and the El Modena Faults. In addition, newly studied thrust faults, such as the San Joaquin Hills Fault could also have a significant impact on the County. Each of the major fault systems are described briefly below and are presented in alphabetical order. This order does not place more danger on one fault over another; it is simply for organizational purposes.

- *Elsinore Fault Zone / Whittier Fault / Chino Fault*: Located in the northeast part of the county, the Elsinore Fault Zone follows a general line easterly of the Santa Ana Mountains into Mexico. The main trace of the fault zone is about 112 miles long. The last major earthquake on this fault occurred in 1910 (M 6.0), and the interval between major ruptures is estimated to be about 250 years. Southern California Earthquake Center (SCEC) reports probable earthquake magnitudes for the main trace of the Elsinore fault to be in the range of 6.5 to 7.5. At the northern end of the Elsinore Fault zone, the fault splits into two segments: the 25-mile-long Whittier Fault (probable magnitudes between 6.0 and 7.2), and the 25-mile-long Chino Fault (probable magnitudes between 6.0 and 7.0). The location of the Whittier Fault makes it especially critical to the Diemer Filtration Plant in Yorba Linda and pipelines bringing water into Orange County and/or from the Diemer Plant which is located very near this fault.

- Newport-Inglewood-Rose Canyon Fault Zone: This fault zone extends from the Santa Monica Mountains in a southeast direction through the western part of Orange County, then continues offshore (not more than four miles from the coast) down to San Diego Bay. Originally, this was thought to have been two separate systems; the Newport-Inglewood Fault and the Rose Canyon Fault Line. However, a study prepared in March 2017 found that they are in fact one continuous fault line with three main stepovers. This fault line was the source of the destructive 1933 Long Beach earthquake (magnitude 6.4), which caused 120 deaths and considerable property damage. SCEC reports probable earthquake magnitudes for the Newport-Inglewood fault to be in the range of 6.0 to 7.4.
- Peralta Hills Fault: Limited information is available to paleoseismically characterize the fault and no studies have been undertaken to determine the timing of earthquakes. There is a strong geomorphic expression along Lincoln Boulevard west of Tustin Avenue in the City of Orange. Some believe the fault is not active while others believe it is active. On-going research has linked the fault as a back thrust with the Elsinore Fault, with a potential magnitude of 6.8.
- Puente Hills Thrust Fault: This is another recently discovered blind thrust fault that runs from northern Orange County to downtown Los Angeles. It is now known to be the source of the 1987 Whittier Narrows earthquake. Recent studies indicate that this fault has experienced four major earthquakes ranging in magnitude from 7.2 to 7.5 in the past 11,000 years, but that the recurrence interval for these large events is on the order of several thousand years.
- San Andreas Fault Zone: As the dominant active fault in California, it is the main element of the boundary between the Pacific and North American tectonic plates. The longest and most publicized fault in California, it extends approximately 650 miles from Cape Mendocino in northern California to east of San Bernardino in southern California and is approximately 35 miles northeast of Orange County. This fault was the source of the 1906 San Francisco earthquake, which resulted in some 700 deaths and millions of dollars in damage. It is the southern section of this fault that is currently of greatest concern to the scientific community. Geologists can demonstrate that at least eight major earthquakes (Richter Magnitude 7.0 and larger) have occurred along the southern San Andreas Fault in the past 1,200 years with an average spacing in time of 140 years, plus or minus 30 years. The last such event occurred in 1857 (Fort Tejon earthquake). Based on that evidence and other geophysical observations, the Working Group on California Earthquake Probabilities (SCEC, 1995) has estimated the probability of a similar rupture (M 7.8) in the next 30 years (1994 through 2024) to be about 50 percent. The range of probable magnitudes on the San Andreas Fault Zone is reported to be 6.8 to 8.0.
- San Jacinto Fault Zone: The San Jacinto fault zone is located approximately 30 miles north and east of the county. The interval between ruptures on this 130-mile-long fault zone has been estimated by SCEC to be between 100 and 300 years, per segment. The most recent event (1968 M6.5) occurred on the southern half of the Coyote Creek segment. SCEC reports probable earthquake magnitudes for the San Jacinto fault zone to be in the range of 6.5 to 7.5.
- San Joaquin Hills Fault: This fault is a recently discovered southwest-dipping blind thrust fault originating near the southern end of the Newport-Inglewood Fault close to Huntington Beach, at the western margins of the San Joaquin Hills. Rupture of the entire area of this blind thrust fault could generate an earthquake as large as magnitude 7.3. In addition, a minimum average

recurrence interval of between about 1650 and 3100 years has been estimated for moderate-sized earthquakes on this fault (Grant and others, 1999).

In addition to the major faults described above, the rupture of several smaller faults could potentially impact Orange County, including the Norwalk Fault (located in the north of the county in the Fullerton area) and the El Modeno Fault (located in the City of Orange area).

In 2005, MWDOC hired Earth Consultants International to prepare specific ground acceleration and shaking maps for five fault earthquake scenarios in Orange County. *Table 3-7, Characteristics of Important Geologic Faults in Orange County*, summarizes the characteristics of these five major geologic faults. Earthquake maps for the individual jurisdictions are included in the Jurisdictional Annexes.


Table 3-7
Characteristics of Important Geologic Faults in Orange County

Characteristic	Newport-Inglewood-Rose Canyon (onshore)	Peralta Hills	Puente Hills	San Joaquin Hills	Whittier
Fault Type	Strike-slip	Thrust	Blind thrust	Blind thrust	Strike-slip
Slip Rate (mm/yr)	1 +/-0.5	Unknown, Prob. <1	0.7 +/-0.4	0.5 +/-0.2	2.5 +/-1.0
Magnitude ¹	6.9	6.8	7.5	6.6	6.8
Recurrence Interval (years)	2,200-3,900	Unknown	2,750	1,600-3,100	1,100
Last Activity (years ago)	M6.3 in 1933	Unknown	<3,000	200-300	1,600-2,000
¹ The magnitude shown represents the fault's average behavior. Reference: "Five Earthquake Scenarios Ground Motion Maps for Northern Orange County" prepared for Municipal Water District of Orange County by Earth Consultants International, July 22, 2005.					

Figure 3-5, prepared for the California Domestic Water Corp., a private wholesaler, shows the location of earthquake epicenters from 1941 to 2013 in and around Orange County, which is outlined in the center of the map.

Earthquakes that occur outside of southern California and Orange County could also have a significant impact on drinking water supplies. Such scenarios include disruptions of the Colorado River Aqueduct, the State Water Project (especially at an area such as the Edmonston Pumping Station and Porter Tunnel bringing water over and through the Tehachapi), and in the Bay-Delta Region, where failure of levees and flooding of islands with salt water from San Francisco Bay could disrupt water supplies for months or years. Orange County is 50 percent dependent on supplies from beyond its borders to meet the drinking water needs. This leaves it exposed to these occurrences from outside the region.

Figure 3-5



LIQUEFACTION

The potential for liquefaction exists in areas susceptible to ground shaking with loose soils and/or shallow groundwater. Given the active faults in the region and the presence of geologically young, unconsolidated sediments and hydraulic fills, liquefaction is possible throughout much of Orange County. The California Geological Survey's Seismic Hazards Zonation Program identifies and maps areas prone to liquefaction. These zones for Orange County are shown in [Figure 3-6](#). The most extensive liquefaction zones occur in coastal areas, including parts of Huntington Beach and Newport Beach, and along Upper Newport Bay. In addition, a 2016 Seismic Hazard Assessment conducted by GeoPentech, Inc. found that the highest liquefaction hazard areas are the flat, coastal portions of the planning area, and the risk decreases moving inland. The areas identified as being highly susceptible to liquefaction are the San Juan Creek/San Clemente Beach areas.

3.2.6.4 Magnitude/Severity

Ground shaking is measured using either the moment magnitude scale (MMS, denoted as Mw or simply M) or the Modified Mercalli Intensity Scale. The MMS is a replacement for the Richter scale, which is still often referred to but is no longer actively used, as the Richter scale is not reliable when measuring large earthquakes.¹⁸ The weakest earthquakes measured by the MMS start at 1.0, with the numbers increasing with the strength of the earthquake. The strongest recorded earthquake, which struck Chile in 1960, measured 9.5 on the MMS.¹⁹ Like the Richter scale, the MMS is a logarithmic scale, meaning the difference in strength between two earthquakes is much larger than the difference in their measurements. For example, a 6.0 Mw earthquake is 1,000 times stronger than a 4.0 Mw earthquake and about 1.4 times as strong as a 5.9 Mw event.

The Modified Mercalli Intensity Scale is based on the damage caused by the earthquake and how it is perceived, rather than an actual measurement. When comparing multiple earthquakes, one event may have a higher Mercalli rating than another even if it released less energy, and thus was measured lower on the MMS. The Mercalli scale ranges from I (instrumental, rarely felt by people) to XII (catastrophic, total damage and lines of sight are distorted). [Table 3-8, *Comparison of MMS and Modified Mercalli Intensity Scale*](#), shows a general comparison between the MMS and the Modified Mercalli Intensity Scale. Note that there is some overlap toward the higher end of the Mercalli ratings, with certain intensities produced by multiple ranges of magnitude measurements.

¹⁸ 2014. "Moment Magnitude, Richter Scale." <https://www.usgs.gov/faqs/moment-magnitude-richter-scale-what-are-different-magnitude-scales-and-why-are-there-so-many>.

¹⁹ 2015. "Earthquake Lists, Maps, and Statistics." <https://earthquake.usgs.gov/earthquakes/browse/>.

Table 3-8
Comparison of MMS and Modified Mercalli Intensity Scale

Magnitude (MMS)		Modified Mercalli Intensity Scale	
		Intensity	Description
1.0 to 3.0		I	Not felt except by very few persons under especially favorable conditions.
3.0 to 3.9		II	Weak: Felt only by a few persons at rest, especially on upper floors of buildings.
		III	Weak: Felt quite noticeably by persons indoors, especially on upper floors of buildings. Many people do not recognize it as an earthquake. Standing motor cars may rock slightly. Vibrations similar to the passing of a truck. Duration estimated.
4.0 to 4.9		IV	Light: Felt indoors by many, outdoors by few during the day. At night, some awakened. Dishes, windows, doors disturbed; walls make cracking sound. Sensation like heavy truck striking building. Standing motor cars rocked noticeably.
		V	Moderate: Felt by nearly everyone; many awakened. Some dishes, windows broken. Unstable objects overturned. Pendulum clocks may stop.
5.0 to 5.9		VI	Strong: Felt by all, many frightened. Some heavy furniture moved; a few instances of fallen plaster. Damage slight.
		VII	Very Strong: Damage negligible in buildings of good design and construction; slight to moderate in well-built ordinary structures; considerable damage in poorly built or badly designed structures; some chimneys broken.
7.0 and greater	6.0 to 6.9	VIII	Severe: Damage slight in specially designed structures; considerable damage in ordinary substantial buildings with partial collapse. Damage great in poorly built structures. Fall of chimneys, factory stacks, columns, monuments, walls. Heavy furniture overturned.
		IX	Violent: Damage considerable in specially designed structures; well-designed frame structures thrown out of plumb. Damage great in substantial buildings, with partial collapse. Buildings shifted off foundations.
		X	Extreme: Some well-built wooden structures destroyed; most masonry and frame structures destroyed with foundations. Rails bent.
		XI	Extreme: Few, if any (masonry) structures remain standing. Bridges destroyed. Rails bent greatly.
		XII	Extreme: Damage total. Lines of sight and level are distorted. Objects thrown into the air.

Source: USGS 2017.

Several faults in Orange County can produce severe to extreme earthquakes. The SCEC and the Working Group on California Earthquake Probabilities have determined the probable magnitude for an earthquake along these major faults:

- *Elsinore Fault Zone*: SCEC reports probable earthquake magnitudes for the main trace of the Elsinore fault to be in the range of 6.5 to 7.5. The two northern segments, the Whittier Fault and the Chino Fault, have probable magnitudes of 6.0 to 7.2 and 6.0 to 7.0, respectively. The Whittier Fault location is extremely critical because it crosses the two main sources of untreated water being brought into the County (Yorba Linda Feeder and the Lower Feeder) and it passes very close to the Diemer Filtration Plant which serves as the treatment facility for the bulk of Orange County. Metropolitan does not have a backup system to supply treated water to many parts of central and southern Orange County in the event of an outage of the Diemer Plant.
- *Newport-Inglewood Fault Zone*: SCEC reports probable earthquake magnitudes for the Newport-Inglewood fault to be in the range of 6.0 to 7.4.
- *Puente Hills Thrust Fault*: Recent studies indicate that this fault has experienced four major earthquakes ranging in magnitude from 7.2 to 7.5 in the past 11,000 years, but that the recurrence interval for these large events is on the order of several thousand years.
- *Peralta Hills Fault*: The Earth Consultants International study for MWDOC indicates that this may be a back thrust fault to the Elsinore fault and may be capable of a magnitude 6.8.
- *San Andreas Fault Zone*: Based on that evidence and other geophysical observations, the fault has estimated the probability of a rupture with a magnitude 7.8 in the next 30 years (1994 through 2024) to be about 50 percent (SCEC, 1995). The range of probable magnitudes on the San Andreas Fault Zone during this period is reported to be 6.8 to 8.0.
- *San Joaquin Hills Fault*: Recent reports have determined that the blind thrust fault can generate an earthquake as large as 7.3. In addition, a minimum average recurrence interval of 1650 to 3100 years has been estimated for moderate-sized earthquakes on this fault.
- *San Jacinto Fault Zone*: SCEC reports probable earthquake magnitudes for the San Jacinto fault zone to be in the range of 6.5 to 7.5.

Although the San Andreas Fault Zone can produce an earthquake with a magnitude greater than 8.0 M, some of the smaller faults have the potential to inflict greater damage on the urban core of the Los Angeles Basin. Seismologists believe that a 6.0 earthquake on the Newport-Inglewood Fault Zone would result in far more death and destruction than a larger earthquake on the San Andreas Fault Zone, due to the San Andreas' relatively remote location from the urban centers of southern California.

3.2.6.5 Probability of Future Occurrences


Based on the amount of seismic activity that occurs within the region, there is no doubt that communities within the jurisdictional boundaries of MWDOC will continue to experience future earthquake events. It is reasonable to expect that a major event (5.0 M or higher) and possibly even more severe will occur within a 30-year timeframe.

The Third Uniform California Earthquake Rupture Forecast (UCERF3), developed in 2014 by the Working Group on California Earthquake Probabilities and led by the USGS, provides estimates of the magnitude, location, and likelihood of fault rupture for more than 350 fault segments throughout the state. For Southern California, the study estimated the likelihood of a 6.0 M earthquake at 100 percent, a 7.0 earthquake at 75 percent, and an 8.0 earthquake at 7 percent.²⁰

Predicted ground shaking patterns throughout southern California for hypothetical scenario earthquakes are available from the USGS as part of their on-going “ShakeMap” program. These maps are provided in terms of Instrumental Intensity, which is essentially Modified Mercalli Intensity estimated from instrumental ground motion recordings. ShakeMaps in graphical and GIS formats are available on the USGS website at: <https://earthquake.usgs.gov/data/shakemap/>.

In 2014, USGS released a simplified Peak Ground Acceleration (PGA) map to demonstrate the 2 percent probability of exceedance within a 50-year time period; refer to [Figure 3-7](#). This analysis was done at the nationwide level and can be seen in the figure below. California, and many parts of southern California, have a risk of high PGA at this probability level.

Figure 3-7
Peak Ground Acceleration with 2 Percent Probability in 50 Years for the United States



Two-percent probability of exceedance in 50 years map of peak ground acceleration

²⁰ <https://pubs.usgs.gov/fs/2015/3009/pdf/fs2015-3009.pdf>.

3.2.7 Flood**3.2.7.1 *Description (Nature) of the Hazard***

Flooding may result from heavy rains raising water levels in rivers and streams; storms, tides, and weather patterns pushing ocean water into coastal areas; and when debris blocks normal storm water drainage systems. Other causes are discussed in more detail elsewhere in the plan, including sea-level rise in Section 3.2.1 and dam/reservoir failure in [Section 3.2.4](#). Flooding can happen fast and with little warning, or water levels may rise slowly over the course of several days.

Orange County's terrain makes it naturally susceptible to flooding. Many of the rivers, creeks, and streams flow through natural floodplains on their way to the ocean. The County's rapid growth and transformation from an agricultural community to an urban community has changed flood-control practices in the region. Drainage is managed through reservoirs, dams, diversion structures and developed plains. In addition, seven pump stations (Huntington Beach, Cypress, Seal Beach, Los Alamitos, Rossmoor, Harbor-Edinger, and South Park) regulate storm water discharge to flood control channels. Although there is a countywide system of flood-control facilities, many of these are not designed for or capable of conveying runoff from major storms.

Orange County also has a warning system in place to detect potential flooding. The County began installing its ALERT (Automated Local Evaluation in Real Time) system in 1983. Operated by the County's Environmental Resources Section of the Resource Development and Management Department (RDMD) in cooperation with the National Weather Service, ALERT uses remote sensors located in rivers, channels and creeks to transmit environmental data to a central computer in real time. Sensors are installed along the Santa Ana River, San Juan Creek, Arroyo Trabuco Creek, Oso Creek, Aliso Creek, as well as flood control channels and basins. The field sensors transmit hydrologic and other data (e.g., precipitation data, water levels, temperature, wind speed, etc.) to base station computers for display and analysis.

3.2.7.2 *History/Past Occurrences*

Residents reported damaging floods caused by the Santa Ana River as early as 1770 (as recorded by explorer and missionary Father Juan Crespi). Major floods in Orange County along the Santa Ana River occurred in 1810, 1815, 1825, 1862, 1884, 1891, 1916, 1927, 1938, 1969, 1983, 1993, 1995, 1998, 2005, 2010, and 2017. Often these events involved additional hazards, such as landslides, mud flows, and high winds. [Table 3-9, *Presidential Disaster Declarations for Flooding in Orange County Since 1969*](#), lists Presidential Disaster Declarations since 1969 that involved flooding and affected Orange County.

Table 3-9
Presidential Disaster Declarations for Flooding in Orange County Since 1969

Disaster Number	Incident Type	Title	Incident Begin Date	Incident End Date
4305	Flood	Severe winter storms, flooding, and mudslides.	1/18/2017	1/23/2017
1952	Flood	Severe winter storms, flooding, and debris and mud flows.	12/17/2010	1/4/2011
1585	Severe Storm(s)	Severe storms, flooding, landslides, and mud/debris flows.	2/16/2005	2/23/2005
1577	Severe Storm(s)	Severe storms, flooding, debris flows, and mudslides.	12/27/2004	1/11/2005
1203	Severe Storm(s)	Severe winter storms and flooding.	2/2/1998	4/30/1998
1046	Severe Storm(s)	Severe winter storms, flooding landslides, mud flow.	2/13/1995	4/19/1995
1044	Severe Storm(s)	Severe winter storms, flooding, landslides, mud flows.	1/3/1995	2/10/1995
979	Flood	Severe winter storm, mud & landslides, and flooding.	1/5/1993	3/20/1993
935	Flood	Rain/snow/wind storms, flooding, mudslides.	2/10/1992	2/18/1992
812	Flood	Severe storms, high tides and flooding.	1/17/1988	1/22/1988
677	Coastal Storm	Coastal storms, floods, slides and tornadoes.	1/21/1983	3/30/1983
615	Flood	Severe storms, mudslides and flooding.	1/8/1980	1/8/1980
547	Flood	Coastal storms, mudslides and flooding.	2/15/1978	2/15/1978
253	Flood	Severe storms and flooding.	1/26/1969	1/26/1969

The most significant flood events to affect the county are summarized below:

- *Great Flood of 1862.* The flood of January 1862, called the Noachian deluge of California, was unusual in two ways: 1) the storm causing the flood occurred during a very severe drought spanning 1856 to 1864; and 2) the flood lasted 20 days, which is considered an extremely long duration. Under normal circumstances, major floods last only a few days. The only structure left standing along this portion of the Santa Ana River was the Aqua Mansa chapel and residents gathered on the small point of high-land to take refuge from the storm. Miraculously, there were no recorded deaths.
- *Great Flood of 1916.* On January 27, 1916, flood waters inundated a large area along the Santa Ana River, including Main Street in downtown Santa Ana, where the water was 3 feet deep. Adjacent farm lands, which later became the City of Westminster, also flooded. Three vehicular bridges and three railroad bridges were washed away by the flood and four people drowned.
- *Great Flood of 1938.* The flood of 1938 is considered the most devastating flood to occur in Orange County during the 20th Century and affected all Southern California. The storm began on February 27 and lasted until March 3. In the Santa Ana Basin, 34 people died, and 182,300 acres were flooded. All buildings in Anaheim were damaged or destroyed. Two major railroad bridges, seven vehicular bridges, and the town of Atwood were destroyed. The Santa Ana River inundated the northwestern portion of Orange County and train service to and from Santa Ana was cancelled. The maximum discharge on March 3, 1938 was 46,300 cfs, with a gage height at 10.20 feet. Damage exceeded \$50 million.
- *Great Flood of 1969.* The floods of January and February 1969 were the most destructive on record in Orange County. Previous floods had greater potential for destruction, but the County

was relatively undeveloped when they occurred. During the flood of 1969, rain fell almost continuously from January 18 to January 25, resulting in widespread flooding. Orange County was declared a national disaster area on February 5. A second storm hit on February 21 and lasted until February 25 bringing rain to the already saturated ground. This second storm culminated in a disastrous flood on February 25. The storm resulted in the largest peak outflow from Santiago Reservoir since its inception in 1933. The reservoir at Villa Park Dam reached its capacity for the first time since its construction in 1963; the dam had a maximum inflow of 11,000 cfs. The outlet conduit was releasing up to 4,000 cfs yet the spillway overflowed at 1:30 p.m. and continued for 36 hours. The maximum peak outflow from the dam reached 6,000 cfs. Although the safety of the dam was never threatened the outflow caused serious erosion downstream in the cities of Orange and Santa Ana and in some parks and golf courses. A Southern Pacific Railroad bridge, water and sewer lines, a pedestrian over crossing, and three roads washed out. Approximately 2,000 Orange and Santa Ana residents were evacuated from houses bordering Santiago Creek.

- *Great Flood of 1983.* An intense downpour and high tides associated with El Niño (due to the presence of a low-pressure system) caused intense shoreline flooding. Meanwhile the Santa Ana River crested its sides near the mouth of the ocean; creating a disaster for the low-lying areas of Huntington Beach; floodwaters were 3 to 5 feet deep.
- *1992 Coastal Storms.* In 1992, several coastal storms affected many coastal utilities storm drain and sewage treatment processes. SOCWA reported significant cracks and damage to its Aliso Creek Ocean outfall.
- *Great Floods of 1993.* El Niño caused more flooding. An intense storm was concentrated in the Laguna Canyon Channel area extending from Lake Forest to downtown Laguna Beach. In spite of a valiant effort to save downtown merchants by sandbagging, the stores were flooded. Laguna Canyon Road was damaged extensively, as well as homes and small businesses in the Laguna Canyon Channel. There were no fatalities reported.
- *Great Flood of 1995.* A disaster was declared in Orange County after extremely heavy and intense rains exceeded the storm runoff capacity of local drainage systems in many Orange County cities and regional Flood Control District systems. As a result, widespread flooding of homes and businesses occurred throughout these cities. There were approximately 1,000 people evacuated and extensive damage sustained to both private and public property.
- *Great Floods of 1997/1998.* El Niño Storms that occurred during this period created extensive storm damage to private property and public infrastructure, with damages reaching approximately \$50 million. Storm conditions caused numerous countywide mudslides, road closures, and channel erosion. Hillside erosion and mudslides forced the continual clearing of roads of fallen trees and debris. Protective measures, such as stabilizing hillside road slopes with rock or K-rail at the toe of slopes, were taken to keep the normal flow of transportation. Harbors, beaches, parks, and trails also sustained substantial storm damage.
- *2010/2011 Winter Storms.* On January 26, California received Presidential Declaration for the Severe Winter Storms, Flooding, and Debris and Mud Flows that occurred December 17, 2010 through January 4, 2011. At the time of the declaration the State of California incurred well over \$75 million in damages, while Orange County sustained over \$36 million in damages. Orange

County sustained extensive damage sustained to private and public property, as well as critical infrastructure.

- *2017 Winter Storms.*²¹ Southern California experienced three storms over six days starting on January 18. The heavy rains, combined with already saturated soil, produced flash flooding across much of Orange County. Streets flooded with 1 to 3 feet of water in Huntington Beach, Santa Ana, and Newport Beach. Responders conducted rescue operations on the Santa Ana River in the cities of Orange and Huntington Beach. The storms resulted in a Presidential Disaster Declaration for 16 counties throughout the state.

3.2.7.3 Location/Geographic Extent

Orange County covers 789 square miles and its landscape varies from mountainous terrain (in the northeast and southeast) to floodplains (in the central and western section). [Figure 3-8](#) identifies the 100- and 500-year FEMA floodplains within the County. A sizable portion of north Orange County, including some of the County's most densely populated areas, is within a 500-year floodplain, which denotes areas with a one-in-500, or 0.2 percent, chance of flooding in any given year. These floodplains are further explained in [Sections 3.2.7.4 and 3.2.7.5](#).

The Santa Ana River, flowing through the heart of Orange County to the Pacific Ocean, is the County's greatest flood threat. Other areas subject to flooding during severe storms include areas adjacent to Atwood Channel, Brea Creek Channel, Fullerton Creek Channel, Carbon Creek Channel, San Juan Creek Channel, and East Garden Grove-Wintersburg Channel. Areas adjacent to Santiago Creek and Collins Channel in the central portion of the County and large portions of the San Diego Creek watershed in the City of Irvine and unincorporated areas of the County are also subject to inundation. In the southern portion of the county, canyon areas are subject to flooding. The continued development in these areas has made the flood hazard even greater.

3.2.7.4 Magnitude/Severity

Flood severity is often described in terms of a 100-year flood, describing an event that is likely to occur once in a 100-year period. In other words, there is a 1 percent probability of an event this severe occurring in any given year. Flood Insurance Rate Map (FIRM) panels produced by FEMA identify areas subject to this level of risk as being within the 100-year floodplain. [Figure 3-8](#) shows these locations throughout Orange County, as well as a 500-year floodplain, which indicates a 0.2 percent annual chance of flooding.

Floods can also be measured in terms of data collected by U.S. Geological Survey through a nationwide system of stream gages. The primary gage on the Santa Ana River is in the City of Santa Ana. During the Great Flood of 1938, this gage measured a water level of 10.2 feet, compared to a normal height of about 1.44 feet. During both two most recent flood events in 2010/2011 and 2017, the river reached 7.6 feet.

²¹ NCEI. Storm Events Database. <https://www.ncdc.noaa.gov/stormevents/eventdetails.jsp?id=676168>; and The Orange County Register. January 23, 2017. Flooding, mudslides, power outages follow torrential rainstorm. <https://www.ocregister.com/2017/01/23/flooding-mudslides-power-outages-follow-torrential-rainstorm/>.

The greatest flood in terms of water flow occurred in 1862, when the Santa Ana River saw an estimated flow rate of 317,000 cubic feet per second (cfs). This flood was three times greater than the Great Flood of 1938 which had an estimated flow of 110,000 cfs. Peak discharges measured on the Santa Ana River during declared flood disasters since 1993 have ranged from 8,220 to 31,700 cfs.

On December 22, 2010, during the peak of that winter's floods, a weather station in Silverado Canyon recorded more than 7 inches of rain in a single day, according to NOAA climate data. During other flood events in the last 25 years, the maximum daily rainfall recorded within Orange County has ranged from 2 to 4 inches.

3.2.7.5 *Probability of Future Occurrences*

As mentioned in [Section 3.2.7.4](#), FIRM panels depict areas that have a 1 percent chance of flooding in any given year, identified as a 100-year floodplain, as well as a 0.2 percent chance, or a 500-year floodplain. Such areas within Orange County are depicted in [Figure 3-8](#).

3.2.8 Geologic Hazards (Expansive Soils & Land Subsidence)

3.2.8.1 *Description (Nature) of the Hazard*

EXPANSIVE SOILS

According to a scientific paper published in the Journal of Geotechnical Engineering (Day 1994), “expansive soil is a worldwide problem that causes extensive damage to civil engineering structures.” Expansive soils are particularly problematic in the southwestern United States and especially in southern California, where there are large clay deposits compounded by “alternating periods of rainfall and drought.” The problem with constructing on expansive soils is that the clay, often referred to as adobe, expands rapidly during the rainy season and contracts gradually during the dry season causing “shrink-swell.” Shrink-swell is particularly problematic for “slab-on-grade” foundations which can be placed directly on expansive soil which are constantly in a state of movement as the soil expands and contracts causing the foundation to fatigue and crack. Buildings with balloon frame construction are also susceptible to bowing and cracking when built on expansive soils. Shrink and swell can affect water/wastewater facilities particularly buildings or structures built using slab on grade or balloon frame construction techniques.

Expansive soil is also known to “creep” on unstable slopes eventually leading to landslides. Typically, this is found when expansive soil underlies compact topsoil. As the expansive soil expands-contracts, the compact topsoil slides or creeps downhill. Facilities built on unstable slopes with underlying expansive soils are prone to movement and can be damaged or destroyed in extreme circumstances.

LAND SUBSIDENCE

The United States Geological Survey (USGS) defines land subsidence as a gradual settling or sudden sinking of the ground surface because of subsurface movement of underlying geologic units. Scientists at the USGS have determined that nearly 17,000 square miles in 45 states have been directly affected by land subsidence, caused by aquifer-system compaction, drainage of organic soils, underground mining, hydro-compaction, natural compaction, sinkholes, and thawing permafrost. More than 80 percent of land subsidence is caused by over-use of groundwater and the increasing development of land and water resources threatens to worsen existing land-subsidence problems (while initiating) new ones.

Land subsidence in California is mainly caused by groundwater pumping in areas where aquifer recharge is exceeded. Known as “over-drafting,” the dewatering of aquifers has led to lower water tables and subsidence, resulting in damage to infrastructure, water quality and in coastal areas has resulted in the intrusion of seawater. USGS notes “the compaction of unconsolidated aquifer systems that can accompany excessive groundwater pumping is by far the single largest cause of subsidence” and “the overdraft of such aquifer systems has resulted in permanent subsidence and related ground failures,” thus “the extraction of this resource for economic gain constitutes ‘groundwater mining’ in the truest sense of the term.” Over-drafting is further exacerbated in hot geographic regions with a large population; this includes much of the southern California.

3.2.8.2 *History/Past Occurrences*

EXPANSIVE SOILS

In 1980, Krohn and Slosson (1980) made an assessment and cost estimate of the damage caused by expansive soils throughout the United States. They estimated that approximately \$7 billion in property damage was reportedly attributed to construction on expansive soils. While no recent figures have been identified, the increase in construction activity in areas of expansive soil, especially in southern California, will undoubtedly cause this number to increase. J. David Rogers of the University of Missouri found that “expansive soils are the second leading cause of property damage in the United States.”

There are no reported occurrences of expansive soils causing considerable damage within the County; although expansive soils are known to exist. Typically, expansive soils would be identified at a local level on a site-by-site or area basis and are addressed as part of the development review process.

LAND SUBSIDENCE

The relationship between subsidence and groundwater pumping was not fully recognized until 1928 when O.E. Meinzer, scientist with the United States Forest Service (USFS), realized that aquifers were compressible. By the 1950s, the USGS made a concerted effort to measure the amount of ground subsidence. In 1952, Joseph Poland studied large discrepancies between the U.S. Coast and Geodetic Survey for the Santa Clara and San Joaquin valleys. Poland noted that the increased use of groundwater correlated with the amount of ground subsidence. Poland’s work led to the verification of “consolidation theory” or compressible aquifers, as well as leading to the development of “definitions, methods of quantification, and confirmation of the interrelationship among hydraulic-head declines, aquitard (clay) compaction, and land subsidence.”

Subsidence has historically occurred in Orange County associated with groundwater pumping and from peat decomposition. The areas of historic subsidence associated with groundwater pumping are illustrated in [Figure 3-9](#), below. Localized subsidence possibly due to peat decomposition has also been reported in scattered areas inland from the coast between Sunset and Newport Beaches.

3.2.8.3 *Location/Geographic Extent*

EXPANSIVE SOILS

According to the County of Orange General Plan Safety Element, much of Orange County is covered by soil that may cause cracking in concrete foundations. The most prevalent problems occur from clay or “expansive” soils that contract and expand. Problems attributed to expansive soils are usually related to


improperly designed or constructed foundations. Due to the diversity of soil conditions, structures are not completely safe from cracking, slipping, or sinking to some degree. Expansive soils are typically mitigated through structural and design regulations as well as through soil treatment techniques. The California Building Code specifically addresses expansive soils in Sections 1804.4, 1806.5 and 1815. The California Health and Safety Code Section 17954 states that “If the preliminary soil report indicates the presence of critically expansive soils or other soil problems which, if not corrected, would lead to structural defects, such ordinance shall require a soil investigation of each lot in the subdivision” and “The soil investigation shall be prepared by a civil engineer who is registered in this state.” Expansive soils can impact the entire planning area.

LAND SUBSIDENCE

Currently, land subsidence affects much of the west coast. The major land-subsidence affected area of Orange County exists between Newport Beach and Huntington Beach and five miles inland from this point. This area is referred to as the Talbert Gap, which formed millennia ago from alluvial deposition from the Santa Ana River.

According to the USGS online map viewer, areas starting from Newport Beach up to Seal Beach, and out east to Placentia, experience subsidence impacts due to groundwater pumping. [Figure 3-9](#), shows the areas impacted by subsidence.

**Figure 3-9
Subsidence**



3.2.8.4 Magnitude/Severity**EXPANSIVE SOILS**

Damages to property due to erosion and deposition are usually classified as cosmetic, functional, or structural. Cosmetic damages refer to slight problems where only the physical appearance of a structure is affected (e.g., cracking in plaster or drywall). Functional damages refer to situations where the use of a structure has been impacted due to subsidence. Structural damages include situations where entire foundations require replacement due to subsidence-caused cracking of supporting walls and footings.

Buildings and infrastructure across Orange County are vulnerable to the impacts of soil expansion, instability, and erosion-related hazards. Cities in southern California have established guidelines for construction in areas of expansive soils. The MAs generally conduct soil surveys prior to construction of water and wastewater facilities and take the specific circumstances into consideration during design and construction. The magnitude and severity of expansive soils are similar throughout the planning area.

LAND SUBSIDENCE

The Talbert Gap, as described above, has sustained nearly a century of underground water aquifer pumping which was used to sustain intensive grazing and agriculture practices. By 1956 the water table had lowered to below sea level allowing saltwater from the Pacific Ocean to intrude through the Talbert Gap. Because of studies identifying subsidence and saltwater intrusion in Orange County, OCWD began a massive management program to minimize the loss of aquifer-stored water and reduce saltwater intrusion. Although subsidence is a concern within Orange County, programs have been implemented to address subsidence issues. The MAs within the portion of the planning area identified as having historic subsidence could continue to be impacted if it is not monitored and addressed.

3.2.8.5 Probability of Future Occurrences**EXPANSIVE SOILS**

Expansive soils will continue to occur throughout the planning area. Potential impacts associated with these hazards will need to be addressed through site design and development review, including preparation and adherence to geotechnical constraints recommendations.

LAND SUBSIDENCE

In areas that have experienced decreased precipitation in the summer months and reduced surface-water supplies, communities are often forced to pump more ground water to meet their needs. Orange County has historically experienced long term-droughts, especially in recent years. Although specific areas of excessive pumping, such as Talbert Gap, have been addressed, there is still a high probability that communities within the planning area will continue to experience impacts of these events.

It is important that these communities consider future mitigation actions that will address this hazard, particularly in newly developing areas near water. In areas where groundwater pumping has caused subsidence, switching to surface water supplies can be instrumental. Changing climate norms are expected to affect soil resources and especially during hot, dry years annual grasses that stabilize and protect topsoil often fail to germinate or do not grow well. This leaves soil surfaces highly vulnerable to

erosion from wind and precipitation and can further exacerbate the consequences of soil expansion and subsidence.

3.2.9 High Winds/Santa Ana Winds

3.2.9.1 Description (Nature) of the Hazard

High winds are defined as those that last longer than one hour at greater than 39 miles per hour (mph) or for any length of time at greater than 57 mph. High winds that affect Orange County, notably Santa Ana winds, are generally defined as warm, dry winds that blow from the east or northeast (offshore). Santa Ana winds often blow with exceptional speed in the Santa Ana Canyon and forecasters at the National Weather Service in Oxnard and San Diego usually place speed minimums on these winds and reserve the use of "Santa Ana" for winds greater than 25 knots. The complex topography of southern California combined with various atmospheric conditions creates numerous scenarios that may cause widespread or isolated Santa Ana events. Commonly, Santa Ana winds develop when a region of high pressure builds over the Great Basin (the high plateau east of the Sierra Mountains and west of the Rocky Mountains including most of Nevada and Utah). Clockwise circulation around the center of this high-pressure area forces air down slope from the high plateau. The air warms as it descends toward the California coast at the rate of 5 degrees Fahrenheit per 1,000 feet due to compression of the air mass. The air is dry since it originated in the desert, and it dries out even more as it is compressed.

3.2.9.2 History/Past Occurrences

Most high wind incidents in the planning area are the result of Santa Ana wind conditions. While high impact wind incidents are not frequent in the area, significant Santa Ana wind events have impacted the County. The National Oceanic and Atmospheric Administration (NOAA) Storm Events Database identifies 145 events reported within Orange County between December 1, 1950 and December 31, 2017. Table 3-10, Major High Wind Events, identifies and describes some of the major events occurring within Orange County.

3.2.9.3 Location/Geographic Extent

Santa Ana winds blow westward through the canyons toward the coastal areas of southern California. Orange County commonly experiences Santa Ana winds between October and March. The winds are not location specific, but rather impact the entire planning area.

3.2.9.4 Magnitude/Severity

Wind speeds are typically 35 knots through and below passes and canyons with gusts to 50 knots. Stronger Santa Ana winds can have gusts greater than 60 knots over widespread areas with gusts greater than 100 knots in some areas. Frequently, the strongest winds in the basin occur during the night and morning hours due to the absence of a sea breeze. The sea breeze which typically blows onshore daily, can moderate the Santa Ana winds during the late morning and afternoon hours. Santa Ana winds are an important forecast challenge because of the high fire danger associated with them. Santa Ana winds can adversely affect power utilities that have transformers and power lines, in turn affecting the ability of some water and wastewater utilities to operate when back-up generation is unavailable. The magnitude and severity of Santa Ana winds are similar throughout the planning area.

Table 3-10
Major High Wind Events

Date	Location	Magnitude (kts)	Property Damage (dollars)	Description
12/9/1998	North East Orange County	81	50,000	Severely disrupted transportation, power, and daily activities. Broken trees and power poles were common throughout the area and power was knocked out to 180,000 customers. Downed power lines also started several wild fires, damaging one house.
12/3/1999	Santa Ana Mountains and Foothills	104	20,000	Most of the major highways in the Inland Empire and through the Santa Ana Mountains were closed, partially due to two semi-tractor trailers that overturned, partially from blowing dust reducing visibility, and partially from road signs and other debris being blown onto the roads.
3/20 – 3/21/2000	Santa Ana Mountains and Foothills	51	25,000	Damage ranged from downed power poles, trees falling on cars and houses, fruit being knocked off of trees, and blowing sand and dust lowering visibility to zero.
1/5 – 1/7/2003	Santa Ana Mountains and Foothills			Numerous trees and power poles were blown down. At least 60 communities were affected. A commuter train was delayed for several hours in Orange County when power poles were blown down onto the track. A brush fire whipped by the winds, damaged 5 houses and burned 150 acres. Sparks from downed power lines started numerous small brush fires, but these were quickly contained. Many houses and at least 300 parked automobiles were damaged by falling trees.
11/23/03	Santa Ana Mountains and Foothills	50	50,000	Trees, power lines, and signs were knocked down.
12/16/04	Northeast Orange	68	20,000	
2/3/05	Santa Ana Mountains and Foothills	53	5,000	
3/31/05	Northeast Orange	54	5,000	Strong Santa Ana winds caused power outages, blew over big rigs, and knocked down trees.
1/22/06	Santa Ana Mountains and Foothills	62	15,000	Surface high pressure over the Great Basin resulted in gusty Santa Ana winds from the San Bernardino mountains, through the Inland Empire, and into Orange County. Wind gusts over 60 mph toppled trees and power poles. Downed power lines caused sporadic power outages. Most of the property damage that occurred came as a direct result of falling trees.
10/21-22/2007	Santa Ana Mountains and Foothills/Orange County Coastal Areas	74	100,000	Santa Ana winds toppled trees, brought down power lines, and knocked out power to thousands in many parts of Orange County. The strongest winds were felt along the foothills of the Santa Ana mountains and near the Chino Hills area.

**Table 3-10 [continued]
Major High Wind Events**

Date	Location	Magnitude (kts)	Property Damage (dollars)	Description
12/16/11	Santa Ana Mountains and Foothills	56	15,000	This system set off intense showers and isolated thunderstorms with pea-sized hail (accumulations in Rancho Cucamonga and Mission Viejo), as well as several funnel clouds spotted east of John Wayne Airport. Most of the rain with this system was confined to Orange County, the Inland Empire and the northern mountains. Heavy rain was observed in Orange County and the Inland Empire on the 15th and 16th with locations there recording between one-quarter and one-half inch. Strong winds were also observed with this storm, especially on the 16th, which was a more widespread wind event than early December, impacting all counties, including San Diego County, with warning-level winds. Several wind gusts of 45-65 mph were reported in the Santa Ana Mountains, the Inland Empire and San Diego County Mountains. Several trees and power poles were downed, leaving many without power. Power poles were reported down in Yorba Linda and around 240 customers were reported without power in Tustin.
1/14/14	Santa Ana Mountains and Foothills	67	2,000	The highest wind gusts occurred in the San Diego County foothills and inland Orange County, including the Santa Ana Mountains. Winds downed fiber optic lines near Santiago Canyon in Orange County.
2/12/16	Orange County Inland	52	20,000	Strong northeasterly winds downed numerous trees near Irvine, Santa Ana and Orange. Approximately 85 customers lost power in the city of Santa Ana.
2/17/17	Orange County Coastal	52	75,000	A strong trough and associated Pacific cold front swept into southern California from the west, bringing strong winds, heavy snow and rain. The storm was noteworthy for the strong prefrontal southerly winds that produced significant tree damage over the coast and valleys. In the mountains the ski resorts received 1-2 ft of snow, while elevations as low as 5,000 ft saw a few inches of accumulation. Rainfall ranged from 2-6 inches along the coastal slopes to 1-2 inches at the coast. At the beaches surf heights reached 8 to 12 ft. An isolated peak gust of 60 mph occurred at San Clemente Pier. Numerous trees were downed over the coastal areas.
12/4/17	Orange County Inland	52	15,000	Report of a large tree downed by strong winds in Orange. Tree damage, minor roof damage, and an exploding transformer were also reported in Santa Ana.
Notes: kts = knots. One (1) knot is equal to 1.151 miles per hour (mph).				
National Oceanic and Atmospheric Administration, National Centers for Environmental Information, <i>Storm Events Database</i> , Event Types: High Winds, https://www.ncdc.noaa.gov/stormevents/choosedates.jsp?statefips=6,CALIFORNIA , accessed March 21, 2018.				

3.2.9.5 Probability of Future Occurrences

High winds, including Santa Ana winds, will continue to occur annually in the County. The probability of future occurrence throughout the planning area is high.

3.2.10 Landslide/Mudflow**3.2.10.1 Description (Nature) of the Hazard**

Landslide is a general term for a falling mass of soil or rocks. Mudflow consists of material that is wet enough to flow rapidly and contains at least 50 percent sand, silt, and clay-sized particles. The primary effects of landslides/ mudflows can include:

- Abrupt depression and lateral displacement of hillside surfaces over distances of up to several hundreds of feet.
- Disruption of surface drainage.
- Blockage of flood control channels and roadways.
- Displacement or destruction of improvements such as roadways, buildings, and water wells.

Landslides are a type of ‘mass wasting’ which denotes any down slope movement of soil and rock under the direct influence of gravity. The term ‘landslide’ encompasses events such as rock falls, topples, slides, spreads, and flows. Landslides can be initiated by rainfall, earthquakes, volcanic activity, changes in groundwater, disturbance and change of a slope by man-made construction activities, or any combination of these factors. Landslides can occur underwater, causing tidal waves and damage to coastal areas. These landslides are called submarine landslides (USGS Fact Sheet 0071-40, Version 1.0).

Failure of a slope occurs when the force that is pulling the slope downward (gravity) exceeds the strength of the earth materials that compose the slope. They can move slowly, (millimeters per year) or can move quickly and disastrously, as is the case with debris-flows. Debris-flows can travel down a hillside of speeds up to 200 miles per hour (more commonly, 30 – 50 miles per hour), depending on the slope angle, water content, and type of earth and debris in the flow. These flows are initiated by heavy, usually sustained, periods of rainfall, but sometimes can happen because of short bursts of concentrated rainfall in susceptible areas. Burned areas charred by wildfires are particularly susceptible to debris flows, given certain soil characteristics and slope conditions.

A debris or mud flow is a river of rock, earth and other materials, including vegetation that is saturated with water. This high percentage of water gives the debris flow a very rapid rate of movement down a slope. This high rate of speed makes debris flows extremely dangerous to people and property in its path. Earthquakes often trigger flows. Debris flows normally occur when a landslide moves down-slope as a semi-fluid mass scouring, or partially scouring soils from the slope along its path. Flows are typically rapid moving and also tend to increase in volume as they scour out the channel. Flows often occur during heavy rainfall, can occur on gentle slopes, and can move rapidly for large distances.

Wildland fires on hills covered with chaparral are often a precursor to debris flows in burned out canyons. The extreme heat of a wildfire can create a soil condition in which the earth becomes impervious to water by creating a waxy-like layer just below the ground surface. Since the water cannot be absorbed into the soil, it rapidly accumulates on slopes, often gathering loose particles of soil into a sheet of mud and debris. Debris flows can often originate miles away from unsuspecting persons, and approach them at a high rate of speed with little warning.

Natural processes can cause landslides or re-activate historical landslide sites. The removal or undercutting of shoreline-supporting material along bodies of water by currents and waves produces countless small slides each year. Seismic tremors can trigger landslides on slopes historically known to have landslide movement. Earthquakes can also cause additional failure (lateral spreading) that can occur on gentle slopes above steep streams and riverbanks.

3.2.10.2 History/Past Occurrences

The following identifies some of the more major landslide occurrences within Orange County. There have been no disaster declarations within Orange County associated with landslides/mudflows.

- 1978 Bluebird Canyon, Orange County. The cost of recovery was \$52.7 million (2000 dollars) with 60 houses destroyed or damaged. Unusually heavy rains in March of 1978 may have contributed to initiation of the landslide. Although the 1978 slide area was approximately 3.5 acres, it is suspected to be a portion of a larger, ancient landslide.
- 1980 Southern California Slides. The damage was estimated at \$1.1 billion in 2000 dollars. Heavy winter rainfall in 1979-80 caused damage in six southern California counties. In 1980, the rainstorm started on February 8 with 5 days of continuous rain and 7 inches of precipitation. Slope failures were beginning to develop by February 15 and then very high-intensity rainfall occurred on February 16. As much as 8 inches of rain fell in a six-hour period in many locations. Records and personal observations in the field on February 16 and 17 showed that the mountains and slopes literally fell apart on those two days.
- 1983 San Clemente, Orange County. The damage to California Highway 1 was estimated at \$65 million in 2000 dollars. Litigation at that time involved approximately \$43.7 million (2000 dollars).
- 1994 Northridge, California Earthquake Landslides. As a result of the magnitude 6.7 Northridge, California, earthquake, more than 11,000 landslides occurred over an area of 10,000 km². Most were in the Santa Susana Mountains and in mountains north of the Santa Clara River Valley. They destroyed dozens of homes, blocked roads, and damaged oil-field infrastructure. It caused deaths from Coccidioidomycosis (valley fever) the spore of which was released from the soil by the landslide activity and blown toward the coastal populated areas.
- March 1995 Los Angeles and Ventura Counties, Southern California. Above normal rainfall triggered damaging debris flows, deep-seated landslides, and flooding. Several deep-seated landslides were triggered by the storms, the most notable was the La Conchita landslide, which in combination with a local debris flow, destroyed or badly damaged 11 to 12 homes in the small town of La Conchita, about 20 km west of Ventura. There also was widespread debris-flow and flood damage to homes, commercial buildings, and roads and highways in areas along the Malibu coast that had been devastated by wildfire 2 years before.
- 1998 Laguna Niguel, Orange County, Landslide. During the 1997/1998 El Nino Season, heavy rainfall increased movement on the site of an ancient landslide in Laguna Niguel. The storms in December 1997 had accelerated its movement and in early 1998, a crumbling hillside forced the evacuation of 10 hilltop homes and more than 10 condominium units resting below. Ultimately four of the hilltop homes collapsed, falling down hillside into the void created by the slide area. The condominium complex has since been demolished and the site remains open space.

- 2005 Blue Bird Canyon, Laguna Beach, Orange County; Landslide. On June 1, 2005, Bluebird Canyon in Laguna Beach experienced a landslide. Exceptionally heavy rainfall during the winter period was the underlying cause of the instability in an ancient landslide. A 30-acre piece of hillside between 50 to 60 feet deep broke free and fell on the homes below; 15 homes were destroyed, and 32 others had varying levels of damage. The approximate cost of damage was about \$35 million.
- 2005 SCWD Landslide Impact to the Joint Regional Transmission Line. Following a year of heavy rainfall, a slope failure occurred in Laguna Niguel in an area that included a section of the Joint Regional Transmission Pipeline. The pipeline had to be shut down and a temporary pipeline was routed around the slide area while evaluations of the stability of the area were made. Ultimately, the pipeline will be rerouted around the unstable area or located back in the slope after it has stabilized. Because the problem occurred in the winter/spring period and there are other pipelines into South Orange County, no water shortages were experienced.
- 2018 Cannon Cliff, Dana Point, Orange County; Rockslide. Approximately 18 tons of rocks, including a two-ton boulder dropped from the cliff area under Cannons Restaurant and struck a public restroom across from Baby Beach at the north end of Dana Point Harbor. The rocks are part of a four- to -five-million-year-old rock formation called the Capistrano Formation.

Rain induced landslides were reported in Santa Margarita in 1980, 1993, 1995 and 2005. In 1980 rains washed out an access road in Coto De Caza uncovering an 8-inch water line. The same series of storms also exposed a 21-inch trunk sewer line along the Oso Creek in Mission Viejo resulting in damages of \$300,000. In 1993 bank failures caused many pipelines to break which had to be replaced, relocated, or re-protected at a cost of nearly 2.1 million dollars. A slope failure in 1995 caused pipeline failures costing nearly \$30,000 and in 2005 a reservoir slope failure in Talega Valley cost \$350,000. Landslides, resulting in erosion along Aliso Creek, affected the South Orange County Water Authority's Aliso Creek Effluent Transmission Main (a 36-inch pipeline carrying treated wastewater).

3.2.10.3 Location/Geographic Area

Figure 3-10 illustrates the portions of the planning area susceptible to landslides based upon topography, surface and subsurface geology, borehole data, historical ground-water levels, existing landslide features, slope gradient, rock-strength measurements, geologic structure, and probabilistic earthquake shaking estimates. These areas are primarily comprised of the southern coastal communities and the communities containing steeper topography or located adjacent to mountain areas.

3.2.10.4 Magnitude/Severity

Factors included in assessing landslide magnitude/severity include population and property distribution in the hazard area, the frequency of landslide or debris flow occurrences, slope steepness, soil characteristics, and precipitation intensity. The California Geological Survey landslide maps prepared as part of the Seismic Hazard Program (refer to Figure 3-10) indicate the extent of landslide susceptibility within the County, which includes the southernmost coastal areas and eastern areas of the County. These areas would also be more likely to experience mudflows due to the topography of the areas.

3.2.10.1 Probability of Future Occurrences

A study conducted by Nature Geoscience in 2015 indicated that the projected upsurge of El Nino and La Nina events will increase the likelihood that coastal communities will experience erosion and flooding. This is separate from sea level rise, which has also been identified as a cause of future hazard vulnerabilities. In addition to erosion and flooding, the onset of El Nino and La Nina events will also increase the magnitude and severity of mudflow events. Based on previous landslide and mudflow incidents, along with studies predicting future occurrences, it is reasonable to state that these hazards will continue to impact the jurisdictions identified within the landslide susceptibility areas of the County.

3.2.11 Tsunami**3.2.11.1 Description (Nature) of the Hazard**

The phenomenon we call “tsunami” is a series of traveling ocean waves of extremely long length generated primarily by earthquakes occurring below or near the ocean floor. In the deep ocean, the tsunami waves move across the deep ocean with a speed exceeding 500 miles per hour, and a wave height of only a few inches. Tsunami waves are distinguished from ordinary ocean waves by their great length between wave crests, often exceeding 60 miles or more in the deep ocean, and by the time between these crests, ranging from 10 minutes to an hour.

As they reach the shallow waters of the coast, the waves slow down, and the water can pile up into a wall of destruction up to 30 feet or more in height. The effect can be amplified where a bay, underwater features, or harbor or lagoon funnels the wave as it moves inland. Large tsunamis have been known to rise over 100 feet. Even tsunamis one to three feet high can be very destructive and cause many deaths and injuries.

There are many causes of tsunamis, but the most prevalent is earthquakes. In addition, landslides, volcanic eruptions, explosions, and even the impact of meteorites can generate tsunamis. Not all earthquakes generate tsunamis. To generate a tsunami, the fault where the earthquake occurs must be underneath or near the ocean and cause vertical movement of the sea floor over a large area, hundreds or thousands of square miles. By far the most destructive tsunamis are generated from large, shallow earthquakes with an epicenter or fault line near or on the ocean floor. The amount of vertical and horizontal motion of the sea floor, the area over which it occurs, the simultaneous occurrence of slumping of underwater sediments due to the shaking, and the efficiency with which energy is transferred from the earth’s crust to the ocean water are all part of the tsunami generation mechanism. The sudden vertical displacements over such large areas disturb the ocean’s surface, displace water, and generate destructive tsunami waves. Although all oceanic regions of the world can experience tsunamis, the most destructive and repeated occurrences of tsunamis are in the Pacific Rim region.

Tsunami waves can travel at the speed of a commercial jet plane, over 500 miles per hour, moving from one side of the Pacific Ocean to the other in less than a day. This great speed makes it important to be aware of the tsunami as soon as it is generated. Scientists can predict when a tsunami will arrive at various locations by knowing the source characteristics of the earthquake that generated the tsunami and the characteristics of the sea floor along the path to the shore from the point of origin.

Offshore and coastal features can determine the size and impact of tsunami waves. Reefs, bays, entrances to rivers, undersea features and the slope of the beach all modify the tsunami as it converges on the coastline. People living near areas where large earthquakes occur may find that the tsunami waves can

reach their shores within minutes of the earthquake. For these reasons, the tsunami threat to many areas such as Alaska, the Philippines, Japan and the United States West Coast can be immediate (for tsunamis from nearby earthquakes which take only a few minutes to reach coastal areas) or less urgent (for tsunamis from distant earthquakes which take from three to 22 hours to reach coastal areas). When a tsunami reaches the coastline and moves inland, the water level can rise several feet, flooding homes, businesses and infrastructure from several thousand feet to miles inland, depending on the topography.

Scientists cannot accurately predict when earthquakes will occur, and as a result they cannot determine exactly when a tsunami will be generated or how destructive it will be. However, past tsunami height measurements are useful in predicting future tsunami impact and flooding limits at specific coastal locations and communities.

3.2.11.2 History/Past Occurrences

Tsunamis can be categorized as Pacific-wide or “local.” Typically, a Pacific-wide tsunami is generated by a major vertical shift in the ocean floor creating a wave that includes the entire column of water that has the potential to travel long distances. A “local” tsunami can be a component of a Pacific-wide tsunami in the immediate area of the earthquake, or a wave that is confined to the area of generation; such as a landslide within a bay or harbor. Worldwide, tsunamis have resulted in loss of thousands of lives, billions of dollars in damages, and the closure of many local economies.

All of the coastal areas in Orange County are susceptible to tsunamis, although most tsunamis have occurred in Northern California. The Channel Islands were impacted by a tsunami in the early 1800s. In the 1930s, four tsunamis struck the Los Angeles, Orange County, and San Diego coastal areas. In Orange County the tsunami wave reached heights of approximately 20 feet above sea level. In 1964, following the Alaska 8.2 earthquake, tidal surges of approximately 4 feet to 5 feet battered Huntington Harbor causing moderate damages.

According to the OCSD Emergency Management Division, two events generated response by their office:²²

- April 1, 2014. An 8.2 earthquake off the coast of Chile had the potential to generate a tsunami that could impact the Orange County coastline. The event was monitored, but no watch, advisory, or warning was issued for the County.
- September 16, 2015. An 8.3 earthquake off the coast of Chile triggered a Tsunami Advisory for the Orange County coastline. The Orange County EOC was activated and beaches were closed as a precaution; no evacuation orders were issued, and no damages occurred.

The National Oceanic and Atmospheric Administration reports one tsunami event in Orange County:²³

- September 16-17, 2015. As described above, an 8.3 magnitude earthquake off the coast of Chile led the National Tsunami Warning Center to issue a tsunami advisory for a portion of California, including Orange County. All beaches, harbors, piers, and marinas in the Cities of Seal Beach, Huntington Beach, Newport Beach, Laguna Beach, Dana Point and San Clemente, including

²² Ethan Miller Brown, OCSD Emergency Management Division, email correspondence, September 5, 2017.

²³ National Oceanic and Atmospheric Administration, National Centers for Environmental Information, *Storm Events Database*, Event Types: Tsunami, <https://www.ncdc.noaa.gov/stormevents/choosedates.jsp?statefips=6,CALIFORNIA>, accessed March 21, 2018.

County and State beaches were closed. Tsunami wave heights were observed to be just under one foot along the Orange County coast. The Orange County EOC reported no significant coastal flooding, but to be aware of the high likelihood of strong currents and waves dangerous to persons in or near the water.

3.2.11.3 Location/Geographic Area

Figure 3-11 illustrates the portions of the planning area within a tsunami hazard zone. Tsunami inundation maps are provided by the California Geological Survey and represent a combination of the maximum considered tsunamis for each area.

As illustrated on Figure 3-11, tsunami inundation areas are contained to the coastal areas of the planning area, extending into areas of Seal Beach, Huntington Beach, Newport Beach, Laguna Beach, Dana Point, and San Clemente.

3.2.11.4 Magnitude/Severity

The magnitude/severity of a tsunami would be dependent upon the severity and location of the event causing the tsunami. The California Geological Survey tsunami inundation maps (refer to Figure 3-11) identify the maximum extent of the tsunami inundation area within the County, which is primarily contained to the coastline. However, the inundation areas extend into several coastal communities with the largest potential inundation areas occurring within the cities of Seal Beach, Huntington Beach, Newport Beach, and Dana Point.

3.2.11.5 Probability of Future Occurrences

The historic record indicates that there is a low probability of occurrence of a major tsunami in Orange County. However, there is the potential for future tsunami events to impact water and wastewater infrastructure located within a tsunami inundation area. This probability is similar for each of the jurisdictions located within these areas.

3.2.12 Wildland/Urban Fire

3.2.12.1 Description (Nature) of the Hazard

A variety of fire protection challenges exist within Orange County, including structure fires, urban fires, wildland fires, and fires at the wildland/urban interface. This hazard analysis focuses on wildland fires, but also addresses issues specifically related to the wildland/urban interface. There are three categories of interface fires: the classic wildland/urban interface exists where well-defined urban and suburban development presses up against open expanses of wildland areas, the mixed wildland/urban interface is characterized by isolated homes, subdivisions and small communities situated predominantly in wildland settings, and the occluded wildland/urban interface existing where islands of wildland vegetation occur inside a largely urbanized area. Certain conditions must be present for significant interface fires to occur. The most common conditions include: hot, dry and windy weather, the inability of fire protection forces to contain or suppress the fire, the occurrence of multiple fires that overwhelm committed resources, and a large fuel load (dense vegetation). The three primary factors that lead to severe wildfires in Orange County are drought, insect infestation causing tree decimation (bark beetles), and wildfire suppression. Once a fire has started, several conditions influence its behavior, including fuel topography, weather, drought, and development.

A key challenge Orange County faces regarding the wildfire hazard is the increasing number of houses being built in the wildland/urban interface. Every year the growing population has expanded further and further into the hills and mountains, including forest lands. The increased "interface" between urban/suburban areas and open space areas has produced a significant increase in threats to life and property from fires and has pushed existing fire protection systems beyond original or current design and capability.

3.2.12.2 History/Past Occurrences

Although no federally-declared wildfire disasters have occurred in Orange County, significant wildfires have impacted the County and surrounding areas. Since 1950, the National Oceanic and Atmospheric Administration reports 28 wildfire events occurring with Orange County. Table 3-11, Major Wildfires, identifies significant fires that have occurred since 1950.

**Table 3-11
Major Wildfires**

Date	Location	Description
8/22/2000	San Clemente	Hot temperatures and dry conditions allowed a brush fire to quickly race up hill and ignite the underside of two roofs. Fifteen families were evacuated as more than 40 firefighters worked for several hours to control the blaze.
9/11/2000	San Clemente	A wild fire was fanned by east winds and burned 500 acres before being contained.
8/7/2001	Laguna Beach	A wild fire in a steep canyon near the main toll plaza on the San Joaquin Hills Toll Road (Highway 73).
9/9/2001	El Toro	A brush fire burned 30 acres before it was brought under control.
1/23/2002	Trabuco	Santa Ana winds gusted between 60 to 70 mph for several days across Southwest California.
5/13/2002	Mission Viejo	Extremely dry conditions, above normal temperatures, and gusty winds, helped a brush fire, started by an arsonist, to quickly consume 1100 acres before being controlled. Two trucks and one structure were destroyed. Many residential homes suffered smoke damage and residents were evacuated. Traffic was halted on Highway 241. No injuries occurred.
2/6-12/2006		Santa Ana Winds and Red Flag conditions resulted in the rapid spread of a wildfire in the Santa Ana mountains. Named the Sierra Fire, this fire burned 10,854 acres from Sierra Peak to the 241 Toll Road. While evacuations were ordered, no structures were burned. Eight minor injuries were reported.
3/11-14/2007	Santa Ana Mountains and Foothills	The Windy Ridge Fire was intentionally set during the early stages of a red flag event at the mouth of Fremont Canyon. Humidity values less than 10% and wind gusts in excess of 40 mph caused the fire to spread quite rapidly across the rain starved hillsides. At the time of the fire, the Santa Ana Fire Station had only measured 1.81 inches of rain on the season, nearly 9 inches below the average rainfall for that date. Mandatory evacuations were posted for 1200 homes in Anaheim Hills and Orange as the wind-driven fire spread westward. The fire burned 2036 acres, damaged one home, and destroyed two out-structures before it was extinguished.
10/21/2007	Santa Ana Mountains and Foothills	The Santiago Fire was intentionally set and burned 28,400 acres in Modjeska and Santiago Canyons. The fire destroyed 15 homes and 9 outbuildings. An additional 20 structures were damaged. Sixteen firefighters were injured during the blaze.

**Table 3-11 [continued]
Major Wildfires**

Date	Location	Description
9/23/2010	Santa Ana Mountains and Foothills	The Long Canyon fire started in the Cleveland National Forest in eastern Orange County, west of the Ortega Highway near the Riverside County line. Some structures were threatened, but the fire generally burned away from the populated areas, 40 acres total. Three firefighters and one police officer suffered non-life-threatening heat-related and smoke inhalation injuries. One of the Cleveland National Forest's fire engines was destroyed by fire, cause unknown, no injuries.
8/5/2013	Santa Ana Mountains and Foothills	The Falls Fire started off Ortega Highway near Decker Canyon, in Riverside. Due to the fire burning on the Trabuco Ranger District, the San Mateo Wilderness, El Cariso Campground, Blue Jay Campground, the Firefighter Memorial Picnic Area and Wildomar OHV area were closed. Road closures included Ortega Hwy 74 from Lake Elsinore west to San Antonio Parkway. Evacuations were ordered for Lakeland Village, Rancho Capistrano and Decker Canyon residents. Evacuation perimeter was between Grand/Ortega and Grand/Corydon. No structures were threatened and no injuries. Minor guardrail damage occurred because of a rock fall along Ortega Highway. The fire burned 1416 acres before being fully contained.
9/12-13/2014	Santa Ana Mountains and Foothills	The Silverado Fire began along Silverado Canyon Road in the Cleveland National Forest of the Santa Ana Mountains. The fire burned at a critical rate of spread, threatening power lines and forcing evacuations and road closures. Mandatory Evacuations were ordered from 30331 Silverado Canyon east to the end of the road (fire gate) and included 50 residences affecting approximately 220 people. The American Red Cross opened an evacuation center at 1530 at El Modena High School at 3920 East Spring Street. The 12kV line servicing Silverado residents was down. One pole and the downed lines required replacement. There were 71 customers without power in Silverado Canyon. After burning a total of 1600 acres, the Silverado Fire was completely contained.
9/25/2017	Santa Ana Mountains and Foothills	The Canyon fire began near Highway 91 in Orange County. The fire spread rapidly due to dry fuel conditions and very low humidity, and firefighting efforts were hindered by a transition from light Santa Ana Winds to onshore flow. This initially pushed the fire into the foothills before sending it back eastward toward Corona. The fire was estimated at 1700+ acres and was threatening residences. Winds calmed over the ensuing days and the fire was quickly contained at 2662 acres. The cause of the wildfire was determined to be a roadside flare.
10/9/2017	Orange County Inland	The Canyon 2 fire began near the 91 Freeway and Gypsum Canyon Road in Anaheim Hills. The fire spread rapidly threatening numerous structures. In the first 24 hours the fire consumed more than 7,000 acres. In total, 25 structures were destroyed, 55 were damaged and 9,217 acres burned. Four injuries were also reported. The cause of the fire was reported to be embers from the Canyon Fire which began September 25 and was contained October 4, 2017.
National Oceanic and Atmospheric Administration, National Centers for Environmental Information, <i>Storm Events Database</i> , Event Types: Wildfire, https://www.ncdc.noaa.gov/stormevents/choosedates.jsp?statefips=6,CALIFORNIA , accessed March 21, 2018.		

At 9:01 am on November 15, 2008 the Corona Fire Department responded to calls reporting a brush-fire in Riverside County. Upon arrival it became apparent to first responders the fire would be significant and of a highly destructive nature. At the time of the alarm a Red-Flag Warning had been in effect due to low-humidity levels, high temperatures, and strong Santa Ana winds. These conditions along with the terrain of the areas burned facilitated the rapid growth and spread of the fire and significantly affected first responder's efforts of containment and in the protection of property and lives. Initial calls reported the fires location as west of the Green River exit off the 91 Freeway in Riverside County. From there the fire quickly advanced in a Northwesterly direction towards Orange County where the fire split into two separate branches shortly after crossing over the county line; the first branch of the fire followed the Santa Ana river basin southwest into Anaheim hills, and the second continued northwest into Yorba Linda. Both branches of the fire became of concern to the water utilities of Orange County as the fire threatened infrastructure or moved into the service areas of Anaheim, Brea, the Yorba Linda Water District, and MET's Diemer Filtration Plant facility. Eventually, the fire burned through approximately 30,305 acres and damaged or destroyed over 300 structures in Riverside, San Bernardino, Los Angeles, and Orange Counties.

A brush fire erupted along State Route 241 near Santiago Canyon Road in Irvine on the morning of July 13, 2015. Campgrounds near Irvine Lake were evacuated, and three abandoned structures caught fire. The blaze encompassed a total of approximately 214 acres. Around one year later, a fire occurred in the Laguna Coast Wilderness Park near Bommer Ridge Trail on June 26, 2017. The fire burned approximately 47 acres and was reported as contained on June 27, 2017. On August 31, 2016, the Holy Fire started in the early morning just east of Trabuco Canyon in the Cleveland National Forest. The blaze did not threaten any homes; however, it was in an area around Holy Jim Canyon that was difficult for firefighters to reach. The fire burned through approximately 150 acres.

3.2.12.3 Location/Geographic Extent

Cal Fire prepares fire hazard severity maps including mapping areas of significant fire hazards based on fuels, terrain, weather, and other relevant factors. These zones, referred to as Fire Hazard Severity Zones (FHSZ), define the application of various mitigation strategies and influence how people construct buildings and protect property to reduce risk associated with wildland fires. According to [Figure 3-12](#), the southern and eastern portions of the County are located within High and Very High Fire Severity Zones.

3.2.12.4 Magnitude/Severity

California experiences large, destructive wildland fires almost every year and Orange County is no exception. Wildland fires have occurred within the County, particularly in the fall, ranging from small, localized fires to disastrous fires covering thousands of acres. The most severe fire protection problem is wildland fire during Santa Ana wind conditions. These conditions have been further exacerbated by more recent drought conditions. Drought causes fuels (both live and dead vegetation) to dry out and become more flammable increasing the probability of ignition along with the rate of fire spread. If drought continues for an extended period, the number of days with elevated probability of ignition and fire spread increases, raising the risk of widespread burning. The combination of drought conditions, need to maintain water fire flow and the potential for power failure due to Santa Ana wind conditions can impact the magnitude and severity of fires within the planning area.

The magnitude/severity of a wildfire would be dependent upon the location and conditions (e.g., Santa Ana winds) in place at the time. The Fire Hazard Severity Zone maps prepared by Cal Fire (refer to [Figure 3-12](#)) identify the extent and severity of the fire hazard zones within the County. Although a fire could start and/or extend beyond these areas, they identify the areas of severity so that measures can be identified to mitigate the rate of spread and reduce the potential intensity of uncontrolled fires that threaten to destroy resources, life, or property.

3.2.12.5 Probability of Future Occurrences

Wildfires are a regular feature of many of California's ecosystems, and will continue to be in the future. Since the northern, eastern, and southern portion of the County are considered wildland/urban interface areas, the County has a higher probability of wildfire risks in those communities and surrounding areas. The specific chance of wildfire in the County's wildland/urban interface is not known, but the general vulnerability of the area to fires means that there is a reasonable possibility such an event will occur.

3.2.13 Human-Caused Hazards

3.2.13.1 Description (Nature) of the Hazard

Human-caused hazards are distinct from natural hazards in that they result directly from the actions of people. Two types of human-caused hazards include: non-malicious and malicious. Non-malicious hazards refer to incidents that can arise from human activities such as the manufacturing, storage, transport, and use of hazardous materials, which include toxic chemicals, radioactive materials, and infectious substances. Non-malicious hazards are assumed to be accidental and their consequences unintended. Malicious, on the other hand, encompasses intentional and criminal acts involving weapons of mass destruction (WMD) or conventional weapons. WMD can involve the deployment of biological, chemical, nuclear, and radiological weapons with the result of affecting a significant percentage of the population either directly or indirectly. Conventional weapons and techniques include the use of arson, incendiary explosives, armed attacks, intentional hazardous materials release, and cyber-terrorism (attack via computer). Typically, conventional weapons have a very specific target and are limited in scope and affect.

Hazardous materials can include toxic chemicals, radioactive materials, infectious substances, and hazardous wastes. The State of California defines a hazardous material as a substance that is toxic, ignitable or flammable, or reactive and/or corrosive. An extremely hazardous material is defined as a substance that shows high acute or chronic toxicity, carcinogenicity, bio-accumulative properties, persistence in the environment, or is water reactive (California Code of Regulations, Title 22). "Hazardous waste," a subset of hazardous materials, is material that is to be abandoned, discarded, or recycled, and includes chemical, radioactive, and bio-hazardous waste (including medical waste). An accidental hazardous material release can occur wherever hazardous materials are manufactured, stored, transported, or used. Such releases can affect nearby populations and contaminate critical or sensitive environmental areas. With respect to water or wastewater systems, concerns arise regarding exposure to these materials via contact or ingestion of drinking water and or discharge of contaminated water into the ocean where exposure to the marine environment and public would be of concern.

NON-MALICIOUS HAZARDS

Non-malicious hazards can occur because of human carelessness, technological failure, and natural hazards. When caused by natural hazards, these incidents are known as secondary hazards, whereas

intentional acts are terrorism. Hazardous materials releases, depending on the substance involved and type of release, can directly cause injuries and death and contaminate air, water, and soils. While the probability of a major release at any facility or at any point along a known transportation corridor is relatively low, the consequences of releases of these materials can be very serious.

The most common sources of contamination to water supply systems are naturally occurring chemicals and minerals (i.e., arsenic, radon, and uranium), local land use practices (i.e., fertilizers and pesticides), manufacturing processes, sewer overflows, and malfunctioning wastewater treatment systems (i.e., nearby septic systems). Although these contaminants present an environmental and human health risk concern, the EPA holds regulations in place to ensure water supply systems do not contain elevated levels of contaminants.

Some hazardous materials also present a radiation risk. Radiation is any form of energy propagated as rays, waves or energetic particles that travel through the air or a material medium. Radioactive materials (e.g., uranium, plutonium, radium, and thorium) are composed of unstable atoms. An unstable atom gives off its excess energy until it becomes stable. The energy emitted is radiation. The process by which an atom changes from an unstable state to a more stable state by emitting radiation is called radioactive decay or radioactivity.

Radiological materials have many uses including:

- Use by doctors to detect and treat serious diseases,
- Use by educational institutions and companies for research,
- Use by the military to power large ships and submarines, and
- Use as a critical base material to help produce the commercial electrical power that is generated by a nuclear power plant.

Radioactive materials, if handled improperly, or radiation accidentally released into the environment, can be dangerous because of the harmful effects of certain types of radiation on the human body and the human environment. The longer a person is exposed to radiation and the closer the person is to the radiation source, the greater the risk. Although radiation cannot be detected by the senses, scientists can easily detect it with sophisticated instruments that can detect even the smallest levels of radiation. Under extreme circumstances, an accident or intentional explosion involving radiological materials can cause very serious problems. Consequences may include death, severe health risks to the public, damage to the environment, and extraordinary loss of, or damage to, property.

TERRORISM

Following several serious international and domestic terrorist incidents since the early 2000s, citizens across the United States have paid increased attention to the potential for deliberate, harmful terrorist actions by individuals or groups with political, social, cultural, and religious motives. There is no single, universally accepted definition of terrorism, and it can be interpreted in a variety of ways. However, terrorism is defined in the Code of Federal Regulations as “...the unlawful use of force and violence against persons or property to intimidate or coerce a government, the civilian population, or any segment thereof, in furtherance of political or social objectives” (28 CFR, Section 0.85). The Federal Bureau of Investigation further characterizes terrorism as either domestic or international, depending on the origin, base, and objectives of the terrorist organization. However, the origin of the terrorist or person causing the hazard is far less relevant to mitigation planning than the hazard itself and its consequences. Terrorists can utilize a wide variety of agents and delivery systems.

Water supplies and infrastructure, such as dams, in Orange County are considered as potential terrorist targets. The weapon most likely used could include explosives with the goal of collapsing the dam. Such an event would result in a dam failure and an inundation event with little or no warning. The potential of using other types of weapons such as chemical or biological are considered low due to the large amount of material that would be required to contaminate the water system. This scenario would only apply to those dams where the reservoirs are used for drinking water.

Another very significant concern is cyber terrorism. All of Orange County's water utilities utilize Supervisory Control and Data Acquisition systems (SCADA), which operate over telecommunication lines and/or radio systems. These systems are vulnerable to hacking and leave utilities open to malicious acts.

3.2.13.2 History/Past Occurrences

HAZARDOUS MATERIAL RELEASES

Numerous facilities in Orange County generate hazardous wastes in addition to storing and using large numbers of hazardous materials. Although the scale is usually small, emergencies involving the release of these substances can occur daily at both fixed sites and on the County's streets and roadways. Facilities that use, manufacture, or store hazardous materials in California must comply with several state and federal regulations. The Superfund Amendments and Reauthorization Act (SARA Title III), which was enacted in 1986 as a legislative response to airborne releases of methyl isocyanides at Union Carbide plants in Bhopal, India and in Institute, West Virginia. SARA Title III, also known as the Emergency Planning and Community-Right-To-Know Act (EPCRA), directs businesses that handle, store or manufacture hazardous materials in specified amounts to develop emergency response plans and report releases of toxic chemicals. Additionally, Section 312 of Title III requires businesses to submit an annual inventory report of hazardous materials to a state-administering utility. The California legislature passed Assembly Bill 2185 in 1987, incorporating the provisions of SARA Title III into a state program. The community right-to-know requirements keep communities abreast of the presence and release of hazardous wastes at individual facilities.

Additional information about the chemicals handled by manufacturing or processing facilities is contained in the U.S. EPA's Toxic Release Inventory (TRI) database. The TRI is a publicly available EPA database that contains information on toxic chemical emissions and waste management activities reported by certain industry groups as well as federal facilities. This inventory was established under EPCRA and expanded by the Pollution Prevention Act of 1990. Facilities that exceed threshold emissions levels must report TRI information to the U.S. EPA, the federal enforcement agency for SARA Title III.

Over the past several decades industrial activities have contaminated Orange County's North Basin, which provides much of the water used in 22 Orange County cities, including parts of Fullerton, Anaheim, and Placentia. Over five square miles of contaminants, mostly volatile organic compounds (VOCs), have migrated through the soils and are now leaching into the underlying groundwater. These VOCs have impacted nearby water supply wells causing four of them to be taken out of service. The Orange County Water District (OCWD), under EPA oversight, is currently conducting an interim remedial investigation and feasibility study to determine the extent of groundwater contamination.

Chemical air emissions, surface water discharges, underground injections, and releases to land are considered chemical releases. The release of a biological agent capable of causing illness in people is considered an infectious release. The only known release of radiological agents into the air in the County

was the result of an accident at San Onofre Nuclear Generating Station (SONGS). In 1981, an accidental “ignition” of hydrogen gases in a holding tank of the SONGS caused an explosion which bent the bolts of an inspection hatch on the tank, allowing radioactive gases in the tank to escape into a radioactive waste room. From there, the radioactive material was released into the atmosphere. The plant was shut down for several weeks following the event (W.I.S.E. Vol.3 No.4 p.18). This incident occurred during the plant’s operation of its Unit 1 generator, which has since been decommissioned. No serious injuries occurred.

On February 3, 2001, another accident occurred at SONGS when a circuit breaker fault caused a fire that resulted in a loss of offsite power. Published reports suggest that rolling blackouts during the same week in California were partially due to the shutdown of the SONGS reactors in response to the 3-hour fire. Although no radiation was released, and no nuclear safety issues were involved, the federal Nuclear Regulatory Commission sent a Special Inspection Team to the plant site to investigate the accident.

In June 2013, SONGS permanently closed after faulty replacement steam generators were installed at the nuclear facility. SONGS is currently undergoing the process to decontaminate and dismantle the nuclear facility. As of August 2017, a court settlement requires the operators of SONGS, Southern California Edison (SCE), to relocate the 3.55 million pounds of nuclear waste to another facility. Among the possible sites is the Palo Verde Nuclear Generating Station in Arizona, located approximately 330 miles away. Transportation of nuclear waste poses an environmental and human health risk concern if radiation is released into the environment.

TERRORISM

While Orange County has not experienced any high-profile attacks by groups or individuals associated with international terrorist organizations, Orange County has several groups for advisory notification, investigation, and analysis of terrorist events and activities. These groups include:

- *Orange County Joint Terrorism Task Force (OCJTTF)*: The OCJTTF was formed by the Orange County Sheriff’s Department teamed with the FBI and other local police agencies. The OCJTTF is one of sixty-six JTTF’s across the United States and the 3rd largest in the nation. Team members are tasked with collecting, analyzing, and sharing critical information and intelligence involving matters related to any terrorism investigation occurring in or affecting the Orange County area.
- *Orange County Private Sector Terrorism Response Group (PSTRG)*: The PSTRG was formed in December 2001 to create a private sector partnership with the Terrorism Early Warning Group to effectively address private sector safety, incident management, employee education and public health consequences of potential attacks on the critical infrastructure within Orange County. Two large groups involved with PSTRG are the Orange County Business Council, of which 80% of the major businesses in Orange County are members, and TechNet, a consortium of 28 high-tech firms. The objectives of the PSTRG include physical resource sharing, information exchange, virtual reach-back capabilities, and subject/industry matter experts cross-utilization. The PSTRG is an instrument which allows the Sheriff’s Department to maximize all resources and prepare community members for the potential of terrorism and recovery in its aftermath.
- *Orange County Intelligence Assessment Center (OCIAC)*: The OCIAC was built on the foundation established by the Orange County Sheriff Department’s Terrorism Early Warning Group (TEWG) from 2001 to 2007 and is an Operational Area asset governed by the Orange

County Chiefs and Sheriff's Association (OCCSA). The OCIAC is a proactive multi-agency, multi-discipline collaborative which provides comprehensive analysis, intelligence, timely information sharing, and infrastructure protection. Within the OCIAC, the Critical Infrastructure Protection Unit uses a multi-disciplinary team comprised of law enforcement, fire, medical, and private sector experts to conduct vulnerability assessments, provide relevant security updates, and training resources to our public and private sector partners in a combined effort to protect our county's assets against terrorist attack, criminal activity, and natural disasters.

- ***Law Enforcement Mutual Aid:*** Orange County law enforcement has long recognized the need for standardization and uniformity of organization and response on the part of public safety providers involved in major multi-discipline and multi-jurisdictional incidents. The collaborative efforts of Orange County law enforcement leaders over the past 53 years have forged a collective voice in mutual assistance and mutual aid. All major components tasked with public safety (law, fire, health, emergency management) are actively involved in developing emergency plans and insuring emergency preparedness.

3.2.13.3 Location/Geographic Extent

Human-caused hazards may affect a specific location or multiple locations, each of which may be a disaster scene, a hazardous scene, and/or a crime scene simultaneously. An accidental hazardous materials release can occur wherever hazardous materials are manufactured, stored, transported, or used. In Orange County, a hazardous material event is most likely to occur within the County's industrial areas.

One of the special considerations in dealing with the terrorist threat is that it is difficult to predict. The Department of Homeland Security's National Planning Scenario identifies the possible terrorist strike locations it views as most plausible; places at risk include cities that have economic and symbolic value, places with hazardous facilities, and areas where large groups of people congregate, such as an office building, sports arena, or amusement park. As such, Anaheim (Disneyland, Angels Stadium, Honda Center), Buena Park (Knott's Berry Farm), and San Clemente (SONGS) are viewed as potential targets.

3.2.13.4 Magnitude/Severity

Human-caused hazards have the potential to directly impact water and wastewater systems. A hazardous material spill could be localized and depending upon when the spill is identified and addressed, may be contained with limited to no impact on water supplies and systems. However, there is the potential for a hazardous material spill to severely impact water supplies due to groundwater intrusion and direct contamination of a water source. The magnitude and severity of the hazard would be highly dependent upon the type of hazardous material spill, location, and the extent to which the hazardous material extends into the water system. Similarly, an act of terrorism could cause a significant impact to water and wastewater systems depending upon the type of event and whether it occurs at a primary source or is focused to a specific area or system. Human-caused hazards can have a direct impact on water supplies and the ability to provide water services to communities, potentially resulting in significant health and safety issues.

3.2.13.5 Probability of Future Occurrences

According to the Governor's Office of Emergency Services, hazardous materials have been released approximately 250 times to the environment between the years of 2006 and 2017 in Orange County. Thus, the probability of future contamination to the environment is likely. However, human consumption

of contaminated groundwater is unlikely due to the constant monitoring of over 700 wells across Orange County.²⁴

Because of the dynamic nature of the terrorist threat and the open nature of California society, all jurisdictions within California are vulnerable to terrorist attack. One must know the minds and capabilities of various terrorists and terrorist groups; these are characteristics terrorist organizations strive to conceal. Because all terrorists are not the same, the calculation is even more difficult. From the perspective of hazard mitigation, the most often used weapon of terrorists is bombs and the greatest potential for loss is from WMDs.

3.2.14 Power Outage

3.2.14.1 Description (Nature) of the Hazard

A power outage typically occurs during a natural hazard such as extreme weather conditions, earthquakes, flood, fire or severe winds. An outage can result in damaged power equipment or equipment failures and can affect multiple counties for hours. This type of event can range from a moderate event to a catastrophic regional event that may threaten human life, safety, and health, or interferences with vital services. An outage may occur as a secondary effect of another hazard, or as the result of construction, an accident, or terrorism. Severe winds and flood can bring down trees and tree limbs onto power lines. And these types of events can cause serious safety hazards to the public and emergency responders.

3.2.14.2 History/Past Occurrences

Orange County has experienced many power outages in the past. There have been small to moderate incidents, and several extreme incidents that have lasted hours in certain areas. Power outages are most commonly seen in Southern California when Santa Ana wind conditions occur.

One of the most severe events, referred to as the 2011 Southwest Blackout, took place in September 2011. This event affected southern Orange County, San Diego-Tijuana area, Imperial Valley, Mexicali Valley, Coachella Valley, and parts of Arizona. The incident is known to have been an 11-minute system disturbance which led to cascading outages and 2.7 million customers left without power, some for up to 12 hours. The hardest hit areas of San Diego-Tijuana, experienced street gridlock due to loss of traffic signals, school and businesses closing, flights and public transportation delays, and water and sewage pumping station power loss.

In 2013, a blackout resulted in approximately 123,000 homes and businesses losing power for several hours. Faulty circuits affected people in a number of Orange County communities including Mission Viejo, Laguna Niguel, Ladera Ranch, Coto De Caza, Ortega, San Clemente, Talega, San Juan Capistrano, Dana Point, and Capistrano Beach.

3.2.14.3 Location/Geographic Area

A power outage can cause impacts at the local level and potentially the regional level. As seen from previous occurrences, a severe outage can easily impact several counties at a time. All jurisdictions within the planning area have the potential to be impacted should an event occur; either directly or indirectly. Highly developed communities may see more outage occurrences if a heat wave should occur,

²⁴ Orange County Water District Groundwater Management Plan, 2015 Update, June 17, 2015.

due to the number of cooling systems running at once. Water and wastewater facilities with backup generators or alternate power sources are less likely to experience severe losses or disruption.

3.2.14.4 Magnitude/Severity

A power outage has the potential to directly impact water and wastewater systems. Disruption of water utilities and systems often requires notification of the public and businesses to curtail usage, boil available water, use bottled water, etc. Firefighting capabilities may also be impacted if an outage causes disruption to water supplies. In areas where telephone service is provided by above-ground lines that share poles with electrical distribution lines, telecommunications providers may not be able to make repairs to the telephone system until electrical utilities restore power lines to a safe condition. This could impact response times to a water or wastewater incident. The impacts of electric utility disruptions are felt most significantly by southern California communities during the summer months due to cooling demands from higher heat. Any extended electric disruption can also lead to local economic losses when computers, lighting, refrigeration, gas pumps, and other equipment are without power during business hours. A severe power outage also can cause cascading impacts such as transportation incidents, civil unrest, and disease. The magnitude/severity of a power outage would be the same for all jurisdictions within the planning area.

3.2.14.5 Probability of Future Occurrences

Power outages are a normal part of life and are unpredictable; they happen for many reasons and can be expected to continue in the future. Water and wastewater systems are most susceptible to failure during extreme weather conditions, fires, and earthquake events. Regional power outages can threaten human life, particularly when outages affect water supply, hospitals, and other healthcare facilities. As both population and climate variability increase across southern California, and put more pressure on aging distribution systems, it is likely that power outage events will continue to occur. Due to the nature and extent of power outages, the probability for future occurrences would be the same for all jurisdictions in the planning area.

3.3 VULNERABILITY ASSESSMENT

Vulnerability describes how exposed or susceptible to damage an asset is, and depends on an asset's construction, condition, contents and the economic value of its functions. A vulnerability analysis predicts the extent of injury and damage on the existing and future built environment that may result from a hazard event of a given intensity in a given area. Due to the interrelatedness of water and wastewater infrastructure and the role each have in public health and safety, vulnerabilities in one community are often related to vulnerabilities in another. Indirect effects can be much more widespread and damaging than direct effects. For example, damage to a major water utility line could result in significant inconveniences and business disruption that would far exceed the cost of repairing the utility line.

The vulnerability assessment quantifies, to the extent feasible using best available data, assets at risk to hazards and estimates potential losses. This section focuses on the risks to the planning area; data for each of the MAs was also evaluated and is included here and in the Jurisdictional Annexes.

3.3.1 Asset Inventory

Hazards that occur in Orange County can impact critical facilities located throughout the County. For this Plan update, a critical facility is defined as public infrastructure used to provide potable water to the

public and maintain wastewater services, necessary to maintain public health and safety. Critical facilities associated with potable water services located within the planning area include: wells, water storage tanks, reservoirs with dams, water treatment plants, pump stations, pressure reducing stations, emergency interties, service connections, pipelines, and administrative buildings and utility yards; refer to [Table 3-13, *Summary Assets*](#), at the end of this section. Critical facilities associated with wastewater services located within the planning area include: wastewater treatment plants, lift stations, pipelines, and administrative buildings and utility yards ([Table 3-13](#)).

3.3.2 Estimating Potential Exposure and Losses

Orange County covers 948 square miles with several different climate patterns and types of terrain, from the coast to the mountains, which allows for several hazards to affect various parts of the County, as described above. Due to the vast area, a hazard event could impact a single jurisdiction or multiple jurisdictions.

Updated mapping of water and wastewater infrastructure was prepared in anticipation of the Plan update. As part of the Plan update, the infrastructure mapping was overlaid with hazards having a physical geographic location to estimate exposure to water and wastewater infrastructure. Hazard areas and infrastructure overlays were conducted for wildfires, flooding, fault rupture, earthquakes, liquefaction, landslides, and tsunamis; refer also to the Jurisdictional Annexes. Hazards and infrastructure overlays were not conducted for the remaining hazards because data for these hazards was either not available or is not geographically distinct. Many of these hazards, such as drought, power outage, and high winds/Santa Ana winds affect the entire planning area; therefore, all water and wastewater infrastructure could be potentially susceptible to damage from them. For these hazards, quantitative analyses were not performed. Vulnerability assessments associated with these hazards is based on historic incidents and the knowledge that water and wastewater experts have of their critical facilities and the susceptibility of those facilities to these hazards.

For water and wastewater infrastructure pipelines, the length of exposure/impact is given in miles. Other critical facilities are identified by facility/structure type. Exposure characterizes the value of facilities/structures within the hazard zone and is shown as estimated exposure based on the overlay of the hazard on the critical facilities which are assigned a cost of replacement for each type of facility/structure exposed. These replacement costs for the critical facilities were identified by each MA. The loss or exposure value is then determined with the assumption that the given facility/structure is destroyed (worst case scenario), which is not always the case in hazard events. This assumption was valuable in the planning process, so that the total potential damage value was identified when determining capabilities and mitigation measures for each MA.

[Table 3-12, *Unit Replacement Costs of Facilities*](#), provides average replacement costs used for critical facilities and infrastructure listed in all subsequent exposure/loss tables.

[Table 3-13](#) provides the total inventory for the critical facilities and infrastructure by jurisdiction. Estimated exposure for critical infrastructure by MA is provided in the Jurisdiction Annexes. [Table 3-14, *Planning Area Critical Facilities and Infrastructure Exposure Costs by Hazard*](#), provides a summary of exposure for the planning area by hazard. The costs identified reflect cost of replacement in a worst-case scenario (defined as the highest cost submitted from among all the MAs in the study process, excluding the regional facilities, as this would overstate the local costs). For example, Garden Grove may have identified a cost of \$3 million to replace a well and Buena Park may identify a cost of \$3.5 million to replace a well; however, \$3.5 million would be used as the replacement cost for all wells within the

planning area. This methodology was used for consistency across the planning area and selection of the highest cost helps assure that appropriate costs are considered when requesting grants. For any detailed proposals submitted to FEMA, actual costs for mitigation and detailed estimates of the benefits of the mitigation measure will be prepared and submitted. The costs included herein provide a relative measure of the impacts of the various hazards.

Table 3-12
Unit Replacement Costs of Facilities \$1,000's⁽¹⁾

Abbreviation	Name	Replacement Cost (\$1,000's)
WST	Water Storage Tank	\$20,000
RES	Reservoir (with a dam)	\$50,000
WTP	Water Treatment Plant (Diemer Filtration Plant)	\$350,000
WTP	Water Treatment Plant by retail agency	\$10,000
PS	Pump Station (South County Pump Station)	\$35,000
PS	Retail Water Agency Pump Station	\$8,000
PRS	Pressure Reducing Station (MET facility)	\$52,000
PRS	Pressure Reducing Station for retail agency	\$2,000
EIT	Emergency Interties	\$2,000
SC	Service Connector	\$3,000
ADM	Administration (large administration building)	\$8,000
LS	Wastewater Pump Station/Lift Station by OCSD/SOCWA	\$4,000
LS	Wastewater Pump Station/Lift Station by retail agency	\$5,000
WWTP	Wastewater Water Treatment Plant	\$30,000
WELL	Well	\$5,000
PP	Power Plant (MET Yorba Linda Power Plant)	\$12,000
⁽¹⁾ Based on the highest cost for typical facility from among the MAs' facility values submitted. These results are conservatively high replacement costs for some retail agencies.		

For additional detail on exposure of facilities by MA, refer to the Jurisdictional Annexes. The Jurisdiction Annexes include a discussion of hazards and vulnerabilities specific to each MA, a discussion of their capabilities to address these losses, and identifies the actions to help mitigate damage to their infrastructure against hazards identified in the risk assessment.

3.3.3 Land Use and Development Trends

The MAs provide water and wastewater services to majority of the County, which has a population of almost 3.2 million people. Depending upon the hazard and its magnitude and duration, a considerable number of people and businesses could be impacted. Of primary concern would be a hazard that results in the loss of water supply and wastewater services to the planning area. As discussed previously, a hazard could result in direct physical damage to water/wastewater infrastructure, as well as indirect damage resulting from business disruption.

Although Orange County is urbanized and predominately built out, the Southern California Association of Governments (SCAG) projects continued population, employment, and housing growth into 2040. The County of Orange and its incorporated cities maintain General Plans, which identify the planned growth

and development for their respective jurisdictions. The planning area includes a wide variety of residential and non-residential land uses. Water and wastewater service providers will continue to work with the communities they serve to identify service needs, including the construction, expansion, or modification of water and wastewater infrastructure. The construction of new facilities or infrastructure will be completed in coordination with these communities to ensure compliance with appropriate codes and regulations, including consideration of potential hazards.

3.3.4 Vulnerable Populations

Water supplies for safe drinking, sanitation, and hygiene are relied upon by the entire population. However, there are populations within the MA service areas that would be considered more vulnerable in the event of a hazard that affects water and wastewater infrastructure. These populations include those that are reliant on others for their wellbeing, such as young children, individuals with disabilities, individuals' dependent on medical equipment, and individuals with impaired mobility, as well as people with low socioeconomic levels. Vulnerable populations are more significantly impacted in the event of a hazard.

3.4 SUMMARY OF VULNERABILITY

Due to the nature of water and wastewater infrastructure and its location throughout Orange County, there is some form of infrastructure that intersects with a hazard area. Table 3-14 identifies the infrastructure that intersects with hazards that have a specific geographic area (e.g., fire hazard, liquefaction, etc.); however, the entire MA service area also intersects with hazards that are not geographically specific (e.g., drought, power outage). The variety of hazards and the varying magnitude and probability of occurrence make it challenging to assess the hazards that pose the greatest risk to the MAs. The potential losses vary greatly depending upon the hazard and resulting impact to infrastructure. The challenge is further magnified by the potential health and economic impacts that could occur in the event water supplies are disrupted.

Table 3-13
Summary Assets

Member Agency	Facility/Infrastructure																									
	Existing																Future									
	Wells	Dams/Reservoirs	Water Treatment Plant	Potable Water System Pipeline (mile)	Water Storage Tank	Pump Stations	Pressure Reducing Station	Imported Water Connections	Emergency Intertie	Hydrants	Potable Service Connections	Administrative/ Office/Lab/ Maintenance Facilities	Wastewater System Pipeline (mile)	Wastewater / Water Reclamation Plant	WW Service Connections	Sewer Lift Stations	Wells	Dams/Reservoirs	Potable Water System Pipeline (mile)	Water Treatment Plant	Administrative/ Office/ Maintenance Facilities	Water Storage Tank	Pump Stations	Pressure Reducing Station	Wastewater System Pipeline (mile)	Lab
Metropolitan Water District of Orange County	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Orange County Water District	901	27	0	15	3	9	0	2	0	0	4	12	40	2	0	0	6	0	0	0	0	0	1	1	1	1
Orange County Sanitation District	0	0	0	0	0	0	0	0	0	0	0	1	753	2	0	19	0	0	0	0	1	0	0	0	0	0
South Orange County Wastewater Authority	0	0	0	0	0	0	0	0	0	0	0	2	25	3	0	1	0	0	0	0	0	0	0	0	0	1
Buena Park	8	0	0	225	1	1	13	4	0	2,362	19,481	2	165	0	18,900	0	1	0	0	0	0	0	1	0	0	0
El Toro Water District	0	2	0	168	5	8	19	4	12	1,900	9,871	2	114	1	8,950	11	0	0	0	0	0	0	0	0	0	0
Garden Grove	13	0	0	440	8	5	2	4	7	3,959	33,725	2	330	0	33,725	3	1	0	0	0	0	0	0	1	0	0
La Habra	3	0	1	143	4	5	49	18	5	1,807	13,703	1	125	0	13,703	0	0	0	0	0	0	0	2	0	0	0
Laguna Beach County Water District	0	0	0	135	21	11	19	3	14	893	8,488	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mesa Water District	7	0	1	317	3	2	3	3	15	3,404	24,435	1	0	0	0	0	2	0	10	0	0	0	0	0	0	0
Moulton Niguel Water District	0	0	0	655	28	23	16	9	16	7,154	55,048	2	501	0	52,259	17	0	0	2	0	1	0	0	1	10	0
Newport Beach	4	1	0	297	2	5	42	6	13	2,634	26,800	1	323	0	5,525	21	0	0	0	0	0	0	0	0	0	0
Orange	15	0	0	450	16	16	14	8	16	4,411	34,000	3	0	0	0	0	2	0	0	0	0	1	1	0	1	1
Santa Margarita Water District	0	3	0	626	34	21	25	22	4	4,250	54,254	1	630	3	57,537	19	0	2	3	0	0	22	21	25	20	0
Serrano Water District	3	1	1	43	2	5	0	2	0	370	2,350	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0
South Coast Water District	1	1	1	185	13	9	25	4	19	1,522	12,551	7	151	1	16,500	14	0	0	0	0	0	0	0	0	0	0
Trabuco Canyon Water District	3	2	2	65	8	12	8	5	5	600	4,000	2	47	1	3,600	8	1	0	2	0	0	4	4	3	2	0
Westminster	10	0	0	230	2	1	0	3	4	2,672	20,515	1	0	0	0	0	1	0	2	0	0	0	0	0	0	0
Yorba Linda Water District	11	0	0	352	14	12	42	4	10	3,981	24,998	2	313	0	23,421	2	1	0	10	0	0	2	0	0	10	0
Joint Water Systems ¹	0	2	0	94	0	0	0	1	0	0	0	0	10	0	0	0	0	0	0	2	0	0	0	0	0	0
Metropolitan	0	1	1	122	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

⁽¹⁾ Regional water systems identified here are co-owned and managed by multiple utilities.

Table 3-14
Planning Area Critical Facilities and Infrastructure Exposure Costs by Hazard

Hazard		Infrastructure Type												Replacement Costs (\$ million) ¹
		Administration Buildings	Interties (#)	Pump Stations (#)	Treatment Plants (#)	Lift Stations (#)	Pressure Control Stations (#)	Reservoirs (#)	Water Storage Tanks (#)	Wells (#)	Effluent Pipeline (miles)	Potable Pipeline (miles)	Wastewater Pipeline (miles)	
Fire Hazard Zone	Moderate	0	14	13	0	7	0	13	0	0	0.5	45.02	37.78	1,483.40
	High	0	5	6	1	0	0	13	0	1	1.0	59.03	65.8	1,729.64
	Very High	0	24	47	2	10	1	71	0	5	1.6	151.14	100.65	6,098.12
FEMA Flood Zone	100-Year	0	4	1	2	7	0	15	0	7	0.5	38.73	82.84	1,832.56
	500-Year	0	18	7	1	11	0	8	0	35	2.1	106.05	171.96	2,972.88
Alquist-Priolo Fault Zone		0	0	0	0	0	2	0	0	0	0	4.29	0.71	44.0
Ground Shaking	Moderate	0	22	31	0	2	1	50	0	0	0	86.18	52.99	3,917.36
	High	1	97	60	9	19	1	55	1	57	5.2	370.53	513.72	11,039.60
	Extreme	1	24	25	1	10	1	42	0	26	0	169.53	213.85	5,615.04
Liquefaction	Moderate	0	13	11	3	3	1	14	0	33	0	85.53	188.64	3,219.36
	High	2	25	6	3	1	0	17	1	40	0	91.48	198.47	3,538.60
	Very High	0	0	0	1	0	2	0	0	0	0	10.39	16.74	231.04
	Unknown	0	13	7	1	1	0	1	0	7	0	54.45	100.4	1,420.80
Landslide Zone		0	5	18	0	7	0	28	0	0	2.8	40.83	42.34	2,276.76
Tsunami Zone		0	0	0	1	7	0	0	0	0	0.6	6.75	7.42	163.16

⁽¹⁾ Based on the highest cost for typical facility from among the MAs’ facility values submitted. These results are conservatively high replacement costs for some retail agencies.

This page intentionally left blank.

SECTION 4 MITIGATION STRATEGY

Planning is the cornerstone to successful hazard mitigation efforts. Citizens, local government, and private interests with proactive policies can reduce damages and impacts associated with natural and human-caused hazards. Benefits realized by implementing hazard mitigation measures include:

- Saving lives by removing people from hazard prone situations.
- Limiting property damage by regulating development in hazard areas.
- Reducing economic impacts by minimizing outages of essential services during and after these events.
- Saving money for taxpayers by reducing the need for services during a disaster.
- Speeding disaster recovery and post-disaster relief funds.
- Demonstrating a strong commitment to the health and safety of the community.

Relocating people, institutions, and businesses from hazard prone areas saves property and lives. Removal or protection of the structures means that there is less to pay for disaster recovery or for services during an event. Having alternative service plans for essential services, such as water, protects structures from fire and allows residents and businesses to continue functioning or to restore normal functions quicker following a disaster. Post-event, recovery crews will have less to do because there will be less damage. Implementation of these measures speeds the overall recovery process.

4.1 HAZARD MITIGATION OVERVIEW

The mitigation strategy and actions were developed by the Planning Team based upon in-depth review of the vulnerabilities and capabilities described in the Plan. The mitigation actions described in the Jurisdictional Annexes represent each MA's risk-based approach for reducing and/or eliminating the potential losses as identified in [Section 3.0, *Risk Assessment*](#).

As part of the Plan update process, the hazard mitigation goals were reviewed and refined. It was determined that the overarching mitigation goals were the same for all MAs. Therefore, one set of goals were identified for the Plan, as discussed below. If additional, jurisdiction-specific goals were identified by a MA, they are included in the Jurisdictional Annex.

MAs provided a comprehensive review of their mitigation actions to assess their ability to reduce risk and vulnerability to the jurisdiction from identified hazards. Upon review of each mitigation action, an assessment was made as to whether the mitigation action should be carried forward into the Plan update and/or be revised/modified or removed to reflect changing conditions or priorities. Mitigation actions that were deemed complete during the current plan period were identified and removed (refer to the Jurisdictional Annexes). New mitigation measures were also identified.

4.1.1 FEMA's National Flood Insurance Program

In 1968, the U.S. Congress created the National Flood Insurance Program (NFIP) to provide affordable insurance to property owners while also encouraging communities to adopt and enforce floodplain management regulations. Community participation is voluntary; however, it is required to receive certain grants and funding from FEMA. The Orange County Flood Division (OC Flood) is a participant in the program and administers the floodplains within the unincorporated areas of the County. Within the incorporated areas, Orange County cities administer their floodplains. Since the creation of NFIP, OC Flood has worked cooperatively with cities in Orange County to reduce the floodplain area by

constructing flood control facilities that provide 100-year flood protection. Such facilities typically traverse through the cities and ultimately outlet into the Pacific Ocean. All cities within Orange County are participants in the program.

REPETITIVE LOSS PROPERTIES

According to the National Flood Insurance Program (NFIP), a repetitive loss structure is an insured building that has had two or more losses of at least \$1,000 each being paid under the NFIP within any 10-year period since 1978. Each MA has had zero such losses within the water utility, the water department, or wastewater department.

4.2 HAZARD MITIGATION GOALS

Mitigation goals are defined as general guidelines explaining what each jurisdiction wants to achieve in terms of hazard and loss prevention. Goal statements are typically long-range, policy-oriented statements representing jurisdiction-wide visions. The goals and objectives identified in the previous plan were reviewed by the Planning Team. Through the Plan update process, it was determined that many of the goals identified for each MA were the similar. As a result, the following hazard mitigation goals have been identified for the Plan:

- Goal 1: Minimize vulnerabilities of critical facilities and infrastructure to minimize damages and loss of life and injury to human life caused by hazards.
- Goal 2: Minimize security risks to water and wastewater infrastructure.
- Goal 3: Minimize interruption to water and wastewater utilities.
- Goal 4: Improve public outreach, awareness, education, and preparedness for hazards in order to increase the community resilience.
- Goal 5: Eliminate or minimize wastewater spills and overflows (Wastewater agencies).
- Goal 6: Protect water quality and supply, critical aquatic resources and habitat to ensure a safe water supply.
- Goal 7: Strengthen Emergency Response Services to insure preparedness, response, and recovery during any major or multi-hazard event.

The Plan goals guide the direction of future activities aimed at reducing risk and preventing loss from natural and human-caused hazards. The goals also serve as checkpoints as the MAs begin implementing mitigation action items. Mitigation goals do not account for implementation cost, schedule, funding sources, etc. Goals represent what each MA wants to achieve, whereas the mitigation actions provide the actions to needed to achieve the goals.

4.3 IDENTIFY AND PRIORITIZE MITIGATION ACTIONS

Mitigation actions were identified, evaluated, and prioritized by the MAs. They provide a list of activities that the MAs will use to reduce their risk of potential hazards. Some of these actions may be eligible for funding through federal and state grant programs and other funding sources as made available by the MAs

or other agencies/organizations. The mitigation actions are intended to address the comprehensive range of identified hazards for each MA; some actions may address risk reduction from multiple hazards.

A detailed list of mitigation actions for each MA is provided in the Jurisdictional Annexes. The process used by the Planning Team to identify hazard mitigation actions for this Plan included the following:

- Review of the Risk Assessment presented in [Section 3.0](#);
- Review of the Capabilities Assessment presented for each MA in the Jurisdictional Annexes; and
- Team discussion of new concerns/issues that need to be addressed to reduced hazards to critical water/wastewater infrastructure.

The mitigation actions identify the hazard, proposed mitigation action, location/facility, local planning mechanism, risk, cost, timeframe, possible funding sources, status, and status rationale, as applicable.

MAs conducted a capabilities assessment (provided in the Jurisdictional Annexes), to identify existing local agencies, personnel, planning tools, public policy and programs, technology, and funds that have the capability to support hazard mitigation activities and strategies outlined in this Plan. To identify the capabilities, the Planning Team collaborated to identify current local capabilities and mechanisms available for reducing damage from future hazard events. The capabilities and resources were reviewed while developing the Plan update. After completion of the capabilities assessment, each jurisdiction evaluated and prioritized their proposed mitigations.

FEMA's STAPLEE technique was used to identify, evaluate, and prioritize mitigation actions based on existing local conditions. Using this method each MA considered the **S**ocial, **T**echnical, **A**dmistrative, **P**olitical, **L**egal, **E**conomic, and **E**nvironmental (STAPLEE) opportunities and constraints of implementing a mitigation action; refer to [Table 4-1, *STAPLEE Review and Selection Criteria*](#). This process was used to help ensure that the most equitable and feasible actions would be undertaken based on each MA's unique capabilities.

4.3.1 Hazard Mitigation Benefit-Cost Review

FEMA requires local governments/agencies to analyze the benefits and costs of a range of mitigation actions that can reduce the effects of each hazard within their communities. Benefit-cost analysis is used in hazard mitigation to show if the benefits to life and property protected through mitigation efforts exceed the cost of the mitigation activity. Conducting benefit-cost analysis for a mitigation activity can assist communities in determining whether a project is worth undertaking now to avoid disaster-related damages later. The analysis is based on calculating the frequency and severity of a hazard, avoided future damages, and risk.

A hazard mitigation plan must demonstrate that a process was employed which emphasized a review of benefits and costs when prioritizing the mitigation actions. The benefit-cost review must be comprehensive to the extent that it can evaluate the monetary as well as the nonmonetary benefits and costs associated with each action. The benefit-cost review should at least consider the following questions:

- How many people will benefit from the action?
- How large an area is impacted?
- How critical are the facilities that benefit from the action (e.g., which is more beneficial to protect, the fire station or the administrative building)?
- Environmentally, does it make sense to do this project for the overall community?

Table 4-1
STAPLEE Review and Selection Criteria

STAPLEE Review	Selection Criteria
Social	<ul style="list-style-type: none"> • Is the proposed action socially acceptable to the jurisdiction and surrounding community? • Any equity issues involved that would mean that one segment of the jurisdiction and/or community is treated unfairly? • Will the action cause social disruption?
Technical	<ul style="list-style-type: none"> • Will the proposed action work? • Will it create more problems than it solves? • Does it solve a problem or only a symptom? • Is it the most useful action in light of other jurisdiction goals?
Administrative	<ul style="list-style-type: none"> • Can the jurisdiction implement the action? • Is there someone to coordinate and lead the effort? • Is there sufficient funding, staff, and technical support available? • Are there ongoing administrative requirements that need to be met?
Political	<ul style="list-style-type: none"> • Is the action politically acceptable? • Is there public support both to implement and to maintain the project?
Legal	<ul style="list-style-type: none"> • Is the jurisdiction authorized to implement the proposed action? • Are there legal side effects? Could the activity be construed as a taking? • Will the jurisdiction be liable for action or lack of action? • Will the activity be challenged?
Economic	<ul style="list-style-type: none"> • What are the costs and benefits of this action? • Do the benefits exceed the costs? • Are initial, maintenance, and administrative costs taken into account? • Has funding been secured for the proposed action? If not, what are the potential funding sources (public, nonprofit, and private)? • How will this action affect the fiscal capability of the jurisdiction? • What burden will this action place on the tax base or local economy? • What are the budget and revenue effects of this activity? • Does the action contribute to other jurisdiction goals? • What benefits will the action provide?
Environmental	<ul style="list-style-type: none"> • How will the action affect the environment? • Will the action need environmental regulatory approvals? • Will it meet local and state regulatory requirements? • Are endangered or threatened species likely to be affected?

These questions were used to help determine the appropriateness of mitigation actions. Benefits and costs are a primary motivation for implementing mitigation projects at water and wastewater utilities. Past disasters have shown the benefit-cost of mitigating water utilities against identifiable hazards. For example, a cold weather system that impacted most of the United States resulted in pipeline breaks across the State of California. Those ruptures primarily occurred on a specific type of pipeline that has been gradually phased out of use in California. The replacement of this type of pipeline prior to the cold front could have not only prevented the cost of pipeline breaks, but also costs related to flooding, landslides, loss of water supply, other secondary effects of the broken pipelines.

A study conducted in 2003 by the Orange County Business Council found that a 10-day 80% reduction in water to South Orange County would result in a fiscal impact of \$293 million dollars to both businesses and residents alike. Longer outages during many disaster situations are probable and would be proportionally more devastating. Each affected agency would share in the economic impacts based on its mix of business and residential customers.

The final prioritization completed by each MA depended on the direct loss estimations for water/wastewater critical infrastructure along with the secondary costs associated with business loss and recovery. Much of this effort was completed with informal cost-benefit analysis based on the knowledge and expertise of the participants (many of them certified operators, water quality experts, or engineers), previous planning documents, and the concepts identified above. Those actions that did not have adequate benefits were excluded from the list of mitigation actions.

4.4 REGIONAL CONSIDERATIONS

It is envisioned that the mitigation actions for the most part will be implemented on a jurisdiction-by-jurisdiction basis. MWDOC will provide facilitation, as appropriate, of this process to help reduce duplication of efforts between jurisdictions and to spearhead coordination of initiatives and action items that could be accomplished more efficiently on a regional level. In its role as a regional planning agency, MWDOC will act as lead on water related hazard mitigation projects that are regional in nature, such as projects that cross several jurisdictional boundaries and work planned on behalf of Metropolitan. OCSD and SOCWA will take the lead on wastewater related hazard mitigation projects that are regional in nature and within their individual service areas.

The Risk Assessment ([Section 3.0](#)) and Jurisdictional Annexes indicate that each MA is susceptible to a variety of potentially serious hazards in the region. The approach to emergency planning in California has been comprehensive in its planning for and preparedness to respond to all hazards utilizing the Standardized Emergency Management System (SEMS) and a coordinated Incident Command System. A program managed by MWDOC, the Water Emergency Response Organization of Orange County (WEROC), acts as coordination point (Area Command) to support an effective emergency response to major disasters by the Orange County water and wastewater utilities. WEROC provides services that promote planning and preparedness activities for both the utilities, as well as its own Emergency Operations Center (EOC) staff. WEROC also helps maintain two turn-key EOCs. WEROC receives guidance from a steering committee, which includes representatives from Orange County water utilities, Metropolitan, the County of Orange and the California Department of Health Service's Office of Drinking Water. WEROC and its steering committee help ensure water and wastewater utilities remain current with state and national emergency response procedures and plans for potential disasters.

The Disaster Mitigation Act of 2000 requires that in addition to having emergency response and emergency preparedness documents, regions should develop and maintain a document outlining measures

that can be implemented before a hazard event occurs that would help minimize the damage to life and property. MWDOC has accepted the role of coordinating the development the Hazard Mitigation Plan as a multi-jurisdictional plan.

All hazard mitigation planning efforts within the region are the responsibility of the jurisdictions. As noted, the capabilities of the jurisdictions to perform hazard mitigation planning are detailed in the Jurisdictional Annexes.

4.4.1 Regional Fiscal Resources

One of MWDOC's primary roles in coordinating the development of the Plan is to identify and obtain grant funding for preparing and implementing certain aspects of the Plan. This is consistent with WEROC's role, as a program managed by MWDOC, for hazard mitigation and preparedness. WEROC has received grants to improve the Emergency Operations Centers and to secure water trailers for distribution of drinking water during disasters and will continue to provide guidance to the MAs with hazard mitigation project grant applications and their implementation. Additional fiscal capabilities of the jurisdictions to implement a hazard mitigation project are detailed in their individual capabilities assessments.

SECTION 5 PLAN MAINTENANCE

This section of the Plan describes the formal process that will ensure that the Plan remains an active and relevant document. The Plan maintenance process includes a schedule for monitoring and evaluating the Plan annually and producing a plan revision every five years. This section describes how the Member Agencies (MAs) will integrate public participation throughout the plan maintenance process. It also describes how the MAs intend to implement the Plan and incorporate the mitigation actions identified in the Plan into existing planning mechanisms and programs. The Plan's format, organized with Jurisdictional Annexes, allows the MA's to readily update sections when new data becomes available, ensuring the Plan remains current and relevant.

5.1 MONITORING, EVALUATING AND UPDATING THE PLAN**5.1.1 Plan Maintenance**

MWDOC will be responsible for initiating Plan reviews and coordinating with the MAs. The internal planning teams for each jurisdiction will meet quarterly to review progress on Plan implementation. MWDOC and the MA's will meet annually, or following a hazard event as described below, to monitor the Plan's progress and implementation. This will also allow the opportunity for updates to hazards, jurisdictional goals and mitigation action items, as necessary. If needed, the MAs will coordinate with MWDOC to integrate updates into the Plan.

5.1.2 Plan Evaluation

The Plan will be evaluated by the MAs at least annually to determine the effectiveness of the Plan, and to reflect changes in land development or programs that may affect mitigation priorities. MWDOC and the Planning Team leads (or their jurisdictional representative) will also review the goals and action items to determine their relevance to changing situations in the County, as well as changes in State or Federal regulations and policy. MWDOC and MA representatives will also review the risk assessment portion of the Plan to determine if this information should be updated or modified, given any new available data. The MAs will report on the status of their projects, the success of various implementation processes, difficulties encountered, success of coordination efforts, and which strategies should be revised. Any updates or changes necessary will be forwarded to MWDOC for inclusion in further updates to the Plan.

MWDOC, with input from the Planning Team, will create a template to guide the Planning Team in preparing a progress report. This will help to ensure consistent and accurate tracking of the Plan implementation by each of the MAs. Each MA will coordinate with their responsible departments/agencies identified for each mitigation action. These responsible departments/agencies will help to monitor and evaluate the progress made on the implementation of mitigation actions and report to the MA's Planning Team representative on a semi-annual basis. These responsible departments/agencies will be asked to assess the effectiveness of the mitigation actions and modify the mitigations actions as appropriate. The HMP Mitigation Action Progress Report worksheet will assist Planning Team representatives in reporting the status and assessing the effectiveness of the mitigation actions. The following questions will be considered in evaluating the Plan's effectiveness:

- Has the nature or magnitude of hazards affecting the planning area/jurisdiction changed?
- Are there new hazards that have the potential to impact the planning area/jurisdiction?
- Do the identified goals and actions address current and expected conditions?

- Have mitigation actions been implemented or completed?
- Has the implementation of identified mitigation actions resulted in expected outcomes?
- Are current resources adequate to implement the HMP?
- Should additional local resources be committed to address identified hazards?

Future updates to the HMP will account for any new hazard vulnerabilities, unusual circumstances, or additional information that becomes available. Issues that arise during monitoring and evaluating the HMP, which require changes to the risk assessment, mitigation strategy and other components of the Plan, will be incorporated into the next update of the HMP, described below.

5.1.3 Plan Updates

Title 44 Section 201.6(d)(3) of the Code of Federal Regulations requires that local hazard mitigation plans be reviewed, revised if appropriate, and resubmitted for approval in order to remain eligible for mitigation project grant funding. Monitoring the progress of the mitigation actions, as described above, will be ongoing throughout the five-year period between the adoption of the HMP and the next update effort. The five-year cycle may be accelerated to less than five years based on the following triggers:

- A presidential disaster declaration that impacts one or more of the MAs;
- A hazard event that causes loss of life.

Should a significant hazard occur within the planning area, the HMP Planning Team will reconvene within 60 days of the disaster to review and update the HMP, as required.

MWDOC, working in conjunction with the MAs, will serve as the primary responsible agency for updates to the Plan. All MAs will be responsible to provide MWDOC with jurisdictional-level updates to the Plan when/if necessary, as described above. Every five years the updated plan will be submitted to Cal OES and FEMA for review.

The intent of the update process will be to add new planning process methods, MA profile data, hazard data and events, vulnerability analyses, mitigation actions, and goals to the adopted Plan so that the HMP will always be current and up to date. Based on the needs identified by the Planning Team, the update will, at a minimum, include the elements below:

- The update process will be convened MWDOC and a Planning Team comprised of at least one representative from each MA.
- The hazard risk assessment will be reviewed and updated using best available information and technologies on an annual basis.
- The evaluation of critical infrastructure and mapping will be updated and improved as funding becomes available.
- The mitigation actions will be reviewed and revised to account for any actions completed, deferred, or changed to account for changes in the risk assessment or new policies identified under other planning mechanisms, as appropriate.
- The draft update will be made available to appropriate agencies for comment.

- The public will be given an opportunity to comment prior to adoption.
- The governing bodies for each MA will adopt the updated HMP.

5.1.4 Adoption

Each jurisdiction is responsible for adopting the HMP. This formal adoption should take place every five years. Once the Plan had been adopted, MWDOC will be responsible for final submission to Cal OES. Cal OES will then submit the Plan to FEMA for final review and approval.

5.1.5 Implementation Through Existing Programs

The effectiveness of the nonregulatory HMP depends on the implementation of the Plan and incorporation of the outlined mitigation action items into existing plans, policies, and programs. The Plan includes a range of action items that, if implemented, would reduce loss from hazard events in the planning area. Together, the mitigation action items in the HMP provide the framework for activities that the MAs may choose to implement over the next five years. The MAs have identified the Plan's goals and prioritized jurisdiction-specific actions that will be implemented (resources permitting) through existing plans, policies, and programs.

Implementation of the Plan will be the responsibility of each MA. Successful implementation is more likely if the Plan recommendations are integrated into other plans and mechanisms, such as water and wastewater master plans, urban water management plans, general plans, municipal codes, strategic plans and capital improvement plans and budgets for each of the participating jurisdictions. Upon adoption of the Plan, the MAs can use the Plan as a baseline of information on the hazards that impact their jurisdictions. The Plan can also build upon related planning efforts and mitigation programs that are already occurring within the planning area. This will also facilitate applying for funding opportunities as they become available. Progress on implementing mitigation actions through other planning programs and mechanisms should be monitored and integrated into future updates.

5.1.6 Continued Public Involvement

MWDOC is dedicated to involving the public directly in review and updates of the Plan. MWDOC and a representative from each participating jurisdiction will be responsible for monitoring, evaluating, and updating the Plan as described above. During all phases of plan maintenance, the public will have the opportunity to provide feedback.

The most current copy of the Plan will be publicized and permanently available for review on MWDOC's website at www.mwdoc.com/weroc/Hazard-Mitigation. The site will contain contact information to which people can direct their comments and concerns. All public feedback will be forwarded to the appropriate jurisdiction for review and consideration for incorporation (if deemed appropriate) into the next plan update. This information will also be forwarded to MWDOC, responsible for keeping track of public comments on the Plan. In addition, copies of the Plan will be catalogued and kept at all the appropriate agencies in the county. The existence and location of these copies will also be posted on the MWDOC website. This will provide the public an outlet for which they can express their concerns, opinions, or ideas about any updates/changes that are proposed to the Plan.

This page intentionally left blank.

SECTION 6 REFERENCES

- Arcadis. (May 2016). Municipal Water District of Orange County, *2015 Urban Water Management Plan*.
- California Department of Forestry and Fire Protection, Fire and Resource Assessment. (October 2011). *Very High Fire Hazard Severity Zones in LRA Map*. <http://frap.fire.ca.gov/projects/hazard/fhz>.
- California Governor's Office of Emergency Services. *HazMat Spill Notification Database*.
<http://www.caloes.ca.gov/FireRescueSite/Pages/Spill-Release-Reporting.aspx>. Accessed August 24, 2017.
- Centers for Disease Control and Prevention. *Drinking Water FAQ*.
https://www.cdc.gov/healthywater/drinking/public/drinking-water-faq.html#who_contact.
Accessed January 10, 2018.
- City of Buena Park. (December 2010). *2035 General Plan Final EIR*. <http://www.buenapark.com/city-departments/community-development/planning-division/general-plan/2035-general-plan>.
- City of Garden Grove. (May 2008). *Garden Grove General Plan*. <https://www.ci.garden-grove.ca.us/commdev/planning/general-plan>
- City of La Habra (January 14, 2014). *General Plan 2035*.
(<http://lahabracity.com/DocumentCenter/View/197>)
- City of Newport Beach. (July 25, 2006). *General Plan*.
<http://www.newportbeachca.gov/government/departments/community-development/planning-division/general-plan-codes-and-regulations/general-plan>.
- City of Orange. (March 9, 2010). *2010 General Plan*. <http://www.cityoforange.org/391/General-Plan>
- City of Westminster. (September 2016). *Westminster General Plan Update*. <http://www.westminster-ca.gov/civicax/filebank/blobdload.aspx?BlobID=11158>
- City of Yorba Linda. (2016). 2016 Yorba Linda General Plan.
<https://www.yorbalindaca.gov/DocumentCenter/View/475>
- Cocca, Christina. (July 19, 2013). *Power Back on After Massive Blackout Hits South Orange County, San Diego*. <https://www.nbcalosangeles.com/news/local/Massive-Blackout-Hits-South-orange-county-San-Diego-216115731.html>.
- County of Orange. (May 2014). *Emergency Operations Plan*.
- County of Orange. (2015). *General Plan, Safety Element*.
<https://www.ocgov.com/gov/pw/cd/planning/generalplan2005.asp>
- Ethan Miller Brown, OCSD Emergency Management Division, email correspondence, September 5, 2017.
- Federal Emergency Management Agency. (December 3, 2009). *Flood Insurance Study, Orange County, California and Incorporated Areas*.

- Federal Emergency Management Agency. (2012). *Open Pacific Coast Study Frequently Asked Questions*. http://www.r9map.org/Documents/OPC%20FAQ_8.2012.pdf
- Federal Emergency Management Agency. (October 4, 2016). *Flood Risk Report, Orange County, CA Open Pacific Coast Flood Insurance Study. Report Number 01*.
- Hapke, C.J., Reid, D., Richmond, B.M., Ruggiero, P., and List, J. (2006). *National assessment of shoreline change: Part 3: Historical shoreline changes and associated coastal land loss along the sandy shorelines of the California coast: U.S. Geological Survey Open-file Report 2006-1219*. <https://pubs.usgs.gov/of/2006/1219/>.
- Hernandez, Salvador, Orange County Register. (August 7, 2013). *Cleveland National Forest fire 78% contained*. <https://www.ocregister.com/2013/08/07/cleveland-national-forest-fire-78-contained/>.
- LA Times. (December 20, 2016). *AECOM, EnergySolutions win bid to decommission San Onofre nuclear plant*. <http://www.latimes.com/business/la-fi-san-onofre-decommission-20161220-story.html>. Accessed January 10, 2018.
- Lee, Greg, ABC 7. (July 13, 2015). *Brush fire erupts on State Route 241 near Irvine Lake; campgrounds evacuated*. <http://abc7.com/news/brush-fire-erupts-on-state-route-241-near-irvine-lake/848365/>.
- Luhdorff & Scalmanini Consulting Engineers. (April 2014). *Land Subsidence from Groundwater Use in California*. https://www.water.ca.gov/LegacyFiles/waterplan/docs/cwpu2013/Final/vol4/groundwater/13Land_Subsidence_Groundwater_Use.pdf
- NASA (March 19, 2018). *Global Climate Change Vital Signs of the Planet*. <https://climate.nasa.gov/>. Accessed March 2018.
- National Climate Assessment. (2014). *Coastal Zone Development and Ecosystems*. <http://nca2014.globalchange.gov/report/regions/coasts>.
- National Oceanic and Atmospheric Administration, Climate Prediction Center. *Drought Monitoring*. http://www.cpc.ncep.noaa.gov/products/monitoring_and_data/drought.shtml. Accessed March 2018.
- National Oceanic and Atmospheric Administration, National Centers for Environmental Information. *Storm Events Database, Event Types: Tsunami*. <https://www.ncdc.noaa.gov/stormevents/choosedates.jsp?statefips=6,CALIFORNIA>. Accessed March 21, 2018.
- National Oceanic and Atmospheric Administration, National Centers for Environmental Information. *Storm Events Database, Event Types: Wildfire*. <https://www.ncdc.noaa.gov/stormevents/choosedates.jsp?statefips=6,CALIFORNIA>. Accessed March 21, 2018.
- National Oceanic and Atmospheric Administration, National Centers for Environmental Information. *Storm Events Database, Event Types: High Winds*. <https://www.ncdc.noaa.gov/stormevents/choosedates.jsp?statefips=6,CALIFORNIA>. Accessed March 21, 2018.

- National Oceanic and Atmospheric Administration, National Centers for Environmental Information. *Storm Events Database*. <https://www.ncdc.noaa.gov/stormevents/>.
- Orange County Sanitation District. (2017). *Annual Report 2016-2017*.
- Orange County Sanitation District. (December 2017). *Five Year Strategic Plan*.
- Orange County Sheriff's Department. *JTTF*.
<http://www.ocsd.org/divisions/fieldops/security/terrorism/jttf>. Accessed August 24, 2017.
- Orange County Sheriff's Department. *OC Intelligence Assessment Center*.
<http://www.ocsd.org/divisions/fieldops/security/iac>. Accessed August 23, 2017.
- Orange County Water District. (2015). *Groundwater Management Plan 2015 Update*.
https://www.ocwd.com/media/3622/groundwatermanagementplan2015update_20150624.pdf.
- Orange County Water District. *North Basin Groundwater Remedial Investigation and Feasibility Study*.
<https://www.ocwd.com/what-we-do/water-quality/groundwater-cleanup/north-basin/>. Accessed January 10, 2018.
- Orange County's Homeland Security. <https://media.ocgov.com/gov/bos/5/info/issues/homeland.asp>. Accessed August 23, 2017.
- Our Coast, Our Future. *Interactive Map*. <http://data.pointblue.org/apps/ocof/cms/index.php?page=flood-map>. Accessed August 2017.
- Robert Olson Associates. (June 1999). *Metro Regional Hazard Mitigation and Planning Guide*.
- Rocha, Veronica, LA Times. (September 27, 2016). *Where is the Holy fire burning?*
<http://www.latimes.com/local/california/la-me-updates-wildfire-season-where-is-the-holy-fire-1472674601-htmlstory.html#nt=card>.
- Salazar, Denisse, Orange County Register. (October 7, 2013). *Silverado fire battle continues overnight*.
<https://www.ocregister.com/2013/10/07/silverado-fire-battle-continues-overnight/>.
- San Diego Union-Tribune. (January 10, 2018). *Court Settlement looks to move nuclear waste from San Onofre*. <http://www.sandiegouniontribune.com/business/energy-green/sd-fi-songs-agreement-20170828-story.html>. Accessed January 10, 2018.
- Southern California Association of Governments, *Regional Transportation Plan 2012-2035 Sustainable Communities Strategy, Growth Forecasts*, Adopted April 2012
- State of California Department of Conservation. <http://www.conservation.ca.gov/>.
- State of California, Cal Fire. *Incident Results*. www.cdfdata.fire.ca.gov. Accessed August 16, 2017.
- Sudock, Joshua, Orange County Register. (June 27, 2016). *Laguna Wilderness Park fire nearing containment; roads open*. <https://www.ocregister.com/2016/06/27/laguna-wilderness-park-fire-nearing-containment-roads-open/>.

- Union of Concerned Scientists. *When Rising Seas Hit Home*.
<https://ucsusa.maps.arcgis.com/apps/MapSeries/index.html?appid=64b2cbd03a3d4b87aaddaf65f6b33332>.
- United States Climate Resilience Toolkit, The Climate Explorer. <https://toolkit.climate.gov/climate-explorer2/>. Accessed March 2018.
- United States Department of Agriculture. (January 2016). *Effects of Drought on Forests and Rangelands in the United States: A Comprehensive Science Synthesis*.
https://www.fs.fed.us/rm/pubs_journals/2016/rmrs_2016_littell_j002.pdf.
- United States Environmental Protection Agency. (December 8, 2017). *EPA Prioritizes Cleanup of Orange County North Basin Groundwater*. <https://www.epa.gov/newsreleases/epa-prioritizes-cleanup-orange-county-north-basin-groundwater>. Accessed January 10, 2018.
- United States Geological Survey. (May 2000). *Landslide Hazards (Fact Sheet 0071-40, Version 1.0)*.
<https://pubs.usgs.gov/fs/fs-0071-00/fs-0071-00.pdf>.
- United States Geological Survey. *Coastal Storm Modeling System: CoSMoS*.
https://walrus.wr.usgs.gov/coastal_processes/cosmos/. Accessed August 2017.
- University of California San Diego, Climate Research Division. (June 1, 2016). *Santa Ana*.
http://meteora.ucsd.edu/cap/santa_ana.html. Accessed March 2018.

APPENDIX A
Agency Adoption Resolutions

Upon adoption, copies of the resolutions will be inserted here.



ORANGE COUNTY REGIONAL WATER & WASTEWATER MULTI-JURISDICTIONAL HAZARD MITIGATION PLAN UPDATE

PROJECT MANAGEMENT TEAM

KICK-OFF MEETING

Monday, July 24, 2017

1:00 pm

AGENDA

ATTENDEES

Municipal Water District of Orange County

Francisco Soto, Emergency Coordinator

Kelly Hubbard, Emergency Services Manager

Michael Baker International

Starla Barker, AICP, Project Manager

1. Introduction and Roles/Responsibilities

- Primary contacts and communications
- Dissemination of information

2. Work Program and Schedule

- Grant requirement
- Data collection
- Community engagement strategy
 - Website content
 - Survey
 - Community meetings

3. HMP Planning Team & Meetings

- List of participants (names, titles, agencies, email, telephone number)
- Meeting #1 – Wednesday, July 26; 10:00 am – 12:00 pm
 - Format and room/equipment needs

4. Additional Discussion/Questions

5. Next Steps

APPENDIX B
Planning Process Documentation

This page intentionally left blank.

B.1 Planning Team Meetings

This page intentionally left blank.



Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan

Planning Team Meeting #1

July 26, 2017

10:00 a.m. – 12:00 p.m.

AGENDA

- I. Introductions**
- II. Project Goals, Objectives, and Expectations**
 - a. Roles and responsibilities
 - b. Data needs
- III. Plan Development and Requirements**
 - a. Purpose of the Plan
 - b. Plan requirements (stakeholders, team, community outreach)
- IV. Hazard Identification and Prioritization**
 - a. Identification of hazards
 - b. Prioritization exercise
- V. Critical Facilities**
- VI. Next Steps**
 - a. Data needs to develop hazard profiles
 - b. Community outreach (website, survey, meetings/events)
 - c. Agency-specific portions of Sections 2 and 5
 - d. Meeting #2 – August 30, 2017

Action Items

- **By August 9**
 - GIS data layers (critical facilities and hazards)
 - Potential community events for outreach
- **By August 30 – Meeting #2**
 - Update/revise Agency-specific portion of Section 2
- **Start to review and gather information for upcoming meetings:**
 - Capability Assessment (planning/regulatory; administrative/technical; financial; education/outreach) and Goals
 - Identify mitigation actions completed and consider those that should be carried over into update and new mitigation

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan Planning Team Meeting #1 July 26, 2017

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
Kaying Lee	Water Quality & Compliance Supervisor	Mesa Water District	1965 Placentia Ave. Costa Mesa CA 92627	kayingl@mesawater.org	949-207-5491	KL
Daniel Peterson	Operations Business Manager	Santa Margarita Water District	PO Box 7005, Mission Viejo, CA 92690	danielp@smwd.com	949-459-6594	DP
Steve Merk		Mouton Niguel Water District		SMerk@mnwd.com		
Brian Jones	WATER AND SEWER MANAGER	La Habra	621 W. LAMBERT RD. LA HABRA, CA 90631	BJones@lahabraca.gov	562-383-4170	BJ
Oliver Pacifico		Ca State Water Board Division of Drinking Water		Oliver.Pacifico@waterboards.ca.gov		
Steven Conklin	Engineering Manager	Yorba Linda Water District	1717 E. Miraloma Ave Placentia 92870	sconklin@ylwd.com	714-701-3102	SC
Tracy Ingebrigtsen	Safety & Compliance Coordinator	Moulton Niguel Waster District	26161 Gordon Rd. Laguna Hills 92653	TIngebrigtsen@mnwd.com	949-425-3569	TI
Michael Grisso	Utilities Manager	City of Buena Park	6955 Aragon Cir Buena Park CA 90620	mgrisso@buenapark.com	714-562-3705	MG
Lorrie Lausten	Principal Engineer	Trabuco Canyon Water District	32003 Dove Canyon Dr. Trabuco Canyon 92679	llausten@tcwd.ca.gov	949-258-0277	LL
Todd Novacek	Director of operations	Moulton Niguel Waster District	26161 Gordon Rd.	tnovacek@mnwd.com	949-795-8425	TN

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan Planning Team Meeting #1 July 26, 2017

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
Francisco Soto	Emergency Coordinator	Municipal Water District of Orange County	18700 Ward Street Fountain Valley, CA 92708	fsoto@mwdoc.com	714-593-5032	FS
Jeanette Cotinola		South Orange County Water District <i>Wastewater Authority</i>		jcotinola@socwa.com		
Trisha Woolslayer	<i>EHS Manager</i>	South Coast Water District	<i>31592 West St. Laguna Beach, CA</i>	twoolslayer@scwd.org	<i>949-463-4353</i>	<i>FW</i>
John DeCriscio		Yorba Linda Water District		jdecriscio@ylwd.com		
Katie Victoria	<i>Sr. Admin Analyst</i>	City of Garden Grove	<i>13802 Newhope St. Garden Grove, CA 92843</i>	katiev@ci.garden-grove.ca.us	<i>(714) 741-5398</i>	<i>KV</i>
Paula Bouyounes	<i>Risk & Safety Mgr</i>	Orange County Water District	<i>18700 Ward Street Fountain Valley, 92708</i>	Pbouyounes@ocwd.com	<i>(714) 378-3310</i>	<i>PB</i>
Rod Collins		Orange County Sanitation District		RCollins@ocsd.com		
Bill Paddock		South Orange County Water District		bpaddock@socwa.com		
Rich Kisse		Santa Margarita Water District		RICHK@smwd.com		
Raquel Manson	<i>Sr. Admin Analyst</i>	City of Garden Grove	<i>13802 Newhope St Garden Grove, CA 92843</i>	rmanson@ci.garden-grove.ca.us	<i>714-741-5554</i>	<i>Rm</i>

Orange County Regional Water & Wastewater
Multi-Jurisdictional Hazard Mitigation Plan
Planning Team Meeting #1
July 26, 2017

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
Leo Lopez		Laguna Beach County Water District		llopez@lbcwd.org		
Albert Lopez		City of Garden Grove		ajh@ci.garden-grove.ca.us		
Becky Rodstein	Administrative Analyst	City of Westminster	14341 Olive St. Westminster, CA 92683	rrodstein@westminster-ca.gov	714-548-3695	R.R.
Jerry Vilander	General Manager	Serrano Water District	18021 Lincoln St. Villa Park 92861	jerryv@serranowater.org	00795 714-538- 1111	JV
Steffen Catron	Utilities Manager	City of Newport Beach		scatron@newportbeachca.gov	949-718-3402	SC
Casey Parks	Water Production Supervisor	City of Newport Beach		cparks@newportbeachca.gov	949-718-3422	CP
Karl Seckel	AGM	MWDOC		kseckel@mwdoc.com	714 593 5024	KLS
Bill Packblock	Supervising Mechanic	SOCWA		bpackblock@socwa.	949 234 5466	BP
Sherry Seitz	Public Relations/ Emerg. Prep. Administrator	EL TORO Water District		@ETWD.COM SSEITZ XXXXXXXXXX	949-353- 7969	SAS
Rick Olson	Operations Superintendent	EL Tero Water District	24251 Los Alamos Blvd. Lake Forest, CA 92630	rolson@etwd.com	(949)837-7050 x217	RO

Orange County Regional Water & Wastewater
Multi-Jurisdictional Hazard Mitigation Plan
Planning Team Meeting #1
July 26, 2017

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
A. Jo Holmon	Streets / Enviro Div. mgr.	City of Garden Grove Public Works		ajh@ci.garden-grove. ca.us	(714) 741-5956	AJH
Kevin Crawford	Operator	Moulton Niguel Water Dist		KCrawford@MNWD.com	949 795-6753	KC
DAN WEST	WATER DISTRIBUTION SUPERVISOR	MOULTON NIGUEL WATER DIST.		DWEST@MNWD.com	949 795-6785	DW
STEVEN SWEENEY	SERRANO WATER District	SERRANO WATER District		STEVE@serrano.water org	(714) 538-0079	SS
Chris LOPEZ	Safety Specialist	Santa Margarita W.D.		Chris1@smwd.com	949- 532-2551	CL
Rod Collins	Safety & Health Supervisor	Orange County Sanitation District	10844 Ellis Avenue Fountain Valley, CA 92708	rcollins@ocsd.com	714.593-7241	RC
Richard Spencer	HR/Risk Manager	OCSD	10844 Ellis Ave Fountain Valley CA 92708	rspencer@ocsd.com	714-593- 7164	RS
George River	Security & Emergency Planning	OC Sanitation Dist.	10844 Ellis Ave Fountain Valley, 92708	griver@ocsd.com	(714) 593-7062	GR
Kelly Hubbard	Emergency Manager	WEROC/MNWD		KHubbard@mnwd. com	714-593- 5010	KH

Orange County Regional Water & Wastewater Multijurisdictional Hazard Mitigation Plan Update


Planning Team Meeting #1 | July 26, 2017



Agenda

- Project Goals, Objectives, and Expectations
- Plan Development and Requirements
- Hazard Identification and Prioritization
- Critical Facilities
- Next Steps

Project Goals and Objectives



Disaster Mitigation Act (DMA) of 2000 requires states and local governments prepare a multi-hazard mitigation plan as a precondition for receiving FEMA mitigation project grants.

Roles and Responsibilities

Our Job

- Facilitate the process
- Provide technical expertise
- Maintain schedule
- Do the heavy work
- Ensure FEMA-compliant plan

Your Job

- Participate
- Meet internal deadlines
- Provide agency-specific information/local insight
- Ensure plan is feasible and meets needs
- Make final decisions

Data Needs

- **GIS data – critical facilities and hazards**
- Information and experience about past events
- Past hazard mitigation efforts
- Policies/programs
- Institutional knowledge

**Forward all data/information to:
Francisco Soto**

Fsooto@mwdoc.com

Plan Development and Requirements

Purpose and Objectives

What is
Hazard
Mitigation?

- Sustained actions taken to reduce or eliminate long-term risk to life and property from hazards


What is a
Hazard
Mitigation
Plan?

- A plan based on a community's values and needs
- Results from a process oriented approach (important)
- Focuses on mitigation strategies (making the future safer)

Objective:

FEMA Grant Funding Eligibility

MJHMP Development




Summarize and Document Risk Assessment

Plan Requirements

- Provide and document opportunities for stakeholder and public involvement
- Review and incorporate existing plans, studies, reports, and technical information
- Document how the plan was prepared and who was involved
- Identify how the plan will be monitored, evaluated, and updated within a five-year cycle
 - Provide for continued public participation in plan maintenance

Stakeholders



MJHMP Planning Team

- Agency and stakeholder representatives to advise and contribute to plan preparation
- Five Planning Team meetings:
 - Meeting #1: Plan process, goals and objectives, hazard overview, data collection
 - Meeting #2: Review hazard profiles, mapping, asset inventory
 - Meeting #3: Risk assessment, loss estimations and capability assessment
 - Meeting #4: Mitigation actions and prioritization, implementation strategy
 - Meeting #5: Review and discuss draft plan

Community Outreach

- Website/social media/notification lists
 - What is a MJHMP?
 - Overview of MJHMP
 - Project updates and upcoming events
 - Draft plan
- Hazard survey
 - Awareness of potential hazards
 - Preventative/resiliency actions
 - Impacts of past hazards
- Community meetings/focused outreach
 - Opportunities to participate in community events
 - Incentives for participation

Hazard Identification and Prioritization

FEMA-Suggested Hazards

Avalanche	Flood	Sea level rise
Climate change	Geological hazards	Seismic hazards
Coastal erosion	Hailstorm	Severe winter storm
Coastal storm	Hazardous materials	Tornado
Dam failure	Human-caused hazards	Tsunami
Disease/pest management	Hurricane	Volcano
Drought	Land subsidence	Wildfire
Earthquake fault rupture	Landslide and mudflow	Wind
Expansive soils	Lightning	Windstorm
Extreme heat	Liquefaction	

2012 Plan Hazards

Avalanche	Flood	Sea level rise
Climate change	Geological hazards	Seismic hazards
Coastal erosion	Hailstorm	Severe winter storm
Coastal storm	Hazardous materials	Tornado/Water Spout
Dam failure	Human-caused hazards	Tsunami
Disease/pest management	Hurricane	Volcano
Drought	Land subsidence	Wildfire/Urban Fire
Earthquake fault rupture	Landslide and mudflow	High Wind/Santa Anas
Expansive soils	Lightning	Windstorm
Extreme heat	Liquefaction	Contamination

Proposed Hazards List

- Climate Change
- Coastal storm
- Dam failure
- Drought
- Earthquakes - fault rupture
- Extreme heat
- Flood
- Geologic hazards – expansive soils, land subsidence
- Human-caused hazards - hazardous materials, terrorism
- Landslide/mudflow
- Seismic hazards – ground shaking, liquefaction
- Tornado/water spout
- Tsunami
- Wildfire/urban fire
- High winds/Santa Ana winds
- Contamination


Hazard Prioritization

- Four criteria (weightings)
 - Probability (likelihood of occurrence)
 - Location (size of potentially affected area)
 - Maximum Probable Extent (intensity of damage)
 - Secondary Impacts (severity of impacts to community)
- A value of 1-4 is assigned for each criteria
- Every criteria has an Importance Score (weighting)
 - Can be used to weigh the influence of an individual criterion
 - Criteria and Importance values are combined to calculate a Total Score

Score Example: Windstorm

Probability


Importance score:
2.0



Probability score: $2.0 \times 3 = 6$

Location

Importance score:
0.8



Affected Area score: $0.8 \times 4 = 3.2$

Score Example: Windstorm

**Maximum
Probable
Extent**

Importance score:
0.7



Primary Impact score: $0.7 \times 2 = 1.4$

**Secondary
Impacts**


Importance score:
0.5



Secondary Impacts score: $0.5 \times 4 = 0.5$


Score Example: Windstorm

Impact




$$\text{Impact score: } 3.2 + 1.4 + 0.5 = 5.1$$

Total Score



$$\text{Total Score: } 5.1 \times 6 = 30.6$$



Hazard Identification and Prioritization Exercise

Critical Facilities

Critical Facilities

- Defined in 2012 Plan as:

public infrastructure used to provide potable water to the public and to maintain wastewater services in order to maintain public health and safety

- Potable water services

- wells, water storage tanks, reservoirs with dams, water treatment plants, pump stations, pressure reducing stations, emergency interties, service connections, pipelines, and administrative buildings and utility yards

- Wastewater services

- wastewater treatment plants, lift stations, pipelines, and administrative buildings and utility yards.

Critical Facilities

- Risk assessment looks at what facilities are in hazard zones
 - Considers their replacement cost and value to the community
- Mitigation strategies reflect vulnerabilities of critical facilities
 - Strengthen existing vulnerable facilities
 - Avoid building new ones in at-risk areas

Next Steps

What We Need From You

- Provide data needs – **by August 9** or sooner
 - **GIS data – critical facilities and hazards**
- Identify potential community events
- Section 2 – Agency Specific
 - provide updates/revisions **by August 30**
- Section 5
 - Meet with internal staff to review/update jurisdictional-level information
 - Focus on Capability Assessment (planning/regulatory; administrative/technical; financial; education/outreach) and Goals
 - Identify mitigation actions completed and consider those that should be carried over into update and new mitigation
- Attend Meeting #2 – **August 30**

Next Steps

- Develop detailed schedule
- Community outreach
 - Draft website content by mid-August
 - Develop and post/distribute survey by mid August
 - Identify community outreach events by mid-August
- Preparation of hazard profiles
- Planning Team Meeting
 - #2 – August 30, 2017
 - #3 – September 27, 2017

Questions/Additional Discussion?

Forward all data/information to:

Francisco Soto

Fsooto@mwdoc.com

CAPABILITY ASSESSMENT - _____

PLANNING AND REGULATORY

Planning and regulatory capabilities are the plans, policies, codes, and ordinances that prevent and reduce the impacts of hazards.

[illegible]

ADMINISTRATIVE AND TECHNICAL

Administrative and technical capabilities include staff and their skills and tools that can be used for mitigation planning and to implement specific mitigation actions.

[illegible]

FINANCIAL

What funding resources does the Agency have access to or are eligible for to fund hazard mitigation?

[illegible]

EDUCATION AND OUTREACH

Programs and methods already in place that could be used to implement mitigation activities and communicate hazard-related information.

[illegible]

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan

Planning Team Meeting #1

July 26, 2017

10:00 a.m. – 12:00 p.m.

MEETING MINUTES/SUMMARY

Attendees: Refer to Sign-in Sheet

Presentation/Discussion:

- Overview of the purpose of the MJHMP and the plan requirements and components.
 - Moulton Niguel Water District received grant funding since previous plan; an example of one of the agencies who has received/benefited from grant funding.
- Data Needs
 - Overview of data needs that we will be collecting throughout the process
- Stakeholders – discussion of other potential stakeholders that should be invited to meetings and/or conduct focus meeting/discussions
 - County of Orange, Police Departments, Fire Departments, Division of Drinking Water
 - Health Care Agency
 - American Red Cross
 - Knott's Berry Farm (Buena Park) – large population group with its own water source.
 - Kelly Hubbard will reach out to the Orange County Fire Chiefs and Police Chief
 - Q: Will we be able to use the 2012 plan and make adjustments to that?
 - A: Yes, the 2012 Plan will serve as the baseline for updating with modifications/new information or any changes the planning team identifies
- Community Outreach
 - Partner with CERT groups in cities. CERT groups might have a better idea of what city hazards are. CERT could distribute surveys to associates.
 - Water Awareness Days (all agencies participate - not until May)
 - Concerts in the Park – ongoing now
 - Emergency Expo (Dana Point - August 6) – timing may not work
 - Live Smart Community Event (Laguna Niguel - April/May)
 - Great Shakeout (cities participate, but no community event)
 - National Nights Out – also happening now
- Hazard Identification and Prioritization Profiles
 - Planning team provided with a list of FEMA-identified hazards and list of hazards in 2012 Plan for review/consideration.
 - Discussion of specific hazards:
 - Discussion regarding climate change, tsunami, coastal erosion – hazards that may be more of a priority depending upon the agency and their service location. Although discussed, it was acknowledged that we may need to re-visit these hazards as we work through the prioritization and through the hazard profiles. These hazards could be prioritized differently within the Agency-specific section of

the plan. The larger plan will acknowledge the hazard that affect the region, even if specific to a particular area (i.e., coastal areas)

- Q: Can contamination and disease/pest management be combined?
 - A: Yes, it can be.
- Q: Is there a discussion on security and cyber hazards?
 - A: Yes, terrorism is covered in the plan. Manmade hazards, such as cyber-attacks, can be included in the plan. Further discussion (below) determined that cyberterrorism is covered in other departments/agencies and plans and will not be included within the HMP.
- Q: Is coastal erosion a concern for coastal agencies? Should we include that in the plan?
 - A: Yes, we can add that in.
- Q: Should we include sea level rise?
 - A: That is usually covered within climate change.
- Q: Does liquefaction fall under the earthquake category?
 - A: Yes.
- The Planning team reviewed all hazards and discussed each individually to identify which hazards have relevance. An excel spreadsheet was used to prioritize the hazards (attached). The hazards determined to have at least some relevance to the City were ranked/prioritized based upon the following:
 - Probability
 - Location
 - Maximum probable extent
 - Secondary impacts

Hazard-specific discussions during prioritization exercise:

- Coastal Erosion
 - As noted above, coastal erosion discussed as a hazard for the coastal areas of the County. Should be added to HMP. May be prioritized differently depending upon agency/location served.
- Dam/Reservoir Failure
 - Santiago Reservoir extremely high hazard
 - Prado Dam has had enhancements since the 2012 plan
 - An emergency operations plan for dam failure is currently underway – due January 2018
- Extreme Heat
 - Determined not to be a hazard that should be included within the HMP. Extreme heat is limited within the region due to the coastal influence.
- Hazardous waste
 - Chlorine and ammonia tanks could potentially pose a threat to reservoirs or storm drain systems when located on top of hills.
- Terrorism
 - Q: Should cyber-attacks be covered under a different plan?
 - A: After further discussion it was determined that cyberterrorism is covered in other departments/agencies and plans and will not be included within the HMP.

- Tornado/Water Spout
 - Determined not to be an issue for the region; will be removed from HMP
- Power Outage
 - Determined that this topic should be added to HMP

Next Steps/Action Items

- Planning Team
 - WEROC/MWDOC has GIS data for every agency and will provide
 - **Section 2 – Revisions to Agency description needs to be provided by next meeting – Due August 30**
 - **Provide any community event information that we could potentially participate at to Francisco – as soon as possible.**
 - Start to work on updates/revisions to Section 5 – Agency-specific information for future meetings/discussions.
 - Q: Is there a requirement for Section 5 - Internal Meetings?
 - A: Agency-specific meetings need to be documented. We will provide a template/instructions for documenting the meetings. Start to initiate meetings/discussions to review Section 5 and capabilities assessment (provided as a handout). FEMA is looking to ensure that the whole agency is involved in the process.
- Consultant/MWDOC Team
 - Community survey
 - Website
 - Hazard profiles
- Next meeting **August 30**. Meetings will be held the last Wednesday of each month:
 - August 30
 - September 27
 - October 25
 - November 29

HAZARD RANKING WORKSHEET - Orange County Regional Water & Wastewater MJHMP					DATE: 7/26/2017	
Hazard Type	Probability	Impact			Total Score	Hazard Planning Consideration
		Location	Primary Impact	Secondary Impacts		
Climate Change (pending additional info/discussion)					0.00	Low
Coastal Erosion (pending additional info/discussion)					0.00	Low
Coastal Storm (pending additional info/discussion)					0.00	Low
Dam/Reservoir Failure	2	3	4	4	28.80	Medium
Drought	4	4	1	1	35.20	Medium
EQ Fault Rupture	2	1	4	2	18.40	Medium
Extreme Heat (REMOVE)					0.00	Low
Flood	3	3	2	1	25.80	Medium
Geo Hazards - land subsidence	1	1	1	2	5.00	Low
Geo Hazards - expansive soils	1	1	1	2	5.00	Low
Human-caused Hazards - HazMat)	1	1	2	3	7.40	Low
Human-caused Hazards - terrorism (shooting, explosive)	1	1	3	3	8.80	Low
Landslide/Mudflow	2	2	2	3	18.00	Medium
Seismic Hazards - ground shaking	3	3	4	4	43.20	High
Seismic Hazards - liquefaction	3	3	4	4	43.20	High
Tornado/water spout (REMOVE)					0.00	Low
Tsunami	1	1	1	1	4.00	Low
Wildfire	4	3	3	4	52.00	High
Urban Fire	1	1	2	1	5.40	Low
High Winds/Santa Ana	4	4	2	1	40.80	Medium
Contamination	1	2	3	4	11.40	Low
Power Outage (ADDED)	4	3	4	4	57.60	High



Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan

Planning Team Meeting #2

August 30, 2017

10:00 a.m. – 12:00 p.m.

AGENDA

- I. Summary of Hazard Profiles
 - II. Risk Assessment Methodology
 - III. Capabilities Assessment
 - IV. Public Involvement Update
 - a. Website text
 - b. Survey
 - c. Community Meetings
 - V. Next Steps
 - a. Finalize hazard profiles and initiate risk assessment
 - b. Survey dissemination
 - c. Steering Committee Meeting #3 – September 27 (10:00 a.m. – 12:00 p.m.)
-

Action Items

- **By end of day today**
 - Any outstanding updates/revisions to Agency-specific portion of Section 2
- **By September 27 – Meeting #3**
 - Review and provide updates to Agency-specific portion of Section 5
 - Capability Assessment (planning/regulatory; administrative/technical; financial; education/outreach)
 - Goals
 - Infrastructure loss estimations/values
 - *Identify mitigation actions completed and consider those that should be carried over into update and new mitigation*

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan Planning Team Meeting #2 August 30, 2017

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
Francisco Soto	Emergency Coordinator	Municipal Water District of Orange County	18700 Ward Street Fountain Valley, CA 92708	fsoto@mwdoc.com	714-593-5032	FS
Jeanette Cotinola		South Orange County Wastewater Authority		jcotinola@socwa.com		
Trisha Woolslayer	EHS Manager	South Coast Water District	31592 West Street, Laguna Beach, CA	twoolslayer@scwd.org	949-463-4353	TW
John DeCriscio		Yorba Linda Water District		jdecriscio@ylwd.com		
Katie Victoria	Sr. Admin. Analyst	City of Garden Grove	13802 Newhope Street, Garden Grove, CA 92843	katiev@ci.garden-grove.ca.us	714-741-5398	
Paula Bouyounes	Risk & Safety Manager	Orange County Water District	18700 Ward Street, Fountain Valley, CA 92708	Pbouyounes@ocwd.com	714-378-3310	PB
Rod Collins	Safety & Health Supervisor	Orange County Sanitation District	10844 Ellis Avenue Fountain Valley, CA 92708	RCollins@ocsd.com	714-573-1832	RC
Bill Paddock		South Orange County Water District		bpaddock@socwa.com		
Rich Kisee		Santa Margarita Water District		RICHK@smwd.com		
Raquel Manson	Sr. Admin. Analyst	City of Garden Grove	13802 Newhope Street, Garden Grove, CA 92843	rmanson@ci.garden-grove.ca.us	714-741-5554	R.M.







Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan Planning Team Meeting #2 August 30, 2017

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
Kaying Lee	Water Quality & Compliance Supervisor	Mesa Water District	1965 Placentia Avenue, Costa Mesa, CA 92627	kayingl@mesawater.org	949-207-5491	KL
Daniel Peterson	Operations Business Manager	Santa Margarita Water District	P.O. Box 7005, Mission Viejo, CA 92690	danielp@smwd.com	949-459-0594	
Steve Merk		Mouton Niguel Water District		SMerk@mnwd.com		
Brian Jones	Water and Sewer Manager	La Habra	621 W. Lambert Road, La Habra, CA 90631	BJones@lahabraca.gov	562-383-4170	
Oliver Pacifico		State Water Board		Oliver.Pacifico@waterboards.ca.gov		
Steven Conklin	Engineering Manager	Yorba Linda Water District	1717 E. Miraloma Avenue, Placentia, CA 92870	sconklin@ylwd.com	714-701-3102	SC
Tracy Ingebrigtsen	Safety & Compliance Coordinator	Moulton Niguel Waster District	26161 Gordon Road, Laguna Hills, CA 92653	TIngebrigtsen@mnwd.com	949-425-3569	
Michael Grisso	Utilities Manager	City of Buena Park	6955 Aragon Circle, Trabuco Canyon, CA 92679	mgrisso@buenapark.com	714-562-3705	
Lorrie Lausten	Principal Engineer	Trabuco Canyon Water District	32003 Dove Canyon Drive, Trabuco Canyon, CA 92679	llausten@tcwd.ca.gov	949-858-0277	LL
Todd Novacek	Director of Operations	Moulton Niguel Waster District	26161 Gordon Road, Laguna Hills, CA 92653	tnovacek@mnwd.com	949-795-8425	

Orange County Regional Water & Wastewater
Multi-Jurisdictional Hazard Mitigation Plan
Planning Team Meeting #2
August 30, 2017

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
Leo Lopez	Safety Officer	Laguna Beach County Water District	llopez@lbcwd.org	llopez@lbcwd.org	949-290-9127	LL
Albert Lopez		City of Garden Grove		ajh@ci.garden-grove.ca.us		
Becky Rodstein	Administrative Analyst	City of Westminster	14381 Olive Street, Westminster, CA 92683	rrodstein@westminster-ca.gov	714-548-3695	RR
Jerry Vilander	General Manager	Serrano Water District	18021 Lincoln Street, Villa Park, CA 92861	jerryv@serranowater.org	714-538-0079	JV
Steffen Catron	Utilities Manager	City of Newport Beach	100 Civic Center Dr, Newport Beach, CA 92660	scatron@newportbeachca.gov	949-718-3402	
Casey Parks	Water Production Supervisor	City of Newport Beach	100 Civic Center Dr, Newport Beach, CA 92660	cparks@newportbeachca.gov	949-718-3422	CP
Karl Seckel	AGM	MWDOC		kseckel@mwdoc.com	714-593-5024	KS
Bill Paddock	Supervising Mechanic	SOCWA		bpaddock@socwa.	949-234-5466	
Sherri Seitz	Public Relations/ Emergency Prep. Administrator	El Toro Water District	24251 Los Alisos Boulevard, Lake Forest, CA 92630	sseitz@etwd.com	949-353-7969	SS
Rick Olson	Operations Superintendent	El Toro Water District	24251 Los Alisos Boulevard, Lake Forest, CA 92630	rolson@etwd.com	949-837-7050 x217	RO

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan Planning Team Meeting #2 August 30, 2017

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
A.J. Holmon	Streets/Environ Div. Manager	City of Garden Grove, Public Works		ajh@ci.garden-grove.ca.us	714-741-5956	
Kevin Crawford	Operator	Moulton Niguel Water District		kcrawford@mnwd.com	949-795-6753	
Dan West	Water Distribution Supervisor	Moulton Niguel Water District		dwest@mnwd.com	949-795-6785	
Steven Sweeney	Serrano Water District	Serrano Water District		steve@serranowater.org	714-538-0079	
Chris Lopez	Safety Specialist	Santa Margarita Water District		chrisl@smwd.com	949-532-2551	
Rod Collins	Safety & Health Supervisor	Orange County Sanitation District	10844 Ellis Avenue, Fountain Valley, CA 92708	rcollins@ocsd.com	714-593-7741	
Richard Spencer	HR/Risk Manager	OCSD	10844 Ellis Avenue, Fountain Valley, CA 92708	rspencer@ocsd.com	714-593-7164	
George Rivera	Security & Emergency Planning	OC Sanitation District	10844 Ellis Avenue, Fountain Valley, CA 92708	grivera@ocsd.com	714-593-7062	
Kelly Hubbard	Emergency Manager	SEROC/MWDOC		khubbard@mwdoc.com	714-593-5010	
Ethan Brown	Sr. Program Coord.	Sheriff's Department Emergency Management	2644 Santiago Canyon Rd.	ETBROWN@OCSD.ORG	714-628-3028	

Orange County Regional Water & Wastewater
Multi-Jurisdictional Hazard Mitigation Plan
Planning Team Meeting #2
August 30, 2017

[illegible]

Orange County Regional Water & Wastewater Multijurisdictional Hazard Mitigation Plan Update

Planning Team Meeting #2 | August 30, 2017



Agenda

- Summary of Hazard Profiles
- Risk Analysis Methodology
- Capabilities Assessment
- Public Involvement Update
- Next Steps

Summary of Hazard Profiles

Hazard Identification

HAZARD RANKING WORKSHEET - Orange County Regional Water & Wastewater MJHMP					DATE: 7/26/2017	
Hazard Type	Probability	Impact			Total Score	Hazard Planning Consideration
		Location	Primary Impact	Secondary Impacts		
Power Outage	4	3	4	4	57.60	High
Wildfire	4	3	3	4	52.00	High
Seismic Hazards - ground shaking	3	3	4	4	43.20	High
Seismic Hazards - liquefaction	3	3	4	4	43.20	High
High Winds/Santa Ana	4	4	2	1	40.80	Medium
Drought	4	4	1	1	35.20	Medium
Dam/Reservoir Failure	2	3	4	4	28.80	Medium
Flood	3	3	2	1	25.80	Medium
EQ Fault Rupture	2	1	4	2	18.40	Medium
Landslide/Mudflow	2	2	2	3	18.00	Medium
Contamination	1	2	3	4	11.40	Low
Human-caused Hazards - terrorism (shooting, explosive)	1	1	3	3	8.80	Low
Human-caused Hazards - HazMat	1	1	2	3	7.40	Low
Urban Fire	1	1	2	1	5.40	Low
Geo Hazards - land subsidence	1	1	1	2	5.00	Low
Geo Hazards - expansive soils	1	1	1	2	5.00	Low
Tsunami	1	1	1	1	4.00	Low
Climate Change	1	1	1	1	4.00	Low
Coastal Storm & Erosion	1	1	1	1	4.00	Low

Hazards to be Profiled

- Power outage
- Wildland and urban fire
- Seismic hazards
- High wind/Santa Ana
- Drought
- Dam/reservoir failure
- Flood
- Landslide/mudflow
- Contamination
- Human-caused hazards
- Geologic hazards
- Tsunami
- Climate change
- Coastal Storm/erosion

Hazard Profiles

- Description of the hazard
- Location and extent
- Previous occurrences
- Probability of future occurrences
- Vulnerability/risk assessment (pending)
 - Critical facilities
 - Populations
 - Loss estimates

Power Outage

- Description
 - Loss of power typically resulting from a natural hazard event (extreme heat, flood, severe winds) or equipment damage/failure (maintenance, construction, accident, terrorism)
- Location and extent
 - Can be site specific or regionally

Power Outage

- Previous occurrences
 - Occur periodically at smaller scale
 - 2011 Southwest Blackout (September) – largest power failure in CA history
 - 2.7 million customers without power; effected Orange County
- Probability of future occurrences
 - Likely to occur and are unpredictable

Wildfire and Urban Fire

■ Description


- Wildfire – uncontrolled fire spreading through vegetative fuels
- Wildland urban interface – urban and suburban development adjacent to wildland areas
- Mixed wildland urban interface – isolated communities/structures in wildland settings
- Occluded wildand urban interface – island of wildland vegetation in urbanized area

■ Location and extent

- CalFire fire hazard severity maps

FIRE HAZARD SEVERITY ZONES IN SRA

Adopted by CAL FIRE on November 7, 2007



The State of California and the Department of Forestry and Fire Protection make no representations or warranties regarding the accuracy of data or maps. Neither the State nor the Department shall be liable under any circumstances for any direct, special, incidental, or consequential damages with respect to any claim by any user or third party on account of or arising from the use of data or maps.

Obtain FRAP maps, data, metadata and publications on the Internet at <http://frap.cdf.ca.gov>. For more information, contact CAL FIRE-FRAP, PO Box 944246, Sacramento, CA 94244-2460, (916) 327-3939.

Arnold Schwarzenegger, Governor,
 State of California
 Mike Chrisman, Secretary for Resources,
 The Resources Agency
 Ruben Grijalva, Director,
 Department of Forestry and Fire Protection

MAP ID: FHSZS_MAP
 DATA SOURCES:
 CAL FIRE Fire Hazard Severity Zones (FHSZS06_3)
 CAL FIRE State Responsibility Areas (SRA05_5)
 CAL FIRE Incorporated Cities (iccp07_3)
 PLSS (1:100,000 USGS, Land Grants with CAL FIRE grid)

Wildland and Urban Fire

■ Previous occurrences

- Falls Fire (August 5, 2013) started in Riverside County and spread to San Mateo Wilderness area, closing Ortega Highway. 1,400 acres with no structures threatened or injuries.
- Baker Fire (October 6, 2013) near Irvine Lake. 40 acres with no reported structure damage
- Silverado Fire (September 12, 2014) along Silverado Canyon in Cleveland National Forest. Mandatory evacuations and loss of power – 1,600 acres.
- Brush fire along SR-241 near Santiago Canyon Road. Evacuations of campgrounds and 3 structures burned – 214 acres.

Wildland and Urban Fire

- Previous occurrences

- Laguna Coast Wilderness Park near Bommer Ridge (June 26, 2017) – 47 acres.
- Holy Jim Fire (August 31, 2016) east of Trabuco Canyon in Cleveland National Forest – 150 acres with no structures damaged

- Probability of future occurrences

- Likely due to wildland fire areas and wildland urban interface
- Drought and climate conditions

Seismic Hazards

- Description
 - Primary = fault rupture and ground shaking
 - Secondary = liquefaction – results from ground shaking causing soils to act like liquid
- Location and Extent
 - Fault rupture – within defined area/zone
 - Ground shaking – countywide
 - Liquefaction – within defined area

Earthquake Zones of Required Investigation Seal Beach Quadrangle

California Geological Survey

This Map Shows Both Alquist-Prilo Earthquake Fault Zones and
Seismic Hazard Zones issued for the Seal Beach Quadrangle

This map shows the location of Alquist-Prilo (AP) Earthquake Fault Zones and Seismic Hazard Zones collectively referred to here as Earthquake Zones of Required Investigation. The Geographic Information System (GIS) Spatial File of these required zones is available on the CGS website <http://www.conservation.ca.gov/gis/earthquakezones>. These zones are the California Geological Survey (CGS) and the California Department of Conservation (CDC) are the responsible agencies for the preparation and maintenance of these zones. The zones are prepared and maintained in accordance with the requirements of the Alquist-Prilo Earthquake Fault Zoning Act (Public Resources Code Sections 2690-2698.8) and the Seismic Hazard Mapping Act (Public Resources Code Sections 2690-2698.8). For information regarding the general approach and recommended methods for preparing these zones, see CGS Special Publication 42, *Fault-Related Hazard Zones in California*, and CGS Special Publication 115, *Recommended Criteria for Calculating Seismic Hazard Zones in California*. For information regarding the scope and recommended methods to be used in conducting required investigations, see CGS Special Publication 42, *Appendix C: Guidelines for Evaluation of Earthquake Fault Zones*, and CGS Special Publication 115, *Appendix B: Guidelines for Evaluating and Mapping Seismic Hazard Zones in California*. For a general description of the AP and Seismic Hazard Mapping acts, the creation programs, and related information, please refer to the website at www.conservation.ca.gov/gis/.

regarding the general approach and recommended methods for preparing these zones, see CGS Special Publication 42, *Fault-Related Hazard Zones in California*, and CGS Special Publication 115, *Recommended Criteria for Calculating Seismic Hazard Zones in California*. For information regarding the scope and recommended methods to be used in conducting required investigations, see CGS Special Publication 42, *Appendix C: Guidelines for Evaluation of Earthquake Fault Zones*, and CGS Special Publication 115, *Appendix B: Guidelines for Evaluating and Mapping Seismic Hazard Zones in California*. For a general description of the AP and Seismic Hazard Mapping acts, the creation programs, and related information, please refer to the website at www.conservation.ca.gov/gis/.

MAP EXPLANATION



OVERLAPPING ALQUIST-PRILO AND SEISMIC HAZARD ZONES

Overlap of Earthquake Fault Zone and Liquefaction Zone
Areas that are covered by both Earthquake Fault Zone and Liquefaction Zone.

Note: Mitigation methods differ for each zone - AP Act only allows avoidance. Seismic Hazard Mapping Act allows mitigation by engineering/geotechnical design as well as avoidance.

ADDITIONAL INFORMATION

For additional information on the zones of required investigation presented on this map, the date and methodology used to prepare them, and additional reference materials, please refer to the following:

The Southern Newport Inland Fault Zone, in the Los Alamitos and Seal Beach Quadrangles, Los Angeles and Orange counties, California, California Geological Survey, *Seismic Hazard Zone Report 172*, Fault Evaluation Report FER-172, <http://www.conservation.ca.gov/GIS/EarthquakeFaultZones/172.pdf>

For more information on the Alquist-Prilo Earthquake Fault Zoning Act please refer to: <http://www.conservation.ca.gov/gis/mapping/Pages/Map.aspx>

Seismic Hazard Zone Report for the Seal Beach 7.5-minute Quadrangle, Los Angeles and Orange counties, California, California Geological Survey, *Seismic Hazard Zone Report 172*, <http://www.conservation.ca.gov/GIS/EarthquakeFaultZones/172.pdf>

For more information on the Seismic Hazard Mapping Act please refer to: <http://www.conservation.ca.gov/gis/mapping/Pages/Map.aspx>

Click the link below to learn how to take greater advantage of the GeoPDF format of this map after downloading:
<http://www.conservation.ca.gov/GIS/EarthquakeFaultZones/172.pdf>

SEAL BEACH QUADRANGLE

EARTHQUAKE FAULT ZONES

Delineated in compliance with
Chapter 7.5 Division 2 of the California Public Resources Code
(Alquist-Prilo Earthquake Fault Zoning Act)

REVISED OFFICIAL MAP

Released: July 1, 1986

James L. Davis
STATE GEOLOGIST

SEISMIC HAZARD ZONES

Delineated in compliance with
Chapter 7.8 Division 2 of the California Public Resources Code
(Seismic Hazard Mapping Act)

OFFICIAL MAP


Released: March 25, 1999

James L. Davis
STATE GEOLOGIST

IMPORTANT

PLEASE NOTE THE FOLLOWING FOR ZONES SHOWN ON THIS MAP

- This map may not show all faults that have the potential for surface fault rupture, while within the Earthquake Fault Zone or within their boundaries. Additionally, this map may not show all areas that have the potential for liquefaction, landslides, seismic ground shaking or other earthquake and seismic hazards. Only a single earthquake capable of causing liquefaction or triggering landslides failure will not uniformly affect the entire area shown.
- Faults shown are the basis for establishing the boundaries of the Earthquake Fault Zones.
- The identification and location of these faults are based on the best available data. However, the quality of data used is varied. These have been prepared as accurately as possible at a map scale of 1:24,000.
- Liquefaction hazard zones are established from data of earthquake-induced liquefaction. This information is based on data at or near the base of existing foundations, development from available or other flow source areas, or adjacent to deep water ports.
- Landslide hazard zones are shown on this map as indicated, in part, by existing faults that are shown by the U.S. Geological Survey (USGS). Landslide hazard zones are shown by the USGS as areas of potential landslides. This information is based on data at or near the base of existing foundations, development from available or other flow source areas, or adjacent to deep water ports.
- USGS has been shown provide that 66 percent of cultural features be located within 40 feet (boundary) of the fault zone. The identification and location of these faults are based on the best available data. However, the quality of data used is varied. These have been prepared as accurately as possible at a map scale of 1:24,000.
- Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.
- Seismic hazard zones identified on this map may include developed and undeveloped lands that have already been subjected to or are currently subjected to seismic hazard. Consult with your local building department for information regarding the location of such regulated areas.
- USGS Label: The State of California and the Department of Conservation make no representation or warranty regarding the accuracy of the data from which these maps were derived. Neither the State nor the Department shall be liable for any consequences from any third-party reliance upon the information contained on these maps or any other maps or documents.





Study area defined by USGS quadrangle boundaries using NAD 27, projected by the state map system. Data are projected and distributed in California Alquist (NAD 83, EPSG:31433) as given by the line and coordinates.


Seismic hazard map derived from USGS 1:250,000 scale NAD 83, EPSG:31433, projected by the line and coordinates.

Topographic data map from USGS 1:250,000 scale NAD 83, EPSG:31433, projected by the line and coordinates.

Seismic data from USGS Census TICS (Jan. 2015)



California Geological Survey
Geologic Information and Publications
801 K Street, MS 14-34
Sacramento, CA 95814-3532
www.conservation.ca.gov/gis/



Seismic Hazards

- Previous occurrences
 - Earthquakes (since 2012, 5.0 or greater)
 - 2014 La Habra (5.1)
 - Liquefaction
 - No specific reports of events
- Probability of future occurrences
 - Likely due to location of faults and previous events

High Winds/Santa Ana

- Description

- Defined as lasting longer than one hour at greater than 39 mph or any length of time greater than 57 mph
- Santa Ana winds – generally defined as warm, dry winds that blow from the east or northeast

- Location and extent

- Occur regionally throughout southern California, including Orange County, between October and March

High Winds/Santa Ana

- Previous occurrences
 - Typically occur annually – can influence other natural disasters – fires
 - 1993 Laguna Beach and 2008 Freeway Complex Fire – destroyed homes in Orange County
- Probability of future occurrences
 - Likely to occur annually

Drought

■ Description

- Period of drier-than-normal conditions resulting in water-related issues
 - Agricultural – soil moisture deficiencies
 - Hydrological – precipitation shortfalls on stream flows, reservoir, lake, and groundwater levels
 - Meteorological – defined on degree of dryness compared to expected average
 - Socioeconomic – demand for water exceeds supply as a result of weather-related shortfall

■ Location and extent

- Occurs regionally throughout County

Drought

■ Previous occurrences

- State declared drought emergency – 8x between 1972 and 2009
- January 17, 2014 – Governor proclaimed State of Emergency
 - April 1, 2015 – imposed restrictions to achieve a 25% reduction in potable water usage by February 28, 2016

■ Probability of future occurrences

- Function of precipitation and intensity of current drought conditions
- Higher probability based on drought history

Dam/Reservoir Failure

- Description
 - Catastrophic type of failure characterized by the sudden, rapid, and uncontrolled release of impounded water
- Location and extent
 - Several dams and reservoirs within Orange County
 - Inundation maps pending

Dam/Reservoir Failure

- Previous occurrences

- No major dam failure experienced by Orange County – Two incidents within LA
 - St. Francis Dam (1928) – Santa Clara Valley
 - Baldwin Hills Dam (1963) – Los Angeles
- Water tank failure in Westminster (1998)
 - 5 million gallon water storage tank ruptured – corrosion and construction defects

- Probability of future occurrences

- The 2015 County of Orange & Orange County Fire Authority LHMP classifies dam failure as unlikely

Flood

- Description
 - Water level exceeds capacity of waterway or failure of drainage infrastructure
- Location and extent
 - FEMA prepared floodplain maps
 - Localized flooding

Flood

- Previous occurrences

- Major floods along Santa Ana River have occurred dating back to 1810.
- 2017 Winter Storms Presidential Disaster Declaration – heavy rains produced flash flooding in Huntington Beach, Santa Ana, Newport Beach

- Probability of future occurrences

- FEMA flood zones identify future probability within County – 1 percent chance in any given year
- Additional probability associated with storm drain infrastructure

Landslide/Mudflow

- Description
 - Landslide – down slope movement of soil and rock under direct influence of gravity
 - Mudflow – river of rock, earth, and other materials, including vegetation that is saturated with water
- Location and extent
 - Coastal communities
 - Communities adjacent to ridgeways




Plate 5. Soil-Slip Susceptibility Map for the Santa Ana 30' x 60' Quadrangle, Southern California
Preliminary Soil-Slip Susceptibility Maps, Southwestern California

Base map digital layers (drainage, roads, and topographic contours) were prepared from publicly available digital line graph (DLG) data. Contour: 1:100,000 metric quadrangle. Projection: UTM zone 11.



Scale 1:100,000
Contour Interval 50m

Low Susceptibility Moderate Susceptibility High Susceptibility
Uncolored areas have zero soil-slip susceptibility values

Plate 6. Soil-Slip Susceptibility Map for the Oceanside 30' x 60' Quadrangle, Southern California
Preliminary Soil-Slip Susceptibility Maps, Southwestern California

Landslide/Mudflow

- Previous occurrences
 - No occurrences identified since 2005 Blue Bird Canyon, Laguna Beach landslide and 2005 Laguna Niguel slope failure – section of Joint Regional Transmission Pipeline
- Probability of future occurrences
 - El Nino and La Nina events projected to increase
 - Increase in erosion and flooding
 - Increase in magnitude and severity of mudflow events
 - Previous occurrences

Contamination

■ Description

- Groundwater – pollutants released into the ground, navigate through the soil and end up in the groundwater
- Direct release of pollutants, chemicals, or wastes released into the water supply (terrorism)
- Saltwater intrusion – drawdown of water table resulting in salt water intruding into fresh water aquifer

■ Location and extent

- Groundwater – regionwide
- Direct contamination – regionwide and/or direct source
- Saltwater intrusion – coastal area of Basin

Contamination

■ Previous occurrences

- Groundwater – Orange County's North Basin – industrial solvent spills resulting in contamination plume under Fullerton, Anaheim and Placentia
- Localized groundwater contamination
- Saltwater intrusion – 1956 heavy pumping resulted in injecting water into groundwater to prevent intrusion into the Basin

■ Probability of future occurrences

- Groundwater – likely due to industrial activities
- Direct contamination – possible
- Saltwater intrusion – unlikely due to basin management programs

Human-Caused Hazards

- Description
 - Non-Malicious activities due to human carelessness or technological failures – hazardous materials releases
 - Malicious activities to water and/or wastewater systems – terrorism
- Location and extent
 - Single location or multiple locations
 - Can affect larger region
 - Terrorist activities could target places of economic or symbolic value, hazardous facilities, areas of large concentrations of people

Human-Caused Hazards

- Previous occurrences

- Hazardous materials – no large scale event has occurred since 2012; localized spills are more frequent
- Terrorism – no specific events have occurred in Orange County

- Probability of future occurrences

- Hazardous materials – based on previous history, it is likely localized events will occur
- Terrorist events are less likely and unpredictable


Geologic Hazards

■ Description

- Expansive soils – clay soils expand and contract causing shrink-swell; foundations fatigue and crack
- Land subsidence – gradual settling or sudden sinking of the ground surface

■ Location and extent

- Expansive Soils
 - Can occur throughout southern California
- Land subsidence
 - USGS – maps areas of potential subsidence




Geologic Hazards

- Previous occurrences
 - No specific reports of events
- Probability of future occurrences
 - Regulations reduce groundwater pumping that may have historically resulted in subsidence
 - Expansive soils will continue to occur and require engineering considerations

Tsunami

- Description
 - Series of traveling ocean waves of extremely long length generated primarily by earthquakes below or near the ocean floor
- Location and extent
 - Tsunami mapping has been conducted



Tsunami

- Previous occurrences

- Since 1812, 14 of greater than 3 feet along California Coast
- 1964, tidal surges of 4-5 feet hit Huntington Harbor
- 2011 Japan earthquake initiated preparations along west coast and resulted in 1-3 foot waves

- Probability of future occurrences

- Historically events in Orange County not frequent
- Potential for future events based on seismic activity

Climate Change

- Description
 - Change in the typical or average weather of a region or city
- Location and extent
 - Considered regionally with a focus on sea level rise in coastal Orange County communities

Climate Change

■ Previous occurrences

- 1949 – 2006, daily maximum temperature in Orange County has risen at about 0.023 degrees per year
- Since 1955 measurements at Newport Beach show sea level rise of 0.09 inches per year
- National Weather Services reported four coastal flooding incidents affecting Orange County – most recent 2014

■ Probability of future occurrences

- Climate Central's Surging Sea Risk Finder indicates a less than 1 percent change of coastal flooding reaching areas 3 feet above the tide line currently; increasing to 6 percent annually by 2040 under medium sea-level rise scenario

Coastal Storm & Erosion

- Description
 - Breaking down and removal of material along a coastline by the movement of wind and water
- Location and extent
 - Beach erosion a greater issue along the County's northern coast; bluff retreat along the southern coast
 - Coastal Storm Modeling System shows greatest erosion under various sea-level rise scenarios occurring in Huntington Beach

Coastal Storm & Erosion

- Previous occurrences
 - USGS study (2006) found the shoreline had receded for 35% of 29-mile coastline (LA to Dana Point)
 - Historic erosion 2015-16 associated with El Nino events
- Probability of future occurrences
 - Likely with periodic El Nino events and magnified due to sea level rise

Risk Analysis Methodology

Risk Assessment

- Geographic area (hazard location)
- Critical facilities
 - Defined in 2012 Plan as: *public infrastructure used to provide potable water to the public and to maintain wastewater services in order to maintain public health and safety*
 - Potable water services: wells, water storage tanks, reservoirs with dams, water treatment plants, pump stations, pressure reducing stations, emergency interties, service connections, pipelines, and administrative buildings and utility yards
 - Wastewater services: wastewater treatment plants, lift stations, pipelines, and administrative buildings and utility yards.
- Potential damage
 - Loss estimations

FLOOD HAZARD ZONES

EXHIBIT 7

Disclaimer: This map is for planning purposes only. It is not intended to be used in lieu of FEMA Flood Insurance Rate Maps.



Source: City of Capitola, 2010; Santa Cruz County, 2011; FEMA DFIRM Santa Cruz County, California, USA. DFIRM Special Flood Hazard Areas (Flood Plains). FIRM and FIS effective date December 1, 2003.

Capabilities Assessment

Capabilities Assessment

- Resources available to accomplish mitigation and reduce long-term vulnerability
- Unique to each jurisdiction
- Types of capabilities
 - Planning and regulatory
 - Administrative and technical
 - Financial
 - Education and outreach

Capabilities Assessment

- Planning and regulatory
 - Ordinances
 - Policies
 - Local laws and state statutes
 - Plans and program that guide and manage growth
- Questions to consider:
 - Does the plan address hazards?
 - Does the plan identify projects to include in the mitigation strategy?
 - Can the plan be used to implement mitigation actions?
 - How can the capabilities be expanded and improved to reduce risk?

Capabilities Assessment

- Administrative and technical
 - Staff – skills/tools and capacity
 - Public and private resources
 - Ability to access and coordinate resources effectively
- Questions to consider:
 - Is coordination effective?
 - Is staffing adequate to enforce regulations?
 - Is staff trained on hazards and mitigation?
 - Is coordination between agencies and staff effective?
 - Has the capability been used to assess/mitigate risk in the past?
 - How can the capabilities be expanded and improved to reduce risk?

Capabilities Assessment

- Financial

- Resources have or eligible to use to fund mitigation
 - Staff time, existing operating budgets, impact fees
 - Local, state and federal funding sources

- Questions to consider:

- Has the funding resource been used in the past and for what types of activities?
- Could the resource be used to fund future mitigation actions?
- How can the capabilities be expanded and improved to reduce risk?

Capabilities Assessment

- Education and outreach
 - Programs and methods in place to implement mitigation actions and communicate hazard-related information
 - Education programs provided at community events, schools
 - Public information or communication activities
- Questions to consider:
 - Could the program/organization help to implement future mitigation activities?
 - How can the capabilities be expanded and improved to reduce risk?

CAPABILITY ASSESSMENT – City of Buena Park

PLANNING AND REGULATORY

Planning and regulatory capabilities are the plans, policies, codes, and ordinances that prevent and reduce the impacts of hazards.

Resource	Yes/No/ Unsure	Department/Agency Responsible	Description	Relationship to Hazard Mitigation Planning (ability to support or hinder mitigation)	Comments/Notes
Sample “Building Code”	Yes	Buena Park Building Department	Standards for constructed objects such as buildings and non-building structures.	Supports	Continually updated and maintained Update will occur XXX
Building code					
Zoning ordinance					
Subdivision ordinance or regulations					
Growth management ordinances (also called “smart growth” or anti-sprawl programs)					
Site plan review requirements					
General or comprehensive plan					
Capital improvements plan					
Economic development plan					
Emergency response plan					
Post-disaster recovery plan					
Post-disaster recovery ordinance					
Real estate disclosure requirements					

ADMINISTRATIVE AND TECHNICAL

Administrative and technical capabilities include staff and their skills and tools that can be used for mitigation planning and to implement specific mitigation actions.

Resource	Yes/No/ Unsure	Department/Agency Responsible	Description	Relationship to Hazard Mitigation Planning (ability to support or hinder mitigation)	Comments/Notes
Planner(s) or engineer(s) with knowledge of land development and land management practices					2 Senior Planners 1 Associate Planner 2 Engineers Attend trainings, continuing education related to land use planning and hazard mitigation
Engineer(s) or professional(s) trained in construction practices related to buildings and/or infrastructure					
Planners or Engineer(s) with an understanding of natural and/or human-caused hazards					
Floodplain manager					
Surveyors					
Staff with education or expertise to assess the community's vulnerability to hazards					
Personnel skilled in GIS and/or HAZUS					
Scientists familiar with the hazards of the community					
Emergency manager					
Grant writers					
Lab Specialist & Lab Staff					

FINANCIAL

What funding resources does the Agency have access to or are eligible for to fund hazard mitigation?

Resource	Yes/No Unsure	Department/Agency Responsible	Description	Relationship to Hazard Mitigation Planning (ability to support or hinder mitigation)	Comments/Notes
Community Development Block Grants (CDBG)					
Capital improvements project funding					
Authority to levy taxes for specific purposes					
Fees for water, sewer, gas, or electric service					
Impact fees for homebuyers or developers for new developments/homes					
Incur debt through general obligation bonds					
Incur debt through special tax and revenue bonds					
Incur debt through private activity bonds					
Withhold spending in hazard-prone areas					

EDUCATION AND OUTREACH

Programs and methods already in place that could be used to implement mitigation activities and communicate hazard-related information.

Resource	Department/Agency Responsible	Description	Relationship to Hazard Mitigation Planning (ability to support or hinder mitigation)	Comments/Notes
Sample "Storm Preparedness Program"	Emergency Management	The City hosts various meetings to educate residents how the City is preparing for storms.	Support	

Public Involvement Update

Public Involvement

- Website
- Survey
 - Survey Monkey
 - Hard copies
- Meetings
 - Orange County Business Council – August 8, 2017
 - Other community events?
 - Send to Francisco

Next Steps

What We Need From You

- Section 2 – Agency Specific
 - if haven't submitted, provide updates/revisions by end of day today
- Section 5 – by **September 27**
 - Meet with internal staff to review/update jurisdictional-level information
 - **Capability Assessment** (planning/regulatory; administrative/technical; financial; education/outreach)
 - **Goals** – confirm still relevant or if new goals needed
 - **Infrastructure loss estimations/values**
 - *Identify mitigation actions completed and consider those that should be carried over into update and new mitigation*
- Attend Meeting #3 – **September 27**

Next Steps

- Community outreach
 - Website content week of 9/4
 - Post/distribute survey week of 9/4
 - Identify community outreach events - **NOW**
- Finalize draft hazard profiles
- Initiate Risk Assessment
- Planning Team Meeting
 - #3 – September 27, 2017

Questions/Additional Discussion?

Forward all data/information to:

Francisco Soto

Fsooto@mwdoc.com

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan

Planning Team Meeting #2

August 30, 2017

10:00 a.m. – 12:00 p.m.

MEETING SUMMARY

Attendees: Refer to Sign-in Sheet

Presentation/Discussion

- **Hazard Profiles**

- Power Outage

- Karl Seckel – MWDOC: Biggest issue is the big earthquake. What is the duration of outage we should plan for? SDG&E told us 7 days. Assuming a big earthquake would affect major gas and power lines it would probably be more than 7 days. Will there be any general direction to mitigate power outages and other issues for emergency generators and fuel? Currently working on with WEROC.
 - Starla Barker (MBI) – this can be researched further as part of the vulnerability assessment and mitigation actions.

- Wildfire and Urban Fire

- Steve Conklin – Yorba Linda Water District (YLWD): Yorba Linda is still facing repercussions from the 2008 freeway complex fire (120 homes lost). Community concerned and oppose any additional development.
 - **ACTION:** Francisco Soto (MWDOC) requested a writeup of how it affected the YLWD facility and continues to do so.
 - Trisha Woolslayer – South Coast Water District (SCWD): recalled a recent fire of approximately 760 acres (unsure of exact amount). Cristianos Fire was located on the border of San Clemente and Camp Pendleton. San Clemente has reservoirs that lead up to the area where the fire was burning. Camp Pendleton was fighting one side of the fire and San Clemente was fighting the other side. The biggest challenge was getting the right information. SCWD has informal communication with Camp Pendleton, but no formal communication.
 - Starla Barker (MBI) – something to consider when identifying capabilities and mitigation actions.

- Seismic Hazards

- No specific comments. Refer to comment above regarding power outage.

- High Winds/Santa Ana

- Sean Peacher – SOCWA: Winds, floods, fires, and landslides all intermingled. No facility event from just wind.
 - Steve Conklin – YLWD: YLWD clears trees and brush away from pumping facilities

- to minimize potential damage from winds.
 - Rick Olson – El Toro Water District (ETWD): Winds cause power outages somewhat frequency with trees taking out power lines.
- Drought
 - Trisha Woolslayer – SCWD: As a result of the drought, agencies have looked more toward the use of recycled water. Conservation measures in place prior to drought.
- Dam/Reservoir Failure
 - Jerry Vilander – Serrano Water District (SWD): Dam inundation maps are due January 2018 if on the high priority list.
 - **ACTION:** Francisco Soto (MWDOC) to reach out to everyone and collect maps.
 - Becky Rodstein – City of Westminster: Since the reservoir failure there is a much more stringent program now. CIP for painting tanks.
 - Starla Barker (MBI) CIP can be identified in capabilities assessment.
- Flood
 - Jerry Vilander – SWD: The winter storms affected all of Orange County. SWD was reimbursed for roads and infrastructure damage. The SWD plant is located in a wilderness park and damage is expected to occur again. Surrounding area owned by various agencies; different priorities and regulatory requirements. Four-mile roadway to access. Systems are safe as far as personnel safety but not the roads. In December of 2010 and 2017 received funding (couple million dollars) as a result of Serrano Creek flooding.
- Landslide/mudflow
 - Mudflows in Laguna more recently than 2005.
 - There may have been mudflows within the City that did not directly impact water district facilities.
 - Jerry Vilander – SWD: Concerns with metropolitan water pipelines. Not known if any mitigation is in place for landslides.
- Contamination
 - Rich Kisse – Santa Margarita Water District (SMWD) & Karl Seckel – MWDOC: The Santa Ana River sanitation district pipeline that carries waste from inland to Huntington Beach plant was reinforced in place. This required a lot of work to replace and protect this pipeline.
 - Steve Conklin – YLWD: Concerned for reservoir break-in and contaminating water – unknown if contamination occurred. Can we get federal funding to get bigger fences, better security, and additional protective measures?
- Human-Caused Hazards
 - Sean Peacher – SOCWA: Public is concerned with San Onofre Nuclear Generating Station (SONGS).
 - Trisha Woolslayer - SCWD: A plan is in place to decommission SONGS. It is

currently not functioning. Unsure of where SONGS information would be placed in the hazard mitigation plan (contamination or human caused hazards?). Residents of South Orange County are worried the decommissioning process and affects to ocean.

- Geologic Hazards
 - Francisco Soto – MWDOC: Do any agencies deal with SONGS?
 - Trisha Woosl原因 – SCWD: SCWD supplies cooling water to them.
ACTION: Trisha will speak with the operations manager and get more information.
- Tsunami
 - Trisha Woosl原因 – SCWD & Ethan Brown Sheriff's Department Emergency Management (SDEM): A tsunami warning occurred where boats were moved out of Dana Point Harbor. SCWD supplies Dana Point with drinking water. SCWD wasn't impacted but almost impacted. Determined to be less of a threat as more information became available. One tsunami event previous to 2011 and one since (2015 or 2016).
 - **ACTION:** Francisco Soto (MWDOC) to contact Ethan Brown (SDEM) and get more information on this event.
- Climate Change
 - Karl Seckel – MWDOC: Climate change could impact future water supplies from the Colorado River and other state water resources.
ACTION: Karl to provide additional information.
- Coastal Storm & Erosion
 - Trisha Woosl原因 - SCWD – El Nino concerns.
- **Risk Analysis Methodology**
 - Francisco Soto – MWDOC: Do any agencies have updated numbers on estimated dollar values to update critical facilities infrastructure. Should I figure that out with inflation?
 - Consensus that agencies will provide updated dollar values of facilities/infrastructure to Francisco
- **Capabilities Assessment**
 - Detailed discussion regarding capabilities assessment. Although water districts may not have their own building code that they maintain, they do comply with State and local jurisdictions, as appropriate. This should be included in capabilities assessment. Recommended that comments be provided and if unsure if something is a capability or should be considered, identify and we can review and discuss further.
ACTION: Francisco Soto (MWDOC) will send electronic versions of capabilities assessment matrix.
ACTION: Capabilities assessment due on September 27 (Meeting #3)

- **Next Steps**
 - Section 2 – by end of day, if not already submitted
 - Capabilities Assessment
 - Goals
 - **ACTION:** Francisco Soto (MWDOC) will send electronic versions of goals to each agency
 - Infrastructure loss estimations/values
 - **ACTION:** Francisco Soto (MWDOC) will send copies of lists from previous plan to each agency.
 - Becky Rodstein – City of Westminster: Should the estimations for infrastructure loss include assets?
 - Francisco Soto – MWDOC: Yes, you can add assets other than infrastructure.

- **Action Items** – as identified on Agenda
 - **By end of day today**
 - Any outstanding updates/revisions to Agency-specific portion of Section 2
 - **By September 27 – Meeting #3**
 - Review and provide updates to Agency-specific portion of Section 5
 - Capability Assessment (planning/regulatory; administrative/technical; financial; education/outreach)
 - Goals
 - Infrastructure loss estimations/values
 - *Identify mitigation actions completed and consider those that should be carried over into update and new mitigation (not due on September 27, but need to be considering and begin to identify)*



Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan

Planning Team Meeting #3
September 27, 2017
10:00 a.m. – 12:00 p.m.

AGENDA

- I. Goals**
 - a. Review draft goals
 - II. Mitigation Actions**
 - a. Types of mitigation
 - b. Selection criteria
 - c. Existing and new actions
 - III. Public Involvement**
 - a. Website text and survey
 - IV. Capabilities Assessment**
 - a. Outstanding questions/guidance
 - V. Next Steps**
 - a. Risk assessment
 - b. Steering Committee Meeting #4 – October 25 (10:00 a.m. – 12:00 p.m.)
-

Action Items

- **By end of day today – September 27**
 - Submit capabilities assessment
- **By October 6**
 - Add HMP text and survey link to website
 - Distribute survey link to notification lists and social media
 - Notify or send screen shot to Francisco
- **By October 25 – Meeting #4**
 - Provide comments on draft goals
 - Identify mitigation actions completed and consider those that should be carried over into update and any new mitigation

Orange County Regional Water & Wastewater
Multi-Jurisdictional Hazard Mitigation Plan
Planning Team Meeting #3
September 27, 2017

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
Leo Lopez	Safety Officer	Laguna Beach County Water District	306 THIRD ST LAGUNA BEACH, CA 92652	llopez@lbcwd.org	949-290-9727	LL
Albert Lopez		City of Garden Grove		ajh@ci.garden-grove.ca.us		
Becky Rodstein	Administrative Analyst	City of Westminster	14381 Olive Street, Westminster, CA 92683	rrodstein@westminster-ca.gov	714-548-3695	BR
Jerry Vilander	General Manager	Serrano Water District	18021 Lincoln Street, Villa Park, CA 92861	jerryv@serranowater.org	714-538-0079	JV
Steffen Catron	Utilities Manager	City of Newport Beach	100 Civic Center Dr, Newport Beach, CA 92660	scatron@newportbeachca.gov	949-718-3402	SC
Casey Parks	Water Production Supervisor	City of Newport Beach	100 Civic Center Dr, Newport Beach, CA 92660	cparks@newportbeachca.gov	949-718-3422	CP
Karl Seckel	AGM	MWDOC		kseckel@mwdoc.com	714-593-5024	KWS
Bill Paddock	Supervising Mechanic	SOCWA		bpaddock@socwa.com	949-234-5466	
Sherri Seitz	Public Relations/ Emergency Prep. Administrator	El Toro Water District	24251 Los Alisos Boulevard, Lake Forest, CA 92630	sseitz@etwd.com	949-353-7969	SS
Rick Olson	Operations Superintendent	El Toro Water District	24251 Los Alisos Boulevard, Lake Forest, CA 92630	rolson@etwd.com	949-837-7050 x217	

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan Planning Team Meeting #3 September 27, 2017

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
A.J. Holmon	Streets/Environ Div. Manager	City of Garden Grove, Public Works		ajh@ci.garden-grove.ca.us	714-741-5956	
Kevin Crawford	Operator	Moulton Niguel Water District		kcrawford@mnwd.com	949-795-6753	
Dan West	Water Distribution Supervisor	Moulton Niguel Water District		dwest@mnwd.com	949-795-6785	
Steven Sweeney	Serrano Water District	Serrano Water District		steve@serranowater.org	714-538-0079	SS
Chris Lopez	Safety Specialist	Santa Margarita Water District		chrisl@smwd.com	949-532-2551	CL
Rod Collins	Safety & Health Supervisor	Orange County Sanitation District	10844 Ellis Avenue, Fountain Valley, CA 92708	rcollins@ocsd.com	714-593-7741	
Richard Spencer	HR/Risk Manager	OCSD	10844 Ellis Avenue, Fountain Valley, CA 92708	rspencer@ocsd.com	714-593-7164	RS
George Rivera	Security & Emergency Planning	OC Sanitation District	10844 Ellis Avenue, Fountain Valley, CA 92708	grivera@ocsd.com	714-593-7062	
Kelly Hubbard	Emergency Manager	SEROC/MWDOC		khubbard@mwdoc.com	714-593-5010	
Ethan Brown	Sr. Program Coordinator	Sheriff's Department Emergency Management	2644 Santiago Canyon Road	etbrown@ocsd.org	714-628-3028	

Orange County Regional Water & Wastewater
Multi-Jurisdictional Hazard Mitigation Plan
Planning Team Meeting #3
September 27, 2017

[illegible]

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan Planning Team Meeting #3 September 27, 2017

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
Francisco Soto	Emergency Coordinator	Municipal Water District of Orange County	18700 Ward Street Fountain Valley, CA 92708	fsoto@mwdoc.com	714-593-5032	FS
Jeanette Cotinola		South Orange County Wastewater Authority		jcotinola@socwa.com		
Trisha Woolslayer	EHS Manager	South Coast Water District	31592 West Street, Laguna Beach, CA	twoolslayer@scwd.org	949-463-4353	TW
John DeCriscio		Yorba Linda Water District		jdecriscio@ylwd.com		
Katie Victoria	Sr. Admin. Analyst	City of Garden Grove	13802 Newhope Street, Garden Grove, CA 92843	katiev@ci.garden-grove.ca.us	714-741-5398	KV
Paula Bouyounes	Risk & Safety Manager	Orange County Water District	18700 Ward Street, Fountain Valley, CA 92708	Pbouyounes@ocwd.com	714-378-3310	PB
Rod Collins	Safety & Health Supervisor	Orange County Sanitation District	10844 Ellis Avenue Fountain Valley, CA 92708	RCollins@ocsd.com	714-573-7832	
Bill Paddock		South Orange County Water District		bpaddock@socwa.com		
Rich Kisse		Santa Margarita Water District		RCHK@smwd.com		
Raquel Manson	Sr. Admin. Analyst	City of Garden Grove	13802 Newhope Street, Garden Grove, CA 92843	rmanson@ci.garden-grove.ca.us	714-741-5554	

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan Planning Team Meeting #3 September 27, 2017

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
Kaying Lee	Water Quality & Compliance Supervisor	Mesa Water District	1965 Placentia Avenue, Costa Mesa, CA 92627	kayingl@mesawater.org	949-207-5491	KL
Daniel Peterson	Operations Business Manager	Santa Margarita Water District	P.O. Box 7005, Mission Viejo, CA 92690	danielp@smwd.com	949-459-0594	
Steve Merk		Mouton Niguel Water District		SMerk@mnwd.com		
Brian Jones	Water and Sewer Manager	La Habra	621 W. Lambert Road, La Habra, CA 90631	BJones@lahabraca.gov	562-383-4170	BJ
Oliver Pacifico		State Water Board		Oliver.Pacifico@waterboards.ca.gov		
Steven Conklin	Engineering Manager	Yorba Linda Water District	1717 E. Miraloma Avenue, Placentia, CA 92870	sconklin@ylwd.com	714-701-3102	
Tracy Ingebrigtsen	Safety & Compliance Coordinator	Moulton Niguel Waster District	26161 Gordon Road, Laguna Hills, CA 92653	TIngebrigtsen@mnwd.com	949-425-3569	TI
Michael Grisso	Utilities Manager	City of Buena Park	6955 Aragon Circle, Trabuco Canyon, CA 92679	mgrisso@buenapark.com	714-562-3705	MG
Lorrie Lausten	Principal Engineer	Trabuco Canyon Water District	32003 Dove Canyon Drive, Trabuco Canyon, CA 92679	llausten@tcwd.ca.gov	949-858-0277	
Todd Novacek	Director of Operations	Moulton Niguel Waster District	26161 Gordon Road, Laguna Hills, CA 92653	tnovacek@mnwd.com	949-795-8425	

Orange County Regional Water & Wastewater Multijurisdictional Hazard Mitigation Plan Update

Planning Team Meeting #3 | September 27, 2017



Agenda

- Goals
- Mitigation Actions
- Public Involvement
- Capabilities Assessment
- Next Steps

Goals

Goals

- Goal 1: Minimize vulnerabilities of critical facilities and infrastructure to reduce damage caused by hazards.
- Goal 2: Minimize security risks to water and wastewater infrastructure.
- Goal 3: Minimize interruption to water and wastewater utilities.

Goals

- Goal 4: Improve public outreach, awareness, education, and preparedness for all identified hazards in order to increase the community resilience.
- Goal 5: Eliminate or minimize wastewater spills. (Wastewater agencies)
- Goal 6: Protect and enhance water quality and supply, critical aquatic resources and habitat for beneficial uses.

Mitigation Actions

Mitigation Actions


- What actions can be taken to mitigate problems/issues
- Consider a variety of mitigation activities:
 - Prevention – administrative or regulatory actions or processes
 - Property protection – modification of existing buildings or structures to protect from a hazard
 - Public education and awareness – actions to inform and educate citizens, elected officials, and property owners about hazards and opportunities to mitigate

Mitigation Actions

- Consider a variety of mitigation activities (continued):
 - Natural resource protection – actions that minimize hazard losses and preserve or restore the functions of natural systems
 - Emergency services – actions protect people and property during and immediately after a disaster or hazard event
 - Structural projects – actions that involve the construction of structures to reduce the impact of a hazard

Mitigation Types

- Local plans and regulations
 - General Plan/Zoning
 - Subdivision regulations
 - Building codes
 - Capital improvement programs
 - Urban Water Management Plans
- Structure and infrastructure projects
 - Acquisition, relocation, elevation of flood-prone structures
 - Levees and floodwalls
 - Seismic retrofitting
 - Strengthening critical facilities
 - Burying utility lines
 - Stormwater diversion, retention, or detention



Mitigation Types

■ Natural Systems Protection

- Floodplain protection
- Wetlands preservation
- Coastal or riverine setbacks
- Sediment and erosion control
- Forest and vegetative management



■ Education and Awareness Programs

- Risk communication
- Websites – information and maps
- Training courses
- Community outreach projects
- Presentation/education materials to school groups and organizations



STAPLEE Review & Selection Criteria

Social

- Is the proposed action socially acceptable to the jurisdiction and surrounding community?
- Are there equity issues involved that would mean that one segment of the jurisdiction and/or community is treated unfairly?
- Will the action cause social disruption?

Technical

- Will the proposed action work?
- Will it create more problems than it solves?
- Does it solve a problem or only a symptom?
- Is it the most useful action in light of other jurisdiction goals?

Administrative

- Can the jurisdiction implement the action?
- Is there someone to coordinate and lead the effort?
- Is there sufficient funding, staff, and technical support available?
- Are there ongoing administrative requirements that need to be met?

Political

- Is the action politically acceptable?
- Is there public support both to implement and to maintain the project?

STAPLEE Review & Selection Criteria

Legal

- Is the jurisdiction authorized to implement the proposed action?
- Are there legal side effects? Could the activity be construed as a taking?
- Will the jurisdiction be liable for action or lack of action?
- Will the activity be challenged?

Economic

- What are the costs and benefits of this action?
- Do the benefits exceed the costs?
- Are initial, maintenance, and administrative costs taken into account?
- Has funding been secured for the proposed action? If not, what are the potential funding sources (public, nonprofit, and private)?
- How will this action affect the fiscal capability of the jurisdiction?
- What burden will this action place on the tax base or local economy?
- What are the budget and revenue effects of this activity?
- Does the action contribute to other jurisdiction goals?
- What benefits will the action provide?

Environmental

- How will the action affect the environment?
- Will the action need environmental regulatory approvals?
- Will it meet local and state regulatory requirements?
- Are endangered or threatened species likely to be affected?

Mitigation Action Examples

- Perform a seismic study analysis for all structures and facilities.
- Construct emergency storage structures (where feasible) at sewage lift stations.
- Survey and improve site fencing and other forms of hardening facility deterrence.
- Construct secondary supply pipeline to Mission Hospital.
- Develop Fuel Management Plan for Auxiliary engines and Implement.

Public Involvement

Public Involvement

- Website Text
 - Modify as necessary
 - Provides an overview of the HMP
 - What is it?
 - Why is it important?
 - What goes into a HMP?
 - How can the public be involved?
 - Link to the survey
 - Draft documents
 - **Post on your website by October 6**

Public Involvement

■ Survey

- 17 questions/responses
 - Demographic – live/work, zip code, age group
 - Which types of disasters have you experienced?
 - How concerned are you about specific hazards?
 - How likely a disaster will occur?
 - Other hazards not identified?
 - How prepared are you, what have you done?
 - Most effective ways to receive information, how can you become more prepared?
- **Post and distribute by October 6**
 - Post link on your website
 - Distribute through notification lists and social media

Capabilities Assessment

Next Steps

What We Need From You

- **By end of day today**
 - Submit capabilities assessment
- **By October 6**
 - Add HMP text and survey link to websites
 - Distribute survey link to notification lists and through social media
 - Send screen shot to Francisco
- **By October 25 (Meeting #4)**
 - Provide comments on draft goals
 - Identify mitigation actions completed and consider those still relevant and new mitigation
- **Attend Meeting #4 – October 25**

Next Steps

- Risk Assessment
- Draft Mitigation Actions
- Planning Team Meeting
 - #4 – October 25, 2017

Questions/Additional Discussion?

Forward all data/information to:

Francisco Soto

Fsooto@mwdoc.com

Orange County Regional Water and Wastewater Multi-Jurisdictional Hazard Mitigation Plan

STAPLEE Criteria

Social

- Is the proposed action socially acceptable to the jurisdiction and surrounding community?
- Are there equity issues involved that would mean that one segment of the jurisdiction and/or community is treated unfairly?
- Will the action cause social disruption?

Technical

- Will the proposed action work?
- Will it create more problems than it solves?
- Does it solve a problem or only a symptom?
- Is it the most useful action in light of other jurisdiction goals?

Administrative

- Can the jurisdiction implement the action?
- Is there someone to coordinate and lead the effort?
- Is there sufficient funding, staff, and technical support available?
- Are there ongoing administrative requirements that need to be met?

Political

- Is the action politically acceptable?
- Is there public support both to implement and to maintain the project?

Legal

- Is the jurisdiction authorized to implement the proposed action?
- Are there legal side effects? Could the activity be construed as a taking?
- Will the jurisdiction be liable for action or lack of action?
- Will the activity be challenged?

Economic

- What are the costs and benefits of this action?
- Do the benefits exceed the costs?
- Are initial, maintenance, and administrative costs taken into account?
- Has funding been secured for the proposed action? If not, what are the potential funding sources (public, nonprofit, and private)?
- How will this action affect the fiscal capability of the jurisdiction?
- What burden will this action place on the tax base or local economy?
- What are the budget and revenue effects of this activity?

- Does the action contribute to other jurisdiction goals?
- What benefits will the action provide?

Environmental

- How will the action affect the environment?
- Will the action need environmental regulatory approvals?
- Will it meet local and state regulatory requirements?
- Are endangered or threatened species likely to be affected?

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan

Planning Team Meeting #3

September 27, 2017

10:00 a.m. – 12:00 p.m.

MEETING SUMMARY

Attendees: Refer to Sign-in Sheet

Presentation/Discussion

- **Goals**

- Karl Seckel – MWDOC: Regarding Goal 6, are we enhancing water quality supply and critical facilities? Overall as agencies we're enhancing all of those. That goes beyond the hazard mitigation portion of it. Enhancing seems too far - should change to maintain or protect – question for the group.
 - Tracy Ingebrigtsen - Moulton Niguel Water District (MNWD): enhancing water supply – meaning get more water supply?
 - Karl Seckel – MWDOC: Wording in Goal 6 regarding “enhance”. Are these goals of the hazard mitigation plan? Hazard mitigation is not enhancing the ability to operate under these situations.
 - Francisco Soto – MWDOC: would everyone feel comfortable with deleting “and enhance”
 - All – yes.
- Becky Rodstein – City of Westminster: Are the goals in order of importance?
 - Starla Baker – MBI: No.
- Chris Lopez – Santa Margarita Water District (SMWD): His agency developed goals based on previous plan. In the previous plan Section 5.3 listed goals for water and another set of goals was listed for wastewater. My agency does both so I combined certain goals from water and wastewater based on the previous plan.
 - Francisco Soto – MWDOC: We're trying to combine goals to cut down on redundancies in the previous plan. We will review the goals and make sure they are accounted for in draft goals. These draft goals can be revised or added to.
- Starla/Francisco – Discussion and acknowledgment that the goals are draft for their consideration. Francisco reviewed the previous goals and modified to reduce redundancies. However, if any agency finds a goal is not accounted for, we can add a new one or modify these goals. Provide any additional comments to Francisco.

- **Mitigation Actions**

- Karl Seckel – MWDOC: Recommends group look at Emergency Operation Centers (EOCs) and what's going to be available in the event of a hazard event, like an earthquake. MWDOC became aware that our facilities aren't prepared seismically. Facilities that we plan on using when hazards (i.e. earthquake) happen should be looked at.
- Francisco Soto – MWDOC: Completed mitigation actions will be documented as done and

removed from the list.

- Starla Barker – MBI: We are reviewing the overall organization of the plan. We will want to somehow (possibly bullets or matrix) acknowledge what mitigation actions have been implemented from previous plan. The mitigation table will likely be only those mitigation actions being carried over into updated plan.
- Trisha Woolslayer – SCWD: What do we do with projects that are no longer part of CIP and have fallen off the list? How do we handle those?
 - Becky Rodstein – City of Westminster: Recommended for consistency purposes, that the column in the matrix be completed or added stating if a specific mitigation measure is being removed and state the reason (e.g., completed, no longer viable, etc.)
- Starla Barker – MBI: Clarified that the plan can have one set of goals; however, if an agency feels these goals do not include a goal they want identified, we can add or modify.
- Anthony Manzano - YLWD: I agree, we should keep one format and then add footnotes.
- Tracy Ingebrigtsen - MNWD: When we modify our lists and we have our six goals do you want us to identify what mitigation actions go under each goal?
 - Starla Barker – MBI: You don't have to focus on that now. Focus on mitigation actions. Specifically, each mitigation action that applies to your community. Focus on mitigation actions on the table. Some of them may fall under several goals.
- Kaying Lee – Mesa Water District: We have 3 goals here but nothing for 4-6, so does that mean we must come up with mitigation actions for these goals?
 - Starla Barker – MBI: Agencies should be able to identify or acknowledge some education components/mitigation. These mitigation actions may already be in process and are ongoing.
 - Kaying Lee – Mesa Water District: We're a water agency so we're not doing public outreach.
 - Tracy Ingebrigtsen - MNWD: All the public outreach that was done for drought and conservation is an example for hazard mitigation. Recommend speaking with community outreach person at your agency; you are probably doing more than you realize.
- Tracy Ingebrigtsen - MNWD: It was mentioned that a mitigation action is required for each hazard identified. The old plan had a chart identifying each hazard, but a couple hazards will not apply.
 - Starla Barker – MBI: We are working on how that information will be displayed in the plan. If your agency is vulnerable to a hazard, there should be a mitigation action. If there are hazards that are not specific to you (e.g., tsunami) then you will not have a mitigation action. Focus on mitigation actions for the hazards that could impact your agency/community.
 - Tracy Ingebrigtsen - MNWD: What is the time frame of these projects? Next 5 years or at least initiate in next 5 years? I suspect we might not have a project that can be achieved in 5 years for each hazard.
 - Starla Barker – MBI: The HMP looks at 5-years, but there may be mitigation actions that are on-going or won't be fully completed in 5 years. Those should be included as well.
 - Francisco Soto – MWDOC: FEMA doesn't expect you to finish all projects. We will be prioritizing the projects.

- **Public Involvement**

- Many agencies will need to present the information for the website and survey to their boards prior to dissemination and will not be able to present to their boards until late October or November. It was discussed and agreed that the website text and survey will likely be posted/disseminated toward the end of October and into first week in November.
- Trisha Woolslayer – SCWD: Usually when I send surveys people ask if its anonymous or not? Are we going to be able to see results of the survey? When are you going to close the survey?
 - Francisco Soto – MWDOC: Yes, it is anonymous and you will receive the survey results.
 - Starla – We typically want to make the survey available for 30 days after opening. If we're not getting responses we may need to blast it out again, approximately 2 weeks into the 30-day period.
- Becky Rodstein – City of Westminster: This is a time where we're going through disasters. In the introduction, we should be careful about how we talk about this. Because I'm in the water division I don't want to coordinate with the emergency manager; possibly ask for them to help or be a part of the review and dissemination.
 - Starla Barker – MBI: I think it would be helpful for Francisco to send out the link and have you review the survey. I want everyone to be comfortable with what's going out and if you'd like to see it stated differently, we can do that.
 - Francisco Soto – MWDOC: yes, I will send it out in word format, so feel free to change as necessary. I'll give a few weeks for everyone to review and provide feedback.
 - Becky Rodstein – City of Westminster: It may just be that each individual agency has their own introductory text and the basic survey introduction stays the same.

- **Capabilities Assessment**

- Francisco Soto – MWDOC: Trisha had a meeting with internal staff and they asked what about hurricanes. I told her I'd bring it up to the group - if we want to add hurricanes? Hurricane Linda occurred in 1997.
- Trisha Woolslayer – SCWD: this hurricane came up the Baja coast.
- All – not a concern, do not add.

- **Action Items** – as identified on Agenda and modified through discussions

- **By end of day today – September 27**
 - Submit capabilities assessment
- **By end of October/first week in November**
 - Add HMP text and survey link to website
 - Distribute survey link to notification lists and social media
 - Notify or send screen shot to Francisco
- **By October 25 – Meeting #4**
 - Provide comments on draft goals
 - Identify mitigation actions completed and consider those that should be carried over into update and any new mitigation.



Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan

Planning Team Meeting #4

January 23, 2018

1:00 p.m. – 3:00 p.m.


AGENDA

- I. Process Overview**
 - a. Where we have been, where we are, where we are going
 - II. Public Involvement**
 - a. Summary of survey results
 - III. Vulnerability/Risk Assessment Overview**
 - IV. Next Steps**
 - a. Risk assessment maps to all Agencies – February 2, 2018
 - b. Revisions to mitigation actions – no later than February 23, 2018
 - c. Draft Plan to Agencies – March 27, 2018
-

Action Items

- **By end of day today – January 23, 2018**
 - Any outstanding items (e.g., capabilities assessment, infrastructure values, mitigation actions, individual goals [if applicable])
- **By February 23, 2018**
 - Review vulnerability/risk assessment maps
 - Any revisions/additions to mitigation actions

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan Planning Team Meeting #4 January 23, 2018

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
Francisco Soto	Emergency Coordinator	Municipal Water District of Orange County	18700 Ward Street Fountain Valley, CA 92708	fsoto@mwdoc.com	714-593-5032	
Jeanette Cotinola		South Orange County Wastewater Authority		jcotinola@socwa.com		
Trisha Woolslayer	EHS Manager	South Coast Water District	31592 West Street, Laguna Beach, CA	twoolslayer@scwd.org	949-463-4353	✓
John DeCriscio		Yorba Linda Water District		jdecriscio@ylwd.com		
Katie Victoria	Sr. Admin. Analyst	City of Garden Grove	13802 Newhope Street, Garden Grove, CA 92843	katiev@ci.garden-grove.ca.us	714-741-5398	KV
Paula Bouyounes	Risk & Safety Manager	Orange County Water District	18700 Ward Street, Fountain Valley, CA 92708	Pbouyounes@ocwd.com	714-378-3310	
Rod Collins	Safety & Health Supervisor	Orange County Sanitation District	10844 Ellis Avenue Fountain Valley, CA 92708	RCollins@ocsd.com	714-573-7832	RC
Bill Paddock		South Orange County Water District		bpaddock@socwa.com		
Rich Kisee		Santa Margarita Water District		RCHK@smwd.com		
Raquel Manson	Sr. Admin. Analyst	City of Garden Grove	13802 Newhope Street, Garden Grove, CA 92843	rmanson@ci.garden-grove.ca.us	714-741-5554	

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan Planning Team Meeting #4 January 23, 2018

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
Kaying Lee	Water Quality & Compliance Supervisor	Mesa Water District	1965 Placentia Avenue, Costa Mesa, CA 92627	kayingl@mesawater.org	949-207-5491	KL
Daniel Peterson	Operations Business Manager	Santa Margarita Water District	P.O. Box 7005, Mission Viejo, CA 92690	danielp@smwd.com	949-459-0594	
Steve Merk		Mouton Niguel Water District		SMerk@mnwd.com		
Brian Jones	Water and Sewer Manager	La Habra	621 W. Lambert Road, La Habra, CA 90631	BJones@lahabraca.gov	562-383-4170	
Oliver Pacifico		State Water Board		Oliver.Pacifico@waterboards.ca.gov		
Anthony Steven Conklin MANZAWO	SR. PROJECT Engineering Manager	Yorba Linda Water District	1717 E. Miraloma Avenue, Placentia, CA 92870	AMANZAWO sconklin@ylwd.com	714-701-3102	AM
Tracy Ingebrigtsen	Safety & Compliance Coordinator	Moulton Niguel Waster District	26161 Gordon Road, Laguna Hills, CA 92653	TIngebrigtsen@mnwd.com	949-425-3569	TI
Michael Grisso	Utilities Manager	City of Buena Park	6955 Aragon Circle, Trabuco Canyon, CA 92679	mgrisso@buenapark.com	714-562-3705	MG
Lorrie Lausten	Principal Engineer	Trabuco Canyon Water District	32003 Dove Canyon Drive, Trabuco Canyon, CA 92679	llausten@tcwd.ca.gov	949-858-0277	LL
Todd Novacek	Director of Operations	Moulton Niguel Waster District	26161 Gordon Road, Laguna Hills, CA 92653	tnovacek@mnwd.com	949-795-8425	

Orange County Regional Water & Wastewater
Multi-Jurisdictional Hazard Mitigation Plan
Planning Team Meeting #4
January 23, 2018

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
Leo Lopez	Safety Officer	Laguna Beach County Water District		llopez@lbcwd.org	949-290-9727	LL
Albert Lopez		City of Garden Grove		ajh@ci.garden-grove.ca.us		
Becky Rodstein	Administrative Analyst	City of Westminster	14381 Olive Street, Westminster, CA 92683	rrodstein@westminster-ca.gov	714-548-3695	BR
Jerry Vilander	General Manager	Serrano Water District	18021 Lincoln Street, Villa Park, CA 92861	jerryv@serranowater.org	714-538-0079	
Steffen Catron	Utilities Manager	City of Newport Beach	100 Civic Center Dr, Newport Beach, CA 92660	scatron@newportbeachca.gov	949-718-3402	
Casey Parks	Water Production Supervisor	City of Newport Beach	100 Civic Center Dr, Newport Beach, CA 92660	cparks@newportbeachca.gov	949-718-3422	CP
Karl Seckel	AGM	MWDOC		kseckel@mwdoc.com	714-593-5024	KWS
Bill Paddock	Supervising Mechanic	SOCWA		bpaddock@socwa.com	949-234-5466	
Sherri Seitz	Public Relations/ Emergency Prep. Administrator	El Toro Water District	24251 Los Alisos Boulevard, Lake Forest, CA 92630	sseitz@etwd.com	949-353-7969	SS
Rick Olson	Operations Superintendent	El Toro Water District	24251 Los Alisos Boulevard, Lake Forest, CA 92630	rolson@etwd.com	949-837-7050 x217	

Orange County Regional Water & Wastewater
Multi-Jurisdictional Hazard Mitigation Plan
Planning Team Meeting #4
January 23, 2018

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
A.J. Holmon	Streets/Environ Div. Manager	City of Garden Grove, Public Works		ajh@ci.garden-grove.ca.us	714-741-5956	
Kevin Crawford	Operator	Moulton Niguel Water District		kcrawford@mnwd.com	949-795-6753	
Dan West	Water Distribution Supervisor	Moulton Niguel Water District		dwest@mnwd.com	949-795-6785	
Steven Sweeney	Serrano Water District	Serrano Water District		steve@serranowater.org	714-538-0079	
Chris Lopez	Safety Specialist	Santa Margarita Water District		chrisl@smwd.com	949-532-2551	CL
Rod Collins	Safety & Health Supervisor	Orange County Sanitation District	10844 Ellis Avenue, Fountain Valley, CA 92708	rcollins@ocsd.com	714-593-7741	
Richard Spencer	HR/Risk Manager	OCSD	10844 Ellis Avenue, Fountain Valley, CA 92708	rspencer@ocsd.com	714-593-7164	
George Rivera	Security & Emergency Planning	OC Sanitation District	10844 Ellis Avenue, Fountain Valley, CA 92708	grivera@ocsd.com	714-593-7062	
Kelly Hubbard	Emergency Manager	SEROC/MWDOC		khubbard@mwdoc.com	714-593-5010	
Ethan Brown	Sr. Program Coordinator	Sheriff's Department Emergency Management	2644 Santiago Canyon Road	etbrown@ocsd.org	714-628-3028	

Orange County Regional Water & Wastewater
Multi-Jurisdictional Hazard Mitigation Plan
Planning Team Meeting #4
January 23, 2018

[illegible]

Orange County Regional Water & Wastewater Multijurisdictional Hazard Mitigation Plan Update

Planning Team Meeting #4 | January 23, 2018



Agenda

- Process Overview
- Public Involvement
- Vulnerability/Risk Assessment Overview
- Next Steps

Process Overview

Where Have We Been?


- Hazard identification
 - Hazard profiles
- Capabilities assessments
 - Planning and regulatory
 - Administrative and technical
 - Financial
 - Education and outreach
- Mitigation actions
 - Actions completed
 - Actions to remain
 - New actions
- Overall Plan goals
 - Individual goals
- Public outreach
 - Meetings
 - Survey
 - Website

Public Involvement


Survey Results

- 14 responses
 - 93% live in Orange County
 - 43% work in Orange County
 - 36 to 65 age group
- Zip Codes
 - 92728 – Fountain Valley
 - 92656 – Aliso Viejo
 - 92630 (2) – Lake Forest
 - 90631 – La Habra
 - 92677 (2) – Laguna Niguel
 - 92694 – Ladera Ranch
 - 92683 (6) - Westminster


Which of the following disasters have you experienced in your community?



Which of the following disasters have you experienced in your community?




How concerned are you about the following hazards occurring in or impacting your community?




Not Concerned Somewhat Concerned Concerned
Very Concerned Extremely Concerned

How concerned are you about the following hazards occurring in or impacting your community?




Not Concerned Somewhat Concerned Concerned
Very Concerned Extremely Concerned

How concerned are you about the following hazards occurring in or impacting your community?




Not Concerned Somewhat Concerned Concerned
Very Concerned Extremely Concerned

How concerned are you about the following hazards occurring in or impacting your community?




Not Concerned Somewhat Concerned Concerned
Very Concerned Extremely Concerned


How concerned are you about the following hazards occurring in or impacting your community?




MOST EFFECTIVE ways to receive information about how to make your home/neighborhood more resistant to hazards




MOST EFFECTIVE ways to receive information about how to make your home/neighborhood more resistant to hazards




MOST EFFECTIVE ways to receive information about how to make your home/neighborhood more resistant to hazards




How can your City, County, or other Agencies help you become more prepared for a disaster?



Vulnerability/Risk Assessment Overview







Next Steps

What We Need From You

- **By end of day today**

- Any outstanding items:
 - Capabilities assessment
 - Infrastructure values
 - Mitigation actions
 - Individual goals (if applicable)

- **By February 23**

- Review vulnerability/risk assessment maps
 - Provided by February 2
- Create new mitigation actions
 - Ask Francisco for assistance, if needed.

Next Steps

- Vulnerability/Risk Assessment maps provided by February 2
- Agency review and provide any revisions/additions to mitigation actions by February 23
- Draft Plan to Agencies for review by March 27

Questions/Additional Discussion?

Forward all data/information to:

Francisco Soto

Fsooto@mwdoc.com

Mitigation Actions


- What actions can be taken to mitigate problems/issues
- Consider a variety of mitigation activities:
 - Prevention – administrative or regulatory actions or processes
 - Property protection – modification of existing buildings or structures to protect from a hazard
 - Public education and awareness – actions to inform and educate citizens, elected officials, and property owners about hazards and opportunities to mitigate

Mitigation Actions

- Consider a variety of mitigation activities (continued):
 - Natural resource protection – actions that minimize hazard losses and preserve or restore the functions of natural systems
 - Emergency services – actions protect people and property during and immediately after a disaster or hazard event
 - Structural projects – actions that involve the construction of structures to reduce the impact of a hazard

Mitigation Types

- Local plans and regulations
 - General Plan/Zoning
 - Subdivision regulations
 - Building codes
 - Capital improvement programs
 - Urban Water Management Plans
- Structure and infrastructure projects
 - Acquisition, relocation, elevation of flood-prone structures
 - Levees and floodwalls
 - Seismic retrofitting
 - Strengthening critical facilities
 - Burying utility lines
 - Stormwater diversion, retention, or detention



Mitigation Types

■ Natural Systems Protection

- Floodplain protection
- Wetlands preservation
- Coastal or riverine setbacks
- Sediment and erosion control
- Forest and vegetative management



■ Education and Awareness Programs

- Risk communication
- Websites – information and maps
- Training courses
- Community outreach projects
- Presentation/education materials to school groups and organizations



STAPLEE Review & Selection Criteria

Social

- Is the proposed action socially acceptable to the jurisdiction and surrounding community?
- Are there equity issues involved that would mean that one segment of the jurisdiction and/or community is treated unfairly?
- Will the action cause social disruption?

Technical

- Will the proposed action work?
- Will it create more problems than it solves?
- Does it solve a problem or only a symptom?
- Is it the most useful action in light of other jurisdiction goals?

Administrative

- Can the jurisdiction implement the action?
- Is there someone to coordinate and lead the effort?
- Is there sufficient funding, staff, and technical support available?
- Are there ongoing administrative requirements that need to be met?

Political

- Is the action politically acceptable?
- Is there public support both to implement and to maintain the project?

STAPLEE Review & Selection Criteria

Legal

- Is the jurisdiction authorized to implement the proposed action?
- Are there legal side effects? Could the activity be construed as a taking?
- Will the jurisdiction be liable for action or lack of action?
- Will the activity be challenged?

Economic

- What are the costs and benefits of this action?
- Do the benefits exceed the costs?
- Are initial, maintenance, and administrative costs taken into account?
- Has funding been secured for the proposed action? If not, what are the potential funding sources (public, nonprofit, and private)?
- How will this action affect the fiscal capability of the jurisdiction?
- What burden will this action place on the tax base or local economy?
- What are the budget and revenue effects of this activity?
- Does the action contribute to other jurisdiction goals?
- What benefits will the action provide?

Environmental

- How will the action affect the environment?
- Will the action need environmental regulatory approvals?
- Will it meet local and state regulatory requirements?
- Are endangered or threatened species likely to be affected?

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan

Planning Team Meeting #4

January 23, 2018

1:00 p.m. – 3:00 p.m.

MEETING SUMMARY

Attendees: Refer to Sign-in Sheet

Presentation/Discussion:

- **Process Overview**

- Paula Bouyounes - OCWD: Will you provide a copy of the Survey results so they can provide to their public affairs group?
 - Starla Barker - MBI: After the Survey is closed, we will provide a summary of the results to Francisco to distribute.

- **Public Involvement**

- Becky Rodstein – City of Westminster: Fourteen (14) people out of the entire Orange County population is not statistically significant. Is this a normal response rate compared to other mitigation plans?
 - Starla Barker - MBI: FEMA requires the opportunity for the public to be involved in the process. Some communities of more involvement than others. It is dependent on the community, but we want to do what we can to provide people with the opportunity. We want to make sure we are distributing the information regarding the HMP update and the survey through the means you have available. The response is not dissimilar to other mitigation plans.
- How long is survey going to be available?
 - Francisco Soto - MWDOC: We want everyone to post the language on their website identifying the availability of the survey. We have not identified a specific date at this point, but encourage everyone to continue to get the word out.

- **Vulnerability/Risk Assessment Overview**

- Karl Seckel – MWDOC: Will you provide any standardized mitigation measures that would apply to the plan – applicable to all agencies?
 - Starla Barker – MBI: Yes, we will review the mitigation actions and provide that input.
- Anthony Manzano - YLWD: Any consideration for the Chino Hills State Park contributing to the YLWD area?
 - Starla Barker – MBI: The mapping is limited to the County of Orange; however, these interfaces can and should be acknowledge by the specific agency. Mitigation actions should consider these issues.
- Francisco Soto – MWDOC: Are we going to have a map for each fault and its shaking pattern?
 - Starla Barker – MBI: We will have a map identifying fault zones. There will not be shake maps for each individual fault. We have prepared an overlay using data from California Geological Survey that identifies ground shaking severity zones.

- Becky Rodstein – City of Westminster: We have a handful of mitigation actions that have been completed and we can't think of ongoing mitigation measures.
 - Starla Barker - MBI: We can look at it and provide recommendations.
- Sherri Seitz - ETWD: Did you provide a standard list of goals for everyone? Can we see those so we can get you those beforehand?
 - Francisco Soto – MWDOC: We discussed them at a previous HMP Team Meeting and will re-send them out.
- **Next Steps**
 - Draft Plan to Agencies – March 27, 2018
 - Francisco Soto – MWDOC: How long would you guys like to review the draft plan? Three (3) weeks?
 - Consensus that 3 weeks was reasonable timing.
 - Kelly Hubbard – WEROC/MWDOC: Reminder that the email went out for grant funding availability and the notice of intent is due next week. Reach out if you need assistance.
 - Francisco Soto - MWDOC: Does everyone want to have another meeting to review the draft plan?
 - Consensus is to have a meeting a week after the draft is sent out.
 - Francisco Soto – MWDOC: Mitigation goals will be re-sent. Any information that is still pending, please provide today.
 - Starla Barker – MBI: Please send the survey out again. We'd like to get additional responses. Send through social media, list serves, any way possible. Once you have the maps, please revisit your mitigation actions to determine if addition or revised mitigation actions will be needed. We can also discuss separately if needed.
- **Action Items** – as identified on Agenda and modified through discussions
 - **By end of day today – January 23**
 - Any outstanding items (e.g., capabilities assessment, infrastructure values, mitigation actions, individual goals [if applicable])
 - **By February 23**
 - Review vulnerability/risk assessment maps – will receive by February 2
 - Any revisions/additions to mitigation actions

Orange County Regional Water & Wastewater
Multi-Jurisdictional Hazard Mitigation Plan
Planning Team Meeting #5
April 11, 2018

[illegible]

Orange County Regional Water & Wastewater
Multi-Jurisdictional Hazard Mitigation Plan
Planning Team Meeting #5
April 11, 2018

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
Leo Lopez	Safety Officer	Laguna Beach County Water District		llopez@lbcwd.org	949-290-9727	LL
Albert Lopez		City of Garden Grove		ajh@ci.garden-grove.ca.us		
Becky Rodstein	Administrative Analyst	City of Westminster	14381 Olive Street, Westminster, CA 92683	rrodstein@westminster-ca.gov	714-548-3695	
Jerry Vilander	General Manager	Serrano Water District	18021 Lincoln Street, Villa Park, CA 92861	jerryv@serranowater.org	714-538-0079	JV
Steffen Catron	Utilities Manager	City of Newport Beach	100 Civic Center Dr, Newport Beach, CA 92660	scatron@newportbeachca.gov	949-718-3402	
Casey Parks	Water Production Supervisor	City of Newport Beach	100 Civic Center Dr, Newport Beach, CA 92660	cparks@newportbeachca.gov	949-718-3422	CP
Karl Seckel	AGM	MWDOC		kseckel@mwdoc.com	714-593-5024	
Bill Paddock	Supervising Mechanic	SOCWA		bpaddock@socwa.com	949-234-5466	
Sherri Seitz	Public Relations/ Emergency Prep. Administrator	El Toro Water District	24251 Los Alisos Boulevard, Lake Forest, CA 92630	sseitz@etwd.com	949-353-7969	SS
Rick Olson	Operations Superintendent	El Toro Water District	24251 Los Alisos Boulevard, Lake Forest, CA 92630	rolson@etwd.com	949-837-7050 x217	

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan Planning Team Meeting #5 April 11, 2018

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
A.J. Holmon	Streets/Environ Div. Manager	City of Garden Grove, Public Works		ajh@ci.garden-grove.ca.us	714-741-5956	
Kevin Crawford	Operator	Moulton Niguel Water District		kcrawford@mnwd.com	949-795-6753	
Dan West	Water Distribution Supervisor	Moulton Niguel Water District		dwest@mnwd.com	949-795-6785	
Steven Sweeney	Serrano Water District	Serrano Water District		steve@serranowater.org	714-538-0079	
Chris Lopez	Safety Specialist	Santa Margarita Water District		chrisl@smwd.com	949-532-2551	
Rod Collins	Safety & Health Supervisor	Orange County Sanitation District	10844 Ellis Avenue, Fountain Valley, CA 92708	rcollins@ocsd.com	714-593-7741	
Richard Spencer	HR/Risk Manager	OCSD	10844 Ellis Avenue, Fountain Valley, CA 92708	rspencer@ocsd.com	714-593-7164	
George Rivera	Security & Emergency Planning	OC Sanitation District	10844 Ellis Avenue, Fountain Valley, CA 92708	grivera@ocsd.com	714-593-7062	
Kelly Hubbard	Emergency Manager	SEROC/MWDOC		khubbard@mwdoc.com	714-593-5010	
Ethan Brown	Sr. Program Coordinator	Sheriff's Department Emergency Management	2644 Santiago Canyon Road	etbrown@ocsd.org	714-628-3028	

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan Planning Team Meeting #5 April 11, 2018

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
Francisco Soto	Emergency Coordinator	Municipal Water District of Orange County	18700 Ward Street Fountain Valley, CA 92708	fsoto@mwdoc.com	714-593-5032	
Jeanette Cotinola <i>Sean Peacher</i>	<i>Environmental Compliance Safety Risk Manager</i>	South Orange County Wastewater Authority		<i>speacher@socwa.com</i> jcotinola@socwa.com		
Trisha Woollayer	EHS Manager	South Coast Water District	31592 West Street, Laguna Beach, CA	twoollayer@scwd.org	949-463-4353	
John DeCriscio <i>ANTHONY MANZANO</i>		Yorba Linda Water District		<i>AMANZANO@YLWD.COM</i> jdecriscio@ylwd.com	<i>(714) 701-3106</i>	<i>am</i>
Katie Victoria	Sr. Admin. Analyst	City of Garden Grove	13802 Newhope Street, Garden Grove, CA 92843	katiev@ci.garden-grove.ca.us	714-741-5398	
Paula Bouyounes	Risk & Safety Manager	Orange County Water District	18700 Ward Street, Fountain Valley, CA 92708	Pbouyounes@ocwd.com	714-378-3310	<i>JB</i>
Rod Collins	Safety & Health Supervisor	Orange County Sanitation District	10844 Ellis Avenue Fountain Valley, CA 92708	RCollins@ocsd.com	714-573-7832	
Bill Paddock		South Orange County Water District		bpaddock@socwa.com		
Rich Kisse		Santa Margarita Water District		RICHK@smwd.com		
Raquel Manson	Sr. Admin. Analyst	City of Garden Grove	13802 Newhope Street, Garden Grove, CA 92843	rmanson@ci.garden-grove.ca.us	714-741-5554	

Orange County Regional Water & Wastewater
Multi-Jurisdictional Hazard Mitigation Plan
Planning Team Meeting #5
April 11, 2018

First and Last Name	Title	Organization/Department	Mailing Address	E-Mail Address	Phone Number	Initials
Kaying Lee	Water Quality & Compliance Supervisor	Mesa Water District	1965 Placentia Avenue, Costa Mesa, CA 92627	kayingl@mesawater.org	949-207-5491	KL
Daniel Peterson	Operations Business Manager	Santa Margarita Water District	P.O. Box 7005, Mission Viejo, CA 92690	danielp@smwd.com	949-459-0594	
Steve Merk		Mouton Niguel Water District		SMerk@mnwd.com		
Brian Jones	Water and Sewer Manager	La Habra	621 W. Lambert Road, La Habra, CA 90631	BJones@lahabraca.gov	562-383-4170	
Oliver Pacifico		State Water Board		Oliver.Pacifico@waterboards.ca.gov		
Steven Conklin	Engineering Manager	Yorba Linda Water District	1717 E. Miraloma Avenue, Placentia, CA 92870	sconklin@ylwd.com	714-701-3102	
Tracy Ingebrigtsen	Safety & Compliance Coordinator	Moulton Niguel Waster District	26161 Gordon Road, Laguna Hills, CA 92653	TIngebrigtsen@mnwd.com	949-425-3569	TI
Michael Grisso	Utilities Manager	City of Buena Park	6955 Aragon Circle, Trabuco Canyon, CA 92679	mgrisso@buenapark.com	714-562-3705	
Lorrie Lausten	Principal Engineer	Trabuco Canyon Water District	32003 Dove Canyon Drive, Trabuco Canyon, CA 92679	llausten@tcwd.ca.gov	949-858-0277	LL
Todd Novacek	Director of Operations	Moulton Niguel Waster District	26161 Gordon Road, Laguna Hills, CA 92653	tnovacek@mnwd.com	949-795-8425	

B.2 Stakeholder Outreach

This page intentionally left blank.

Hazard Mitigation Plan Participation - Message (HTML)

FILE MESSAGE LASERFICHE

Ignore Delete Reply Reply All Forward More Meeting Karl's Info To Manager Team Email Move Rules OneNote Actions Mark Unread Categorize Follow Up Translate Zoom

Delete Respond Quick Steps Move Tags Editing Zoom



Thu 7/27/2017 9:21 AM

Francisco Soto

Hazard Mitigation Plan Participation

To 'Oliver.Pacifico@waterboards.ca.gov'

Hello Oliver,

I hope you are having a great week. WEROC along with 18 of its member agencies are in the process of updating the Orange County Regional Water & Wastewater Hazard Mitigation Plan. A crucial component in the development process involves the participation of key stakeholders. As a key stakeholder, you are invited to participate in our next planning meeting on Wednesday, August 30, 2017. Details for the next planning meeting can be found below. If you are unable to attend this meeting, we have 3 more scheduled on the last Wednesday of the month.

Thank you very much.

Meeting Details

Date: Wednesday, August 30, 2017

Time: 10:00 AM – 12:00 PM

Locations: OCSD Plant 2 Operations Training Center ; 22212 Brookhurst St. Huntington Beach, CA 92646

Francisco Soto

Emergency Coordinator

Water Emergency Response Organization of Orange County

Municipal Water District of Orange County

Office: 714-593-5032

Cell: 323-868-5970

Fsoto@mwdoc.com

18700 Ward Street

Fountain Valley, CA 92708



WATER: DO MORE WITH LESS





Infrastructure Committee
2 Park Plaza, Suite 125, Irvine, CA

Tuesday, August 8, 2017
7:30 a.m. - 9:00 a.m.

AGENDA

- I. Welcome/Introductions Committee Chairman Kevin Haboian, HNTB

- II. **Presentation / Discussion**
 - **Francisco Soto - Emergency Coordinator, Water Emergency Response Organization of Orange County, Municipal Water District of Orange County**
 - Update on Orange County Regional Water & Wastewater Hazard Mitigation Plan
 - **Brandon Goshi, Manager of Water Policy and Strategy, Metropolitan Water District of Southern California**
 - Update on Governor's "California Water Fix" Water Conveyance Project

- III. **Public Agency Reports**
 - OCTA
 - SMWD
 - Municipal Water District of Orange County
 - Metropolitan Water District of Southern California
 - TCA
 - SCAG
 - IRWD
 - Caltrans
 - County of Orange

- IV. Adjourn

Next Meeting
Tuesday, September 12, 2017

Infrastructure Committee Meetings are a benefit for investors and invited guests only.

For more information, go to OCBC's website at www.ocbc.org

Hazard Mitigation Plan Participation - Message (HTML)

FILE

MESSAGE

LASERFICHE

Ignore
 Delete

Reply
 Reply All
 Forward
 More

Meeting

Karl's Info

To Manager

Team Email

Move
 Rules
 OneNote
 Actions

Mark Unread
 Categorize
 Follow Up

Translate
 Zoom

Delete

Respond

Quick Steps

Move

Tags

Editing

Zoom



Thu 7/27/2017 9:34 AM
Francisco Soto
Hazard Mitigation Plan Participation

To 'DDowning@ochca.com'

Hello Drew,

I hope you are having a great week. WEROC along with 18 of its member agencies are in the process of updating the Orange County Regional Water & Wastewater Hazard Mitigation Plan. A crucial component in the development process involves the participation of key stakeholders. As a key stakeholder, you are invited to participate in our next planning meeting on Wednesday, August 30, 2017. Details for the next planning meeting can be found below. If you are unable to attend this meeting, we have 3 more scheduled on the last Wednesday of the month.

Let me know if you can make it. Thank you very much!

Meeting Details
Date: Wednesday, August 30, 2017
Time: 10:00 AM – 12:00 PM
Locations: OCSD Plant 2 Operations Training Center ; 22212 Brookhurst St. Huntington Beach, CA 92646

Francisco Soto
Emergency Coordinator
Water Emergency Response Organization of Orange County
Municipal Water District of Orange County
Office: 714-593-5032
Cell: 323-868-5970
Fsoto@mwdoc.com
18700 Ward Street
Fountain Valley, CA 92708



WATER: DO MORE WITH LESS



From: Kelly Hubbard
Sent: Tuesday, August 29, 2017 2:38 PM
To: 'Hoey, Jeff' <JeffHoey@ocfa.org>
Subject: Invitation to Participate in the OC Regional Water and Wastewater Hazard Mitigation Plan Update

Hi Jeff,
Can you help me pass along this invite to all the Fire Agencies within OC? If you could CC me on the email for documentation purposes that would be appreciated.

Kelly Hubbard
Emergency Services Manager
Water Emergency Response Organization of Orange County
Municipal Water District of Orange County
(714) 593-5010 Office
(714) 715-0283 Cell
KHubbard@mwdoc.com

Good Afternoon,

The Water Emergency Response Organization of Orange County (WEROC) along with 18 of its member agencies are in the process of updating the Orange County Regional Water & Wastewater Hazard Mitigation Plan. A crucial component in the development process involves the participation of key stakeholders. As a key stakeholder to the water utilities, you are invited to participate in our next planning meeting on Wednesday, September 27, 2017. Your involvement (or designee) will ensure fire specific considerations are incorporated into the plan as well as meet FEMA's requirement of incorporating a whole community approach in the development process. Details for the next planning meeting can be found below.

Meeting Details

Date: Wednesday, September 27, 2017
Time: 10:00 AM – 12:00 PM
Locations: TBD

To RSVP or if you have any questions, feel free to contact Francisco Soto at fsoto@mwdoc.com or 714-593-5032.

B.3 Community Outreach

This page intentionally left blank.

2017 Orange County Regional Water and Wastewater Hazard Mitigation Plan Public Survey

The Federal Disaster Mitigation Act of 2000 (DMA 2000) requires a community to have an approved hazard mitigation plan in order to be eligible to apply for and receive FEMA hazard mitigation funds. Receipt of FEMA funding is critical to implementing identified hazard mitigation projects and programs.

The Municipal Water District of Orange County (MWDOC) along with 18 water and wastewater utilities throughout Orange County have initiated an update to the 2012 Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan (MJHMP). The MJHMP provides a framework for water and wastewater utilities in Orange County to reduce their vulnerability to the impacts of natural and man-made hazard events such as earthquakes, flooding, and hazardous materials spills. The purpose of mitigation planning is to identify policies and to take actions that can be implemented over the long term to reduce risk and future losses when an emergency or disaster occurs. Mitigation plans form the foundation for a community's long-term strategy to reduce disaster losses and break the cycle of disaster damage, reconstruction, and repeated damage.

Your participation in the planning process is extremely important and vital to the success of the plan. In order to identify and plan for future natural disasters, with an emphasis on identifying projects that will reduce future loss, we need your feedback! This questionnaire is designed to help MWDOC and the participating agencies gauge the level of knowledge our community has about natural disaster issues and to obtain your input about areas of the County that may be vulnerable to various types of natural disasters. The information you provide will help us identify and coordinate projects focused on reducing the risk of injury or damage to property from future hazard events (e.g. wildfires, floods, earthquakes).

The survey should take approximately 5-10 minutes to complete and is anonymous. Your information will be kept confidential. The final results of the survey will be included within the MJHMP.

Thank you for taking the time to participate in this information-gathering process.

1. Do you... (check all that apply)

- ☐ Live in Orange County
- ☐ Work in Orange County
- ☐ Visit Orange County, but live and work elsewhere

2. What is the zip code of your home?

3. What is your age group?

- ☐ 17 or younger ☐ 18 – 25 ☐ 26 – 35 ☐ 36 – 45 ☐ 46 – 65 ☐ Over 65
- ☐ Prefer not to answer

4. Which of the following types of disasters have you experienced within your community?

- ☐ Climate Change
- ☐ Coastal Erosion
- ☐ Coastal Storm
- ☐ Contamination
- ☐ Dam/Reservoir Failure
- ☐ Drought
- ☐ Earthquake Fault Rupture
- ☐ Earthquake Ground Shaking
- ☐ Flood
- ☐ Geologic Hazards (subsidence, expansive soils)
- ☐ Hazardous Materials Incidents/Spills
- ☐ High Winds/Santa Anas
- ☐ Landslide/Mudflow
- ☐ Liquefaction
- ☐ Power Outage
- ☐ Tsunami
- ☐ Urban Fire
- ☐ Wildfire
- ☐ None
- ☐ Other (please specify): _____

5. How concerned are you about the following hazards occurring in or impacting your community? Please check ONE response for each hazard.

Potential Disasters	Not Concerned	Somewhat Concerned	Concerned	Very Concerned	Extremely Concerned
Climate Change					
Coastal Erosion					
Coastal Storm					
Contamination					
Dam/Reservoir Failure					
Drought					
Earthquake Fault Rupture					
Earthquake Ground Shaking					
Flood					
Geologic Hazards (subsidence, expansive soils)					
Hazardous Materials Incidents/Spills					
High Winds/Santa Anas					
Landslide/Mudflow					
Liquefaction					
Power Outage					
Tsunami					
Urban Fire					
Wildfire					
Other (please specify):					

6. What do you believe is the likelihood that these disasters will happen in or impact your community? Please check ONE response for each hazard.

Potential Disasters	Very Likely	Likely	Somewhat Likely	Not Likely At All
Climate Change				
Coastal Erosion				
Coastal Storm				
Contamination				
Dam/Reservoir Failure				
Drought				
Earthquake Fault Rupture				
Earthquake Ground Shaking				
Flood				
Geologic Hazards (subsidence, expansive soils)				
Hazardous Materials Incidents/Spills				
High Winds/Santa Ana				
Landslide/Mudflow				
Liquefaction				
Power Outage				
Tsunami				
Urban Fire				
Wildfire				
Other (please specify):				

7. Is there another hazard not listed above that you think is a wide scale threat to your community?

☐ Yes ☐ No

☐ If "Yes", please explain: _____

8. How prepared is your household to deal with a natural hazard event likely to occur in your community/Orange County (check ONE)?

Not at all Prepared	Somewhat Prepared	Adequately Prepared	Well Prepared	Very Well Prepared	Not Sure

9. Have you taken actions to make your home, business, or neighborhood more resistant to hazards (such as anchored furniture and service utilities, installed smoke detectors, regularly trim trees, etc.) ?

☐ Yes ☐ No

☐ If "Yes", please explain: _____

10. Do you have any special access or functional needs (disabled, require medical care, oxygen, limited English proficiency) within your household that would require early warning or specialized response during disasters?

☐ Yes ☐ No

11. What are the MOST EFFECTIVE ways for you to receive information about how to make your home and neighborhood more resistant to hazards (check all that apply)?

- ☐ Informational brochures
- ☐ City/Agency newsletters
- ☐ City/Agency website
- ☐ County website
- ☐ State/Federal website
- ☐ Public meetings, workshops, and/or classes
- ☐ Schools and academic institutions
- ☐ TV based media (news and public service announcements)
- ☐ Radio based media (news and public service announcements)
- ☐ National Weather Service website
- ☐ Fire department
- ☐ Law enforcement
- ☐ Faith-based institutions
- ☐ CERT classes
- ☐ Public awareness campaigns (Flood Awareness Week)
- ☐ Community safety events
- ☐ Fair booths and/or festivals
- ☐ Books and/or magazines
- ☐ Public library
- ☐ Chamber of Commerce
- ☐ Nongovernmental organization (Red Cross)
- ☐ Auto-dial information from "911" center
- ☐ Social media (Twitter, Facebook, LinkedIn)
- ☐ Email
- ☐ Direct mail
- ☐ Word of mouth
- ☐ Other (please specify)

12. What of the following incentives would encourage you to protect your home or business against natural hazards? (check all that apply)

- | | |
|---|---|
| <input type="checkbox"/> Insurance premium discount | <input type="checkbox"/> Mortgage discount or low interest loan |
| <input type="checkbox"/> Financial assistance for property upgrades | <input type="checkbox"/> Rebate program |
| <input type="checkbox"/> Financial assistance for equipment | <input type="checkbox"/> Labor assistance |
| <input type="checkbox"/> Technical assistance | <input type="checkbox"/> Property tax break or incentive |
| <input type="checkbox"/> Grant funding that requires "cost share" | |
| <input type="checkbox"/> Building permit fee reduction or waiver | |
| <input type="checkbox"/> Other (please specify): _____ | |
| _____ | |
| _____ | |
| _____ | |
| _____ | |
| _____ | |
| _____ | |

13. How can your City, County, or other Agencies help you become more prepared for a disaster? Choose all that apply.

- ☐ Provide effective emergency notifications and communication in a disaster.
- ☐ Provide training and education to residents and business owners on how to reduce future damage.
- ☐ Provide community outreach regarding emergency preparedness.
- ☐ Create awareness of special needs and vulnerable populations.
- ☐ Other (please specify): _____
- _____
- _____
- _____
- _____

14. Is your home or business located in or near a natural hazard?

- ☐ Yes ☐ No
- ☐ Not Sure, map your local hazards at: <http://myhazards.caloes.ca.gov/>

15. Please utilize the space below to provide any additional comments regarding local natural hazards, disasters, and preparedness.

16. Would you like to review and comment on the draft of the Orange County Regional Water and Wastewater Multi-Jurisdictional Hazard Mitigation Plan?

- ☐ Yes, please notify me using my contact information below.
- ☐ No

17. If you would like to be notified of future opportunities to participate in hazard mitigation and resiliency planning, please provide your name and contact information.


Name

Email

Phone

Q1 Do you... (check all that apply)

Answered: 14 Skipped: 0



ANSWER CHOICES	RESPONSES	
Live in Orange County	92.86%	13
Work in Orange County	42.86%	6
Visit Orange County, but live and work elsewhere	0.00%	0
Total Respondents: 14		


Q2 What is the zip code of your home?

Answered: 14 Skipped: 0

#	RESPONSES	DATE
1	92683	12/14/2017 11:20 PM
2	92683	12/12/2017 4:58 PM
3	92683	12/10/2017 4:09 PM
4	92683	12/6/2017 3:55 PM
5	92630	12/6/2017 1:37 PM
6	92683	12/5/2017 9:45 PM
7	92683	12/5/2017 7:01 PM
8	92694	11/8/2017 8:53 AM
9	92677	11/7/2017 1:56 PM
10	92677	11/1/2017 1:51 PM
11	90631	10/26/2017 9:14 AM
12	92630	10/12/2017 5:59 PM
13	92656	10/2/2017 3:31 PM
14	92728	8/31/2017 2:09 PM

Q3 What is your age group?


Answered: 14 Skipped: 0




ANSWER CHOICES	RESPONSES	
17 or younger	0.00%	0
18 – 25	0.00%	0
26 – 35	14.29%	2
36 – 45	42.86%	6
46 – 65	42.86%	6
Over 65	0.00%	0
Prefer not to answer	0.00%	0
TOTAL		14

Q4 Which of the following types of disasters have you experienced within your community?

Answered: 14 Skipped: 0



Orange County Regional Water and Wastewater Multi Jurisdictional Hazard Mitigation Plan




ANSWER CHOICES	RESPONSES	
Climate Change	57.14%	8
Coastal Erosion	14.29%	2
Coastal Storm	14.29%	2
Contamination	0.00%	0
Dam/Reservoir Failure	7.14%	1
Drought	85.71%	12
Earthquake Fault Rupture	0.00%	0
Earthquake Ground Shaking	64.29%	9
Flood	21.43%	3
Geologic Hazards (subsidence, expansive soils)	14.29%	2
Hazardous Materials Incidents/Spills	14.29%	2
High Winds/Santa Anas	71.43%	10
Landslide/Mudflow	14.29%	2
Liquefaction	14.29%	2
Power Outage	78.57%	11
Tsunami	0.00%	0
Urban Fire	14.29%	2
Wildfire	21.43%	3
None	7.14%	1
Other (please specify)	0.00%	0
Total Respondents: 14		


#	OTHER (PLEASE SPECIFY)	DATE
	There are no responses.	


Q5 How concerned are you about the following hazards occurring in or impacting your community? Please check ONE response for each hazard.


Answered: 14 Skipped: 0




Orange County Regional Water and Wastewater Multi Jurisdictional Hazard Mitigation Plan







Orange County Regional Water and Wastewater Multi Jurisdictional Hazard Mitigation Plan



■ Not Concerned
 ■ Somewhat Concerned
 ■ Concerned
 ■ Very Concerned
 ■ Extremely Concerned

	NOT CONCERNED	SOMEWHAT CONCERNED	CONCERNED	VERY CONCERNED	EXTREMELY CONCERNED	TOTAL
Climate Change	28.57% 4	7.14% 1	28.57% 4	21.43% 3	14.29% 2	14
Coastal Erosion	30.77% 4	15.38% 2	30.77% 4	15.38% 2	7.69% 1	13
Coastal Storm	38.46% 5	7.69% 1	23.08% 3	23.08% 3	7.69% 1	13
Contamination	15.38% 2	23.08% 3	38.46% 5	7.69% 1	15.38% 2	13
Dam/Reservoir Failure	50.00% 6	33.33% 4	8.33% 1	0.00% 0	8.33% 1	12
Drought	7.14% 1	0.00% 0	35.71% 5	21.43% 3	35.71% 5	14
Earthquake Fault Rupture	0.00% 0	7.69% 1	38.46% 5	23.08% 3	30.77% 4	13
Earthquake Ground Shaking	0.00% 0	7.14% 1	42.86% 6	21.43% 3	28.57% 4	14


Orange County Regional Water and Wastewater Multi Jurisdictional Hazard Mitigation Plan

Flood	23.08% 3	23.08% 3	30.77% 4	7.69% 1	15.38% 2	13
Geologic Hazards (subsidence, expansive soils)	23.08% 3	15.38% 2	46.15% 6	7.69% 1	7.69% 1	13
Hazardous Materials Incidents/Spills	15.38% 2	7.69% 1	46.15% 6	23.08% 3	7.69% 1	13
High Winds/Santa Anas	0.00% 0	30.77% 4	38.46% 5	15.38% 2	15.38% 2	13
Landslide/Mudflow	30.77% 4	38.46% 5	23.08% 3	0.00% 0	7.69% 1	13
Liquefaction	23.08% 3	23.08% 3	30.77% 4	15.38% 2	7.69% 1	13
Power Outage	0.00% 0	38.46% 5	30.77% 4	15.38% 2	15.38% 2	13
Tsunami	38.46% 5	23.08% 3	23.08% 3	7.69% 1	7.69% 1	13
Urban Fire	7.69% 1	30.77% 4	38.46% 5	15.38% 2	7.69% 1	13
Wildfire	23.08% 3	30.77% 4	15.38% 2	15.38% 2	15.38% 2	13


#	OTHER (PLEASE SPECIFY)	DATE
	There are no responses.	


Q6 What do you believe is the likelihood that these disasters will happen in or impact your community? Please check ONE response for each hazard.

Answered: 14 Skipped: 0




Orange County Regional Water and Wastewater Multi Jurisdictional Hazard Mitigation Plan





Orange County Regional Water and Wastewater Multi Jurisdictional Hazard Mitigation Plan



Very Likely Likely Somewhat Likely Not Likely At All

	VERY LIKELY	LIKELY	SOMEWHAT LIKELY	NOT LIKELY AT ALL	TOTAL
Climate Change	50.00% 7	28.57% 4	7.14% 1	14.29% 2	14
Coastal Erosion	28.57% 4	35.71% 5	7.14% 1	28.57% 4	14
Coastal Storm	28.57% 4	28.57% 4	28.57% 4	14.29% 2	14
Contamination	23.08% 3	15.38% 2	53.85% 7	7.69% 1	13
Dam/Reservoir Failure	7.69% 1	15.38% 2	30.77% 4	46.15% 6	13
Drought	76.92% 10	23.08% 3	0.00% 0	0.00% 0	13


Orange County Regional Water and Wastewater Multi Jurisdictional Hazard Mitigation Plan

Earthquake Fault Rupture	50.00% 7	35.71% 5	7.14% 1	7.14% 1	14
Earthquake Ground Shaking	71.43% 10	28.57% 4	0.00% 0	0.00% 0	14
Flood	14.29% 2	35.71% 5	35.71% 5	14.29% 2	14
Geologic Hazards (subsidence, expansive soils)	30.77% 4	38.46% 5	7.69% 1	23.08% 3	13
Hazardous Materials Incidents/Spills	21.43% 3	35.71% 5	42.86% 6	0.00% 0	14
High Winds/Santa Anas	64.29% 9	21.43% 3	14.29% 2	0.00% 0	14
Landslide/Mudflow	14.29% 2	35.71% 5	21.43% 3	28.57% 4	14
Liquefaction	14.29% 2	35.71% 5	28.57% 4	21.43% 3	14
Power Outage	64.29% 9	28.57% 4	7.14% 1	0.00% 0	14
Tsunami	21.43% 3	0.00% 0	42.86% 6	35.71% 5	14
Urban Fire	28.57% 4	42.86% 6	14.29% 2	14.29% 2	14
Wildfire	35.71% 5	7.14% 1	28.57% 4	28.57% 4	14

#	OTHER (PLEASE SPECIFY)	DATE
	There are no responses.	

Q7 Is there another hazard not listed above that you think is a wide scale threat to your community?

Answered: 14 Skipped: 0




ANSWER CHOICES	RESPONSES
Yes	21.43% 3
No	78.57% 11
TOTAL	14

#	IF "YES", PLEASE EXPLAIN	DATE
1	Rampant crime, possible anarchy	12/5/2017 7:01 PM
2	Man made hazards/acts of violence	11/1/2017 1:51 PM
3	Riots, Civil Unrest, political and economic failures	10/12/2017 5:59 PM

Q8 How prepared is your household to deal with a natural hazard event likely to occur in your community/Orange County (check ONE)?


Answered: 14 Skipped: 0



ANSWER CHOICES	RESPONSES	
Not at all Prepared	14.29%	2
Somewhat Prepared	35.71%	5
Adequately Prepared	28.57%	4
Well Prepared	14.29%	2
Very Well Prepared	7.14%	1
Not Sure	0.00%	0
TOTAL		14

Q9 Have you taken actions to make your home, business, or neighborhood more resistant to hazards (such as anchored furniture and service utilities, installed smoke detectors, regularly trim trees, etc.)?

Answered: 14 Skipped: 0




ANSWER CHOICES	RESPONSES
Yes	71.43% 10
No	28.57% 4
TOTAL	14

#	IF YES, PLEASE EXPLAIN	DATE
1	All of the above listed in #9 plus earthquake survival kit, gas meter shutoff/earthquake	12/6/2017 3:55 PM
2	I took action against the threats that most concern me.	12/6/2017 1:37 PM
3	Some	12/5/2017 9:45 PM

Q10 Do you have any special access or functional needs (disabled, require medical care, oxygen, limited English proficiency) within your household that would require early warning or specialized response during disasters?


Answered: 14 Skipped: 0




ANSWER CHOICES	RESPONSES	
Yes	21.43%	3
No	78.57%	11
TOTAL		14

Q11 What are the MOST EFFECTIVE ways for you to receive information about how to make your home and neighborhood more resistant to hazards (check all that apply)?

Answered: 14 Skipped: 0



Orange County Regional Water and Wastewater Multi Jurisdictional Hazard Mitigation Plan



ANSWER CHOICES	RESPONSES	
Informational brochures	50.00%	7
City/Agency newsletters	42.86%	6
City/Agency website	57.14%	8
County website	42.86%	6
State/Federal website	28.57%	4
Public meetings, workshops, and/or classes	21.43%	3
Schools and academic institutions	7.14%	1
TV based media (news and public service announcements)	28.57%	4
Radio based media (news and public service announcements)	14.29%	2
National Weather Service website	21.43%	3
Fire department	21.43%	3
Law enforcement	14.29%	2
Faith-based institutions	14.29%	2
CERT classes	21.43%	3
Public awareness campaigns (Flood Awareness Week)	35.71%	5
Community safety events	50.00%	7


Orange County Regional Water and Wastewater Multi Jurisdictional Hazard Mitigation Plan

Fair booths and/or festivals	28.57%	4
Books and/or magazines	0.00%	0
Public library	0.00%	0
Chamber of Commerce	7.14%	1
Nongovernmental organizations (Red Cross)	7.14%	1
Auto-dial information from "911" center	14.29%	2
Social media (Twitter, Facebook, LinkedIn)	71.43%	10
Email	71.43%	10
Direct mail	35.71%	5
Word of mouth	28.57%	4
Other (please specify)	7.14%	1
Total Respondents: 14		

#	OTHER (PLEASE SPECIFY)	DATE
1	Text message	11/8/2017 8:53 AM

Q12 What of the following incentives would encourage you to protect your home or business against natural hazards? (check all that apply)

Answered: 14 Skipped: 0



ANSWER CHOICES	RESPONSES	
Insurance premium discount	78.57%	11
Financial assistance for property upgrades	57.14%	8
Financial assistance for equipment	28.57%	4
Technical assistance	28.57%	4
Grant funding that requires "cost share"	28.57%	4
Building permit fee reduction or waiver	42.86%	6
Mortgage discount or low interest loan	50.00%	7
Rebate program	57.14%	8
Labor assistance	35.71%	5


Orange County Regional Water and Wastewater Multi Jurisdictional Hazard Mitigation Plan

Property tax break or incentive	85.71%	12
Other (please specify)	0.00%	0
Total Respondents: 14		

#	OTHER (PLEASE SPECIFY)	DATE
	There are no responses.	

Q13 How can your City, County, or other Agencies help you become more prepared for a disaster? Choose all that apply.

Answered: 14 Skipped: 0




ANSWER CHOICES		RESPONSES	
Provide effective emergency notifications and communication in a disaster		92.86%	13
Providing training and education to residents and business owners on how to reduce future damage		78.57%	11
Provide community outreach regarding emergency preparedness		78.57%	11
Create awareness of special needs and vulnerable populations		64.29%	9
Other (please specify)		7.14%	1
Total Respondents: 14			

#	OTHER (PLEASE SPECIFY)	DATE
1	Modernize communications technology; email, text/SMS, social media, etc.	11/8/2017 8:53 AM

Q14 Is your home or business located in or near a natural hazard?

Answered: 14 Skipped: 0



ANSWER CHOICES	RESPONSES	
Yes	42.86%	6
No	14.29%	2
Not sure, map your local hazards at: http://myhazards.caloes.ca.gov/	42.86%	6
TOTAL		14


Q15 Please utilize the space below to provide any additional comments regarding local natural hazards, disasters, and preparedness.

Answered: 1 Skipped: 13

#	RESPONSES	DATE
1	Thank you for putting this together. Good luck.	11/8/2017 8:53 AM

Q16 Would you like to review and comment on the draft of the Orange County Regional Water and Wastewater Multi-Jurisdictional Hazard Mitigation Plan?

Answered: 13 Skipped: 1



ANSWER CHOICES	RESPONSES	
Yes, please notify me using my contact information below	46.15%	6
No	53.85%	7
TOTAL		13

Q17 If you would like to be notified of future opportunities to participate in hazard mitigation and resiliency planning, please provide your name and contact information.

Answered: 6 Skipped: 8

ANSWER CHOICES	RESPONSES	
Name	100.00%	6
Email	100.00%	6
Phone Number	66.67%	4

#	NAME	DATE
1		12/12/2017 4:58 PM
2		12/10/2017 4:09 PM
3		12/6/2017 3:55 PM
4		11/8/2017 8:53 AM
5		10/26/2017 9:14 AM
6		10/12/2017 5:59 PM

#	EMAIL	DATE
1		12/12/2017 4:58 PM
2		12/10/2017 4:09 PM
3		12/6/2017 3:55 PM
4		11/8/2017 8:53 AM
5		10/26/2017 9:14 AM
6		10/12/2017 5:59 PM

#	PHONE NUMBER	DATE
1		12/12/2017 4:58 PM
2		12/6/2017 3:55 PM
3		11/8/2017 8:53 AM
4		10/26/2017 9:14 AM

Public Works

Contact Us

Beautification
-Environmental Commission

+ Bid Information

FAQs

GIS

Parkway Improvements

Permits

+ Projects

Recycling and
Environmental Links

Standard Plans

+ Streets/Lights/Trash/Trees

+ Traffic Services

+ Useful Links

- Water

Annual Water Quality
Reports

**+ Stormwater / Water
Quality**

Urban Water
Management Plan

+ Water Rates

+ Water Conservation

Water Hazard Mitigation

[City Departments](#) » [Public Works](#) » [Water](#) »

Water Hazard Mitigation

Font Size: Share & Bookmark [Feedback](#) Print

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan

The City of Buena Park and 18 water and wastewater utilities throughout Orange County have initiated an update to the 2012 Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan (MJHMP). The MJHMP provides a framework for water and wastewater utilities in Orange County to reduce their vulnerability to the impacts of natural and man-made hazard events such as earthquakes, flooding, and hazardous materials spills.

What is a Hazard Mitigation Plan?

A Hazard Mitigation Plan is a framework that guides our communities in making decisions and developing policies to reduce or eliminate risk to life and property. The plan identifies the types of hazards that threaten our communities, evaluates our vulnerability to those threats, and outlines a strategy to reduce or eliminate the risk posed by future threats.

Why is the plan important?

The Federal Disaster Mitigation Act of 2000 (DMA 2000) requires state and local governments to have an approved hazard mitigation plan in order to be eligible to apply for and receive FEMA hazard mitigation funds. Receipt of these funds can be critical to implementation of identified hazard mitigation programs. MWDOC and the participating water and wastewater utilities are committed to reducing disaster impacts and maintaining eligibility for federal mitigation grant funding.

What goes into a Hazard Mitigation Plan?

A hazard mitigation plan assesses the community's risks and vulnerabilities to hazard events such as earthquakes, flooding, and wildfire. The plan includes a set of goals related to the overall goal of hazard mitigation planning and mitigation measures that will serve to advance the plan goals.

This plan focuses on water and wastewater facilities in Orange County and identifies mitigation actions to reduce the impact of natural and manmade hazards on these critical facilities.

How can the public become involved in the Hazard Mitigation planning process?

Public participation in the process is important because it helps raise awareness of the hazards we face in Orange County and the actions needed to mitigate those hazards. By participating in the process, you will be taking time to consider the hazards in our communities, the impact of those hazards on life and property, actions that need to be taken to reduce that impact, and the priority those actions should take. The City of Buena Park will consider all input from the public and integrate it into the plan where appropriate. Opportunities for the community to provide input, ask questions, and review/comment on draft documents will be provided throughout the planning process. Your comments, questions, ideas, and concerns will have a significant role in the plan's preparation.

Take this quick survey.



DOING BUSINESS

RECYCLED WATER
EXPANSION PROJECT

BACKFLOW/CROSS
CONNECTION

RESIDENTIAL FORMS

ENGINEERING
DOCUMENTS

CEQA DOCUMENTS

PERMIT APPLICATIONS

REGULATIONS

VENDOR REQUIREMENTS

VARIANCE/ADJUSTMENT
REQUEST

HAZARD MITIGATION PLAN

ORANGE COUNTY REGIONAL WATER & WASTEWATER MULTI-JURISDICTIONAL HAZARD MITIGATION PLAN

The Municipal Water District of Orange County (MWD OC) along with El Toro Water District and 18 water and wastewater utilities throughout Orange County have initiated an update to the 2012 Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan (MJHMP). The MJHMP provides a framework for water and wastewater utilities in Orange County to reduce their vulnerability to the impacts of natural and man-made hazard events such as earthquakes, flooding, and hazardous materials spills. The Federal Disaster Mitigation Act of 2000 (DMA 2000) requires state and local governments to have an approved hazard mitigation plan in order to be eligible to apply for and receive FEMA hazard mitigation funds. Receipt of these funds can be critical to implementation of identified hazard mitigation programs.

FEMA has strict guidelines to develop an approved plan. One of those requires each agency to involve the public throughout the development process. Public participation is important because it helps raise awareness of the hazards we face in Orange County and the actions needed to mitigate those hazards. The public will be allowed to provide comments and will be invited to take a survey (see link below). All public input will be considered and integrated into the plan where appropriate. Opportunities for the community to provide input, ask questions, and review/comment on draft documents will be provided throughout the planning process.


The public will be involved in the process through public meetings, information on our website, and social media platforms. The proposed website text is designed to educate the public on hazard mitigation, the importance of the plan, the development process, and the importance of their input. The survey is designed to help agencies gauge the level of knowledge the community has about natural disaster issues and to obtain input about areas of the County that may be vulnerable to various types of natural disasters. The information obtained will help identify and coordinate projects focused on reducing the risk of personal injury or damage to property from future hazard events.

We encourage residents, businesses, and our coordinating partners to review the plan and provide input for this update. As the participating agencies continue to work on the document, we will continuously seek recommendations from the public to enhance the process. The 2012 Draft plan is available electronically by accessing the links below. Public comments regarding El Toro Water District can be made via e-mail to district@etwd.com or in person at ETWD, 24251 Los Alisos Blvd., Lake Forest, CA, 92630.

To review the 2012 Orange County Regional Water and Wastewater Multi-Hazard Mitigation Plan, please [click here](#).

Currently, a hazard mitigation survey is available and is anonymous. Customers can take the survey by [clicking here](#).

CONTACT INFORMATION



24251 Los Alisos Blvd, Lake
Forest, CA 92630, United States

CONTACT US!

REPORT WATER WASTE



Cities and water agencies need
your help

SEND A REPORT

CALENDAR

FEB	2	all-day Alternate Friday – District CLOSED
FEB	8	1:30 pm Community Advisory Group Meeting

VIEW ALL EVENTS

From: [Stacy Taylor](#)
To: [Kaying Lee](#)
Cc: [Tracy E. Manning, MPA](#); [Phil Lauri, P.E.](#); [Paul E. Shoenberger, PE](#)
Subject: HazMit info on MesaWater.org
Date: Wednesday, November 22, 2017 11:55:40 AM
Attachments: [image001.png](#)

Greetings,

The HazMit info is now live here -- <https://www.mesawater.org/community/hazard-mitigation> -- it is a menu item under the "Community" tab on our website (Kay –please feel free to share). This will remain published through Jan. 31, 2018. We'll also do some social media posts re. this item in December & January. Please let me know if you have any questions or further requests re. this matter. Thanks!

Stacy Taylor

External Affairs Manager



1965 Placentia Ave • Costa Mesa, CA 92627

tel 714.791.0848 • dept 949.631.1201

StacyT@MesaWater.org • [MesaWater.org](https://www.mesawater.org)

ORANGE COUNTY REGIONAL WATER & WASTEWATER MULTI-JURISDICTIONAL HAZARD MITIGATION PLAN

The City of Garden Grove and 18 water and wastewater utilities throughout Orange County have initiated an update to the 2012 Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan (MJHMP). The MJHMP provides a framework for water and wastewater utilities in Orange County to reduce their vulnerability to the impacts of natural and man-made hazard events such as earthquakes, flooding, and hazardous materials spills.

What is a Hazard Mitigation Plan?

A Hazard Mitigation Plan is a framework that guides our communities in making decisions and developing policies to reduce or eliminate risk to life and property. The plan identifies the types of hazards that threaten our communities, evaluates our vulnerability to those threats, and outlines a strategy to reduce or eliminate the risk posed by future threats.

Why is the plan important?

The Federal Disaster Mitigation Act of 2000 (DMA 2000) requires state and local governments to have an approved hazard mitigation plan in order to be eligible to apply for and receive FEMA hazard mitigation funds. Receipt of these funds can be critical to implementation of identified hazard mitigation programs. MWDOC and the participating water and wastewater utilities are committed to reducing disaster impacts and maintaining eligibility for federal mitigation grant funding.

What goes into a Hazard Mitigation Plan?

A hazard mitigation plan assesses the community's risks and vulnerabilities to hazard events such as earthquakes, flooding, and wildfire. The plan includes a set of goals related to the overall goal of hazard mitigation planning and mitigation measures that will serve to advance the plan goals.


This plan focuses on water and wastewater facilities in Orange County and identifies mitigation actions to reduce the impact of natural and manmade hazards on these critical facilities.

How can the public become involved in the Hazard Mitigation planning process?

Public participation in the process is important because it helps raise awareness of the hazards we face in Orange County and the actions needed to mitigate those hazards. By participating in the process, you will be taking time to consider the hazards in our communities, the impact of those hazards on life and property, actions that need to be taken to reduce that impact, and the priority those actions should take. The City of Garden Grove will consider all input from the public and integrate it into the plan where appropriate. Opportunities for the community to provide input, ask questions, and review/comment on draft documents will be provided throughout the planning process. Your comments, questions, ideas, and concerns will have a


Mesa Water District

Facebook posting regarding Hazard Mitigation Plan

**Mesa Water**

Published by Hootsuite [?] · 3 hrs · 🌐


A Hazard Mitigation Plan is a framework that guides our communities in making decisions and developing policies to reduce or eliminate risk to life and property. Learn how you can be apart of [Mesa Water's](#) Hazard Mitigation Planning Process! || More info: <http://ow.ly/zr1V30gVW03>




Hazard Mitigation


Mesa Water District and 18 water and wastewater utilities throughout Orange County have initiated an update to the 2012 Orange County Regional Wate...


MESAWATER.ORG


 23 people reached

Boost Post

 Like

 Comment

 Share



<https://www.mesawater.org/community/hazard-mitigation>





Drugs & Drains Policy

Smart Controller Rebate Offers

Water Billing

Water Conservation Tips

Water Quality Reports

Urban Water Management Plan

Hazard Mitigation Plan

[Home](#) > [Government](#) > [Public Works](#) > [Water / Sewer Division](#) > [Hazard Mitigation Plan](#)

▼ A ▲

Hazard Mitigation Plan

ORANGE COUNTY REGIONAL WATER & WASTEWATER MULTI-JURISDICTIONAL HAZARD MITIGATION PLAN

The City of La Habra Utility Authority and 18 water and wastewater utilities throughout Orange County have initiated an update to the 2012 Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan (MJHMP). The MJHMP provides a framework for water and wastewater utilities in Orange County to reduce their vulnerability to the impacts of natural and man-made hazard events such as earthquakes, flooding, and hazardous materials spills.

What is a Hazard Mitigation Plan?

A Hazard Mitigation Plan is a framework that guides our communities in making decisions and developing policies to reduce or eliminate risk to life and property. The plan identifies the types of hazards that threaten our communities, evaluates our vulnerability to those threats, and outlines a strategy to reduce or eliminate the risk posed by future threats.

Why is the plan important?

The Federal Disaster Mitigation Act of 2000 (DMA 2000) requires state and local governments to have an approved hazard mitigation plan in order to be eligible to apply for and receive FEMA hazard mitigation funds. Receipt of these funds can be critical to implementation of identified hazard mitigation programs. MWDOC and the participating water and wastewater utilities are committed to reducing disaster impacts and maintaining eligibility for federal mitigation grant funding.

What goes into a Hazard Mitigation Plan?

A hazard mitigation plan assesses the community's risks and vulnerabilities to hazard events such as earthquakes, flooding, and wildfire. The plan includes a set of goals related to the overall goal of hazard mitigation planning and mitigation measures that will serve to advance the plan goals. This plan focuses on water and wastewater facilities in Orange County and identifies mitigation actions to reduce the impact of natural and manmade hazards on these critical facilities.

How can the public become involved in the Hazard Mitigation planning process?

Public participation in the process is important because it helps raise awareness of the hazards we face in Orange County and the actions needed to mitigate those hazards. By participating in the process, you will be taking time to consider the hazards in our communities, the impact of those hazards on life and property, actions that need to be taken to reduce that impact, and the priority those actions should take. The City of La Habra Utility Authority will consider all input from the public and integrate it into the plan where appropriate. Opportunities for the community to provide input, ask questions, and review/comment on draft documents will be provided throughout the planning process. Your comments, questions, ideas, and concerns will have a significant role in the plan's preparation.

Take this quick survey.

This survey will help the Hazard Mitigation Plan (HMP) Planning Team better understand the community's concerns about natural and man-made hazards and identify policies and projects that can help lessen the impact of future hazard events. The survey provides the opportunity for you to share your opinions and participate in the mitigation planning process. The survey can be accessed using the following link:

https://www.surveymonkey.com/r/OC_RegionalWaterWastewater_MJHMP

Contact Us. Comments and questions may be submitted to Brian Jones, Water and Sewer Manager at (562)383-4170 or

Welcome



The Laguna Beach County Water District is a nonprofit, local government agency that provides reliable, safe, and prudently-managed retail water service to customers within the District's service area.

We encourage you to explore our web site and learn about the District's history, waterwise garden, water use efficiency programs, and much more.

2017 WINNER NATION'S MOST WATERWISE CITY

[Click for more.](#)



[Payment Portal](#)



[Drought Update](#)



[Rebates](#)



[Report Water Waste](#)



[Smart Meter/AMI](#)

[Meetings & Events](#)

[Shutdowns & Projects](#)

[Transparency](#)

No events found.

[More >>](#)

LATEST News

[more news](#)



OC Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan

The Laguna Beach County Water District (District) and 18 water and wastewater utilities throughout Orange County have initiated an update to the 2012 Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan (MJHMP).

RECENT Tweets

[more tweets](#)



Did you know? Your plants love coffee too! Adding used coffee grounds to the plant's soil provides nitrogen and imp...

<https://t.co/LC3HY6KXCF>

1/16/2018 16:07 PM



It's raining! Give your sprinklers a break and let Mother Nature do the work. #rain #lagunabeach #california #socal...

<https://t.co/9cDAnkLgb6>

1/9/2018 16:09 PM

[About Our District](#)[Contact Us](#)[▶ District History](#)[Employment](#)[▶ Engineering Services](#)[FAQs](#)[▶ Governance](#)[H2O Education](#)[Requests for Proposals/Bids](#)[SB 272 Catalog of Enterprise Systems](#)[▶ Stay Connected](#)[About Us » Advanced Components](#)

News

Font Size: + -

[+ Share & Bookmark](#)[Feedback](#)[Print](#)

OC Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan

Post Date: 01/29/2018

The Laguna Beach County Water District (District) and 18 water and wastewater utilities throughout Orange County have initiated an update to the 2012 Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan (MJHMP). The MJHMP provides a framework for water and wastewater utilities in Orange County to reduce their vulnerability to the impacts of natural and man-made hazard events such as earthquakes, flooding, and hazardous materials spills.

What is a Hazard Mitigation Plan?

A Hazard Mitigation Plan is a framework that guides our communities in making decisions and developing policies to reduce or eliminate risk to life and property. The plan identifies the types of hazards that threaten our communities, evaluates our vulnerability to those threats, and outlines a strategy to reduce or eliminate the risk posed by future threats.

Why is the plan important?

The Federal Disaster Mitigation Act of 2000 (DMA 2000) requires state and local governments to have an approved hazard mitigation plan in order to be eligible to apply for and receive FEMA hazard mitigation funds. Receipt of these funds can be critical to implementation of identified hazard mitigation programs. MWDOC and the participating water and wastewater utilities are committed to reducing disaster impacts and maintaining eligibility for federal mitigation grant funding.

What goes into a Hazard Mitigation Plan?

A hazard mitigation plan assesses the community's risks and vulnerabilities to hazard events such as earthquakes, flooding, and wildfire. The plan includes a set of goals related to the overall goal of hazard mitigation planning and mitigation measures that will serve to advance the plan goals.

This plan focuses on water and wastewater facilities in Orange County and identifies mitigation actions to reduce the impact of natural and manmade hazards on these critical facilities.

How can the public become involved in the Hazard Mitigation planning process?

Public participation in the process is important because it helps raise awareness of the hazards we face in Orange County and the actions needed to mitigate those hazards. By participating in the process, you will be taking time to consider the hazards in our communities, the impact of those hazards on life and property, actions that need to be taken to reduce that impact, and the priority those actions should take. The District will consider all input from the public and integrate it into

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan

The Moulton Niguel Water District (MNWD) and 18 water and wastewater utilities throughout Orange County have initiated an update to the 2012 Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan (MJHMP). The MJHMP provides a framework for water and wastewater utilities in Orange County to reduce their vulnerability to the impacts of natural and man-made hazard events such as earthquakes, flooding, and hazardous materials spills.

What is a Hazard Mitigation Plan?

A Hazard Mitigation Plan is a framework that guides our communities in making decisions and developing policies to reduce or eliminate risk to life and property. The plan identifies the types of hazards that threaten our communities, evaluates our vulnerability to those threats, and outlines a strategy to reduce or eliminate the risk posed by future threats.

Why is the plan important?

The Federal Disaster Mitigation Act of 2000 (DMA 2000) requires state and local governments to have an approved hazard mitigation plan in order to be eligible to apply for and receive FEMA hazard mitigation funds. Receipt of these funds can be critical for implementation of identified hazard mitigation programs. MNWD and the participating water and wastewater utilities are committed to reducing disaster impacts and maintaining eligibility for federal mitigation grant funding.

What goes into a Hazard Mitigation Plan?

A hazard mitigation plan assesses the community's risks and vulnerabilities to hazard events such as earthquakes, flooding, and wildfire. The plan includes a set of goals related to the overall goal of hazard mitigation planning and mitigation measures that will serve to advance the plan goals.

This plan focuses on water and wastewater facilities in Orange County and identifies mitigation actions to reduce the impact of natural and manmade hazards on these critical facilities.

How can the public become involved in the Hazard Mitigation planning process?

Public participation in the process is important because it helps raise awareness of the hazards we face in Orange County and the actions needed to mitigate those hazards. By participating in the process, you will be taking time to consider the hazards in our communities, the impact of those hazards on life and property, actions that need to be taken to reduce that impact, and the priority those actions should take. The Moulton Niguel Water District will consider all input from the public and integrate it into the plan where appropriate. Opportunities for the community to provide input, ask questions, and review/comment on draft documents will be provided throughout the planning process. Your comments, questions, ideas, and concerns will have a significant role in the plan's preparation.



Municipal Operations

[Administration](#)[Beach Maintenance](#)[Concrete Maintenance](#)[Equipment Maintenance](#)[Facilities Maintenance](#)[Grass Abatement](#)[Gravel Cuts](#)[Parks & Trees](#)[Storm Drains](#)[Street Maintenance](#)[Street Sweeping](#)[Streetlights](#)[Trash & Recycling](#)[Wastewater](#)[Water Services](#)[Government & Communities](#)

MUNICIPAL OPERATIONS

[Print View](#)[Email & Subscribe](#)[Contact Us](#)[RSS](#)

To review the Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan, please visit our [Reports](#) under the Administration section.

To review the 2012 Newport Beach Urban Water Management Plan please visit our [Reports](#) under the Administration section.

On September 28, 2017, the City Council approved Resolution No. 2017-12 adopting new sewer charges, effective January 1, 2018.

About The Municipal Operations Department

Mission Statement

To provide clean, safe, and responsive utility and infrastructure maintenance services to the community of Newport Beach.

It is our job to operate City facilities and maintain all City-owned public property within Newport Beach. Through a strategic combination of in-house staff and contractors, we take care of:

[City Parks and Trees](#)[Beach Maintenance](#)[Recycle Collection](#)[Street Maintenance](#)[Sidewalk, Curb, Gutter](#)[City-Owned Buildings](#)[Fleet Maintenance](#)[Water Services](#)[Wastewater Services](#)[Storm Drains](#)[Streetlights](#)[Street Sweeping](#)[Grass Abatement](#)[City Signs](#)[Street Signs](#)

Our crews are also responsible for responding to emergencies such as flooding and/or

NEWS

City Manager Addresses Airport Issues

The City Manager proposed a letter to the community about the recent development of the airport agreement with the FAA and what the City is doing to address the issues being raised.

[Read More](#)

OC LAFCO's Municipal Service Review Survey

Orange County residents are invited to participate in a Municipal Services Review survey by completing an online survey.

[Read More](#)

Murder on the Orient Express by Agatha Christie

Sept. 10-12th

10:00am - 12:00pm A.M.

[Score »](#)

EVENTS

Newport Beach Restaurant Week

Oct 14-19th - 4-7:00pm

Friday Forum on John Wayne Airport Issues (#2)



WORKING WITH US

[Procurement](#)

[RFP & contracts](#)

[Public notices](#)

[Regulatory agencies](#)

[Member agencies](#)

[Partnerships](#)



Public notices

OCWD believes in open and honest government. It strives to be clear about the motivations and standards driving its activities, policy decisions and investments.

OCWD ensures that a proposed project complies with the California Environmental Quality Act (CEQA) and that the appropriate level of CEQA documentation is prepared. CEQA is a multi-purpose law in the State of California that is intended to inform decision makers and the public of the environmental consequences of projects, involve the public in decision-making related to environmental effects, and to prevent needless environmental damage. It is a tool to evaluate the potential impacts on the environment by a proposed project. CEQA review is required for any project undertaken by a public agency.

Current public notices are posted below. If you are seeking a document from a past project, please fill out a [public records request](#).

✓ [Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan](#)

The Orange County Water District and 18 water and wastewater utilities throughout Orange County have

✓ Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan

The Orange County Water District and 18 water and wastewater utilities throughout Orange County have initiated an update to the [2012 Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan \(MJHMP\)](#). The MJHMP provides a framework for water and wastewater utilities in Orange County to reduce their vulnerability to the impacts of natural and man-made hazard events such as earthquakes, flooding, and hazardous materials spills.

Your comments, questions, ideas, and concerns will have a significant role in the plan's preparation. You can help the Hazard Mitigation Plan Planning Team better understand the community's concerns by taking this [short survey](#).

Comments and questions may be submitted to Paula Bouyounes by phone at (714) 378-3310 or [email](#).

- [Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan FAQ](#)

> South Basin Additional Groundwater Monitoring program SAM-12 Monitoring Well Project

> Sunset Gap Monitoring Wells BS13, BS24 and Bolsa Chica Channel Levee Repair Project

http://www.scwd.org/depts/emergencyinfo/regional_hazard_mitigation_plan.htm

South Coast Water District - ...

File Edit View Favorites Tools Help

Convert Select

El Nino 2015-16 A Historic... SCWDS Intranet - Home WebEOC 7 Junk Email Settings (2) Junk Email Settings Suggested Sites Web Slice Gallery Page Safety Tools

SOUTH COAST WATER DISTRICT

About SCWDYour WaterDepartmentsOpen GovHow Do IContact Us

Explore

Emergency Preparedness Home

Sign Up for Emergency Notifications

Create a Disaster Supply Kit

Make an Emergency Communications Plan

Purify Water During an Emergency

Hidden Sources of Water

Earthquake Preparedness

Weather-Ready Nation

Regional Hazard Mitigation Plan

Map Your Hazards

Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan

Home » Departments » Emergency Preparedness » Regional Hazard Mitigation Plan

South Coast Water District and 18 water and wastewater utilities throughout Orange County have initiated an update to the 2012 Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan (MJHMP). The MJHMP provides a framework for water and wastewater utilities in Orange County to reduce their vulnerability to the impacts of natural and man-made hazard events such as earthquakes, flooding, and hazardous materials spills.

What is a Hazard Mitigation Plan?

A Hazard Mitigation Plan is a framework that guides our communities in making decisions and developing policies to reduce or eliminate risk to life and property. The plan identifies the types of hazards that threaten our communities, evaluates our vulnerability to those threats, and outlines a strategy to reduce or eliminate the risk posed by future threats.

Why is the plan important?

The Federal Disaster Mitigation Act of 2000 (DMA 2000) requires state and local governments to have an approved hazard mitigation plan in order to be eligible to apply for and receive FEMA hazard mitigation funds. Receipt of these funds can be critical to the implementation of identified hazard mitigation programs. MWDOC and the participating water and wastewater utilities are committed to reducing disaster impacts and

75%

3:01 PM 1/23/2018

MENU

[Home](#)[Mission Statement](#)[We are a Special District](#)[History](#)[Directors](#)[Board Meetings](#)[Water Quality](#)[Water Conservation](#)[Urban Water Management Plan
2015](#)[News](#)[Public Notifications](#)[Rates & Charges](#)[Bill Pay](#)[About My Bill](#)[Employment Opportunities](#)[Town Hall](#)[Contact](#)[Transparency Center](#)[Public Records Requests](#)[Rules and Regulations](#)[Dam Safety](#)[Hazard Mitigation Update](#)

SERRANO WATER DISTRICT

ORANGE COUNTY REGIONAL WATER & WASTEWATER MULTI-JURISDICTIONAL HAZARD MITIGATION PLAN

The Serrano Water District and 18 water and wastewater utilities throughout Orange County have initiated an update to the 2012 Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan (MJHMP). The MJHMP provides a framework for water and wastewater utilities in Orange County to reduce their vulnerability to the impacts of natural and man-made hazard events such as earthquakes, flooding, and hazardous materials spills.

WHAT IS A HAZARD MITIGATION PLAN?

A Hazard Mitigation Plan is a framework that guides our communities in making decisions and developing policies to reduce or eliminate risk to life and property. The plan identifies the types of hazards that threaten our communities, evaluates our vulnerability to those threats, and outlines a strategy to reduce or eliminate the risk posed by future threats.

WHY IS THE PLAN IMPORTANT?

The Federal Disaster Mitigation Act of 2000 (DMA 2000) requires state and local governments to have an approved hazard mitigation plan in order to be eligible to apply for and receive FEMA hazard mitigation funds. Receipt of these funds can be critical to implementation of identified hazard mitigation programs. MWDOC and the participating water and wastewater utilities are committed to reducing disaster impacts and maintaining eligibility for federal mitigation grant funding.

WHAT GOES INTO HAZARD MITIGATION PLAN

A hazard mitigation plan assesses the community's risks and vulnerabilities to hazard events such as earthquakes, flooding, and wildfire. The plan includes a set of goals related to the overall goal of hazard mitigation planning and mitigation measures that will serve to advance the plan goals.

This plan focuses on water and wastewater facilities in Orange County and identifies mitigation actions to reduce the impact of natural and manmade hazards on these critical facilities.

HOW CAN THE PUBLIC BECOME INVOLVED IN THE HAZARD MITIGATION PLANNING PROCESS?

Public participation in the process is important because it helps raise awareness of the hazards we face in Orange County and the actions needed to mitigate those hazards. By participating in the process, you will be taking time to consider the hazards in our communities, the impact of those hazards on life and property, actions that need to be taken to reduce that impact, and the priority those actions should take. The Serrano Water District will consider all input from the public and integrate it into the plan where appropriate. Opportunities for the community to provide input, ask questions, and review/comment on draft documents will be provided throughout the planning process. Your comments, questions, ideas, and concerns will have a significant role in the plan's preparation.



[Environment](#) [Creating Water](#) [Infrastructure](#) [Governance](#) [About SOCWA](#)

Help Prepare for Natural and Man-made Disasters

by [Sara Appel](#) on [2017-11-08](#) in [News](#)

The public is invited to take this brief survey to help the South Orange County Wastewater Authority and 18 water and wastewater agencies across the region plan for natural and man-made disasters. A few minutes will help your local leaders plan and prepare for crises. Please help by taking the brief, online survey.

[TAKE THE SURVEY HERE](#)

ORANGE COUNTY REGIONAL WATER & WASTEWATER MULTI-JURISDICTIONAL HAZARD MITIGATION PLAN

The South Orange County Wastewater Authority (SOCWA) and 18 water and wastewater utilities throughout Orange County have initiated an update to the 2012 Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan (MJHMP). The MJHMP provides a framework for water and wastewater utilities in Orange County to reduce their vulnerability to the impacts of natural and man-made hazard events such as earthquakes, flooding, and hazardous materials spills.

What is a Hazard Mitigation Plan?

A Hazard Mitigation Plan is a framework that guides our communities in making decisions and developing policies to reduce or eliminate risk to life and property. The plan identifies the types of hazards that

threaten our communities, evaluates our vulnerability to those threats, and outlines a strategy to reduce or eliminate the risk posed by future threats.

Why is the plan important?

The Federal Disaster Mitigation Act of 2000 (DMA 2000) requires state and local governments to have an approved hazard mitigation plan in order to be eligible to apply for and receive FEMA hazard mitigation funds. Receipt of these funds can be critical to implementation of identified hazard mitigation programs. MWDOC and the participating water and wastewater utilities are committed to reducing disaster impacts and maintaining eligibility for federal mitigation grant funding.

What goes into a Hazard Mitigation Plan?

A hazard mitigation plan assesses the community's risks and vulnerabilities to hazard events such as earthquakes, flooding, and wildfire. The plan includes a set of goals related to the overall goal of hazard mitigation planning and mitigation measures that will serve to advance the plan goals.

This plan focuses on water and wastewater facilities in Orange County and identifies mitigation actions to reduce the impact of natural and manmade hazards on these critical facilities.

How can the public become involved in the Hazard Mitigation planning process?

Public participation in the process is important because it helps raise awareness of the hazards we face in Orange County and the actions needed to mitigate those hazards. By participating in the process, you will be taking time to consider the hazards in our communities, the impact of those hazards on life and property, actions that need to be taken to reduce that impact, and the priority those actions should take. SOCWA will consider all input from the public and integrate it into the plan where appropriate. Opportunities for the community to provide input, ask questions, and review/comment on draft documents will be provided throughout the planning process. Your comments, questions, ideas, and concerns will have a significant role in the plan's preparation.

Take this quick survey. This survey will help the Hazard Mitigation

Plan (HMP) Planning Team better understand the community's concerns about natural and man-made hazards and identify policies and projects that can help lessen the impact of future hazard events. The survey provides the opportunity for you to share your opinions and participate in the mitigation planning process. The survey can be accessed using the following link:

https://www.surveymonkey.com/r/OC_RegionalWaterWastewater_MJHMP

Contact Us. Comments and questions may be submitted to Sean Peacher at speacher@socwa.com or (949) 234-5443.

Draft Documents

Once available, draft documents will be posted here for review and comment

2012 ORANGE COUNTY REGIONAL WATER AND WASTEWATER MULTI-JURISDICTIONAL HAZARD MITIGATION PLAN

The current hazard mitigation pan can be downloaded using the following link: <http://www.mwdoc.com/weroc/Hazard-Mitigation>

☐ The Facts: Threats to the Coastal Treatment Plant

Comments are closed.

About SOCWA

[About SOCWA](#)

[Doing Business](#)

[Employment](#)

[Service Area](#)


[History](#)

[Contact Us](#)

[Publications](#)

- Staff Directory
- Photo Gallery
- Report A Wastewater Issue
- Community Outreach
- Learn More
- Local, State & Federal Water Resources

Service Area



Infrastructure Investments



Investing in the right infrastructure is important to safeguarding the environment and creating clean water. Learn more about the projects supporting our communities.

Meetings and Events

NOV 9 Thu	8:30 am E Meeting
NOV 13 Mon	9:00 am E Meeting –
<input type="checkbox"/> Add ▼	



Engineering

▶ Hazard Mitigation Plan

Service Area

Master Plan

Shadow Rock Detention Basin Facility

Alternate Raw Water Transmission Line

Operations

Conservation

Emergency Management

Finance

▶ Domestic Water

▶ Recycled Water

[District Services](#) » [Engineering](#)

Orange County Regional Water And Wastewater Multi-Jurisdictional Hazard Mitigation Plan

Font Size: [+](#) [-](#) [Share & Bookmark](#) [Feedback](#) [Print](#)

The Trabuco Canyon Water District (TCWD) and 18 water and wastewater utilities throughout Orange County have initiated an update to the 2012 Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan (MJHMP). The MJHMP provides a framework for water and wastewater utilities in Orange County to reduce their vulnerability to the impacts of natural and man-made hazard events such as earthquakes, flooding, and hazardous materials spills.

What is a Hazard Mitigation Plan?

A Hazard Mitigation Plan is a framework that guides our communities in making decisions and developing policies to reduce or eliminate risk to life and property. The plan identifies the types of hazards that threaten our communities, evaluates our vulnerability to those threats, and outlines a strategy to reduce or eliminate the risk posed by future threats.

Why is the plan important?

The Federal Disaster Mitigation Act of 2000 (DMA 2000) requires state and local governments to have an approved hazard mitigation plan in order to be eligible to apply for and receive FEMA hazard mitigation funds. Receipt of these funds can be critical to implementation of identified hazard mitigation programs. MWDOC and the participating water and wastewater utilities are committed to reducing disaster impacts and maintaining eligibility for federal mitigation grant funding.

What goes into a Hazard Mitigation Plan?

A hazard mitigation plan assesses the community's risks and vulnerabilities to hazard events such as earthquakes, flooding, and wildfire. The plan includes a set of goals related to the overall goal of hazard mitigation planning and mitigation measures that will serve to advance the plan goals.

This plan focuses on water and wastewater facilities in Orange County and identifies mitigation actions to reduce the impact of natural and manmade hazards on these critical facilities.

How can the public become involved in the Hazard Mitigation planning process?

Public participation in the process is important because it helps raise awareness of the hazards we face in Orange County and the actions needed to mitigate those hazards. By participating in the process, you will be taking time to consider the hazards in our communities, the impact of those hazards on life and property, actions that need to be taken to reduce that impact, and the priority those actions should take. TCWD will consider all input from the public and integrate it into the plan where appropriate. Opportunities for the community to provide input, ask questions, and review/comment on draft documents will be provided throughout the planning process. Your comments, questions, ideas, and concerns will have a significant role in the plan's preparation.

Take this quick survey.

This survey will help the Hazard Mitigation Plan (HMP) Planning Team better understand the community's concerns about natural and man-made hazards and identify policies and projects that can help lessen the impact of future hazard events. The survey provides the opportunity for you to share your opinions and participate in the mitigation planning process. The survey can be accessed using the following link:

https://www.surveymonkey.com/r/OC_RegionalWaterWastewater_MJHMP

Contact Us

Comments and questions may be submitted to Lorrie Lausten, Principal Engineer via email at llausten@tcwd.ca.gov, or via phone at (949) 858-0277.

Draft Documents

Once available, draft documents will be posted here for review and comment.

2012 Orange County Regional Water and Wastewater Multi-Jurisdictional Hazard Mitigation Plan

The current hazard mitigation plan can be downloaded using the following link: <http://www.mwdoc.com/weroc/Hazard-Mitigation>

Website Screen Grab

← → ↻ www.ci.westminster.ca.us/depts/pw/water_hazard_mitigation_plan.asp ☆ ⓘ



THE CITY OF
WESTMINSTER, CALIFORNIA

ABOUT ELECTED OFFICIALS DEPARTMENTS SERVICES HOW DO I CONTACT US

Site Map A A A Low Graphics Version
Search... 🔍

Homepage > ... > Public Works > Water Division > Water Hazard Mitigation Plan

NAVIGATION

- Backflow/Cross Connections
- FAQs
- Free Water Use Audit
- Pay your Water Bill online
- Water Conservation
- Water Conservation Garden
- Water Hazard Mitigation Plan
- Water Logo Contest
- Water Quality and Pressure
- Water Quality Report (Consumer Confidence Report)
- Water Rates

ORANGE COUNTY REGIONAL WATER & WASTEWATER MULTI-JURISDICTIONAL HAZARD MITIGATION PLAN



The City of Westminster and 17 other water and wastewater utilities throughout Orange County have initiated an update to the 2012 Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan (MJHMP). Facilitated by the Municipal Water District of Orange County (MWDOC), The MJHMP provides a framework for water and wastewater utilities in Orange County to reduce their vulnerability to the impacts of natural and man-made hazard events such as earthquakes, flooding, and hazardous materials spills.

What is a Hazard Mitigation Plan?
A Hazard Mitigation Plan is a framework that guides communities in making decisions and developing policies to reduce or eliminate risk to life and property. The plan identifies the types of hazards that threaten the City of Westminster, evaluates our vulnerability to those threats, and outlines a strategy to reduce or eliminate the risk posed by future threats.

Why is the plan important?
The Federal Disaster Mitigation Act of 2000 (DMA 2000) requires state and local governments have an approved hazard mitigation plan in order to be eligible for and receive FEMA hazard mitigation funds. Receipt of these funds can be critical to implementation of identified hazard mitigation programs. The City of Westminster is committed to reducing disaster impacts and maintaining eligibility for federal mitigation grant funding.

What goes into a Hazard Mitigation Plan?
A hazard mitigation plan assesses the community's risks and vulnerabilities to hazard events such as earthquakes, flooding, and wildfire. The plan includes a set of goals related to the overall goal of hazard mitigation planning and mitigation measures that will serve to advance the plan goals.

 City Council Live

 Employment

 FAQs

 Make A Payment

 Animal Control

 Class Registration

 Council Meetings

 Employment

 Emergency Preparedness

 General Plan Update

Westminster Civic Center
8200 Westminster Blvd.
Westminster, CA 92683

About The City
Elected Officials

How Do I...
Contact Us

Powered by
civica
powered.com

10:04 AM
12/11/2017

City of Westminster

Becky Home Friends Messages Search

Page
Inbox 21
Notifications 30
Insights
Publishing Tools
Settings
Help

City of Westminster

@CityofWestminster

- Home
- About
- Photos
- Reviews
- Videos
- Events
- Posts**
- Services
- Groups
- Notes
- Offers
- Jobs
- Community

Promote

Manage Promotions

Liked

Following

Share

More

Write a comment...

City of Westminster

Published by Becky Rodstein [?] · December 5 at 4:29pm · 🌐

Did you know the City of Westminster collaborates with other OC agencies to create a hazard mitigation plan specifically for its water utility? The Water Hazard Mitigation Plan works to prepare our water infrastructure (wells, reservoirs, pipelines, etc.) as best we can for different kinds of disasters and threats to our system. Westminster is updating its plan and values your input! Click the link below to take the survey to have your voice be heard.

Orange County Regional Water and Wastewater Multi Jurisdictional Hazard Mitigation Plan Survey

Web survey powered by SurveyMonkey.com. Create your own online survey now with SurveyMonkey's...

SURVEYMONKEY.COM

838 people reached

Like Comment Share

Bernardo Sandoval, Gummy-Pampa Richardson and 5 others

Write a comment...

City of Westminster

Published by Becky Rodstein [?] · November 30 at 4:21pm · 🌐

Are your sprinklers spraying all over? Is your sprinkler timer giving you trouble? Have you adjusted to winter watering days (Sunday, Wednesday Friday)? Email Waterwasters@westminster-ca.gov or call 714-476-1939 for a FREE appointment with a helpful conservation associate to adjust sprinklers AND timers!

Contact Us

Search for posts on this Page

Visitor Posts

Burhan Adi Wicaksana

Yesterday at 4:05am · 🌐

Le first snow experience compiled. 🌨️

Like Comment

Quy Nguyen

December 8 at 9:50pm · 🌐

For grammatical purposes, the city sign should say "Westminster, an all American City", not "All America city" just my 2 cents.

Like Comment Message

Diana Smock Gosliga

October 14 at 9:04am · 🌐

Why do the police have Bushard closed south of Edinger? Police tape and cars. What's going on?

1 Like 1 Comment

Like Comment Message

English (US) · Español · Português (Brasil) · Français (France) · Deutsch

Privacy · Terms · Advertising · Ad Choices · Cookies · More
 Facebook © 2017

City of Westminster

Becky

Home

Page

Inbox 21

Notifications 69

Insights

Publishing Tools

Settings

Help

City of Westminster

@CityofWestminster

Home

About

Photos

Reviews

Videos

Events

Posts

Services

Notes

Offers

Jobs

Community

Promote

Manage Promotions

City of Westminster

Published by Becky Rodstein [?] · December 12 at 4:16pm ·

Have your voice heard! The Westminster Water Division is coordinating with other OC agencies to update its Hazard Mitigation Plan and we need your help! Take this survey to help us understand your priorities when it comes to emergency preparedness for our water utilities. Interested in learning more? Visit our webpage! http://www.ci.westminster.ca.us/.../water_hazard_mitigation_p...

Orange County Regional Water and Wastewater Multi Jurisdictional Hazard Mitigation Plan Survey

Web survey powered by SurveyMonkey.com. Create your own online survey now with SurveyMonkey's expert certified FREE templates.

SURVEYMONKEY.COM

424 people reached

Boost Post

Like

Comment

Share

Westminster Chamber of Commerce, Dai Ngyn and 6 others

2 Shares

Write a comment...

City of Westminster

Published by Vanessa Dahl Johnson [?] · December 12 at 11:30am ·

Check out the latest edition of our quarterly newsletter & recreation guide! Sign up today for your favorite activity. <http://bit.ly/2018WestWinter>

WESTMINSTER

NEWSLETTER & RECREATION GUIDE

WINTER 2018

Westminster Community Services - Winter 2018 Brochure & Newsletter

BROCHURES.LERNTOOLS.COM

City of Westminster

Published by Vanessa Dahl Johnson [?] · December 12 at 11:30am ·

Check out the latest edition of our quarterly newsletter & recreation guide! Sign up today for your favorite activity. <http://bit.ly/2018WestWinter>

WESTMINSTER

NEWSLETTER & RECREATION GUIDE

WINTER 2018

Westminster Community Services - Winter 2018 Brochure & Newsletter

BROCHURES.LERNTOOLS.COM

Contact Us

Anthony Hulk Thai and 1 other like this or have checked in

Invite Friends

7,066 people like this

7,157 people follow this

About

See All

Beach Blvd

Park

West

Promote your business locally to lead people directly to 8200 Westminster Blvd.

Promote Local Business

8200 Westminster Blvd.

Westminster, California 92683

(714) 898-3311

Typically replies within minutes

Send Message

<http://www.westminst...>

Promote Website

Government Organization · Public Service · Locality

Hours 7:30 AM - 5:30 PM

Open Now

Popular hours

Mon

Tue

Wed

Thu

Fri

Sat

Sun

6AM

9AM

12PM

3PM

6PM

9PM

12AM

3AM

Pages liked by this Page

X

O

P

Post Details



City of Westminster

Published by Becky Rodstein [?] · December 12 at 4:16pm ·

Have your voice heard! The Westminster Water Division is coordinating with other OC agencies to update its Hazard Mitigation Plan and we need your help! Take this survey to help us understand your priorities when it comes to emergency preparedness for our water utilities. Interested in learning more? Visit our webpage! http://www.ci.westminster.ca.us/.../water_hazard_mitigation_p...

Orange County Regional Water and Wastewater Multi Jurisdictional Hazard Mitigation Plan Survey

Web survey powered by SurveyMonkey.com. Create your own online survey now with SurveyMonkey's expert certified FREE templates.

[SURVEYMONKEY.COM](http://www.surveymonkey.com)



Get More Likes, Comments and Shares
Boost this post for \$30 to reach up to 7,000 people.



424 people reached

Boost Post



Westminster Chamber of Commerce, Dai Ngyn and 6 others

2 Shares



Like



Comment



Share

424 People Reached

10 Likes, Comments & Shares

8

Likes

8

On Post

0

On Shares

0

Comments

0

On Post

0

On Shares

2

Shares

2

On Post

0

On Shares

19 Post Clicks

0

Photo Views

6

Link Clicks

13

Other Clicks

NEGATIVE FEEDBACK

0 Hide Post

0 Hide All Posts

0 Report as Spam

0 Unlike Page

Reported stats may be delayed from what appears on posts

Orange County Regional Water and Wastewater Multi Jurisdictional Hazard Mitigation Plan Survey

Web survey powered by SurveyMonkey.com. Create your own online survey now with SurveyMonkey's expert certified FREE templates.

[SURVEYMONKEY.COM](http://www.surveymonkey.com)



424 people reached

Boost Post



Like



Comment



Share



Westminster Chamber of Commerce, Dai Ngyn and 6 others

2 Shares



Write a comment...



Promote your business locally to lead people directly to 8200 Westminster Blvd.

Promote Local Business

8200 Westminster Blvd.
Westminster, California 92683

(714) 898-3311

Typically replies within minutes
Send Message

<http://www.westminst...>

Promote Website

From: Anthony Manzano <amanzano@ylwd.com>
Sent: Thursday, October 26, 2017 3:48 PM
To: Francisco Soto
Cc: Steve Conklin; Malissa Tem; Kelly Hubbard
Subject: YLWD Hazard Mitigation Plan - Assignments
Attachments: YLWD Hazmit Project Chart 2017.xlsx

Good afternoon Francisco,

1. Attached is our Projects Chart with updated information shown in red.
2. Below is a copy of our Website posting, also available at: <https://ylwd.com/about-the-water-district/district-departments/engineering/hazard-mitigation-plan>

I believe this is the last of our required submittals, until the next assignment.

Thanks,

Anthony Manzano, PE | Sr. Project Manager

Yorba Linda Water District

1717 E. Miraloma Avenue

Placentia, CA 92870

O: 714.701.3106 | www.ylwd.com



ORANGE COUNTY REGIONAL WATER & WASTEWATER Multi-Jurisdictional Hazard Mitigation Plan

ORANGE COUNTY REGIONAL WATER & WASTEWATER MULTI-JURISDICTIONAL HAZARD MITIGATION PLAN

The Yorba Linda Water District and 18 water and wastewater utilities throughout Orange County have initiated an update to the 2012 Orange County Regional Water & Wastewater Multi-Jurisdictional Hazard Mitigation Plan (MJHMP). The MJHMP provides a framework for water and wastewater utilities in Orange County to reduce their vulnerability to the impacts of natural and man-made hazard events such as earthquakes, flooding, and hazardous materials spills.

What is a Hazard Mitigation Plan?

A Hazard Mitigation Plan is a framework that guides our communities in making decisions and developing policies to reduce or eliminate risk to life and property. The plan identifies the types of hazards that threaten our communities, evaluates our vulnerability to those threats, and outlines a strategy to reduce or eliminate the risk posed by future threats.

Why is the plan important?

The Federal Disaster Mitigation Act of 2000 (DMA 2000) requires state and local governments to have an approved hazard mitigation plan in order to be eligible to apply for and receive FEMA hazard mitigation funds. Receipt of these funds can be critical to implementation of identified hazard mitigation programs. MWDOC and the participating water and wastewater utilities are committed to reducing disaster impacts and maintaining eligibility for federal mitigation grant funding.

What goes into a Hazard Mitigation Plan?

A hazard mitigation plan assesses the community's risks and vulnerabilities to hazard events such as earthquakes, flooding, and wildfire. The plan includes a set of goals related to the overall goal of hazard mitigation planning and mitigation measures that will serve to advance the plan goals.

This plan focuses on water and wastewater facilities in Orange County and identifies mitigation actions to reduce the impact of natural and manmade hazards on these critical facilities.

How can the public become involved in the Hazard Mitigation planning process?

Public participation in the process is important because it helps raise awareness of the hazards we face in Orange County and the actions needed to mitigate those hazards. By participating in the process, you will be taking time to consider the hazards in our communities, the impact of those hazards on life and property, actions that need to be taken to reduce that impact, and the priority those actions should take. The Yorba Linda Water District will consider all input from the public and integrate it into the plan where appropriate. Opportunities for the community to provide input, ask questions, and review/comment on draft documents will be provided throughout the planning process. Your comments, questions, ideas, and concerns will have a significant role in the plan's preparation.

Take this quick survey. This survey will help the Hazard Mitigation Plan (HMP) Planning Team better understand the community's concerns about natural and man-made hazards and identify policies and projects that can help lessen the impact of future hazard events. The survey provides the opportunity for you to share your opinions and participate in the mitigation planning process. The survey can be accessed using the following link:

https://www.surveymonkey.com/r/OC_RegionalWaterWastewater_MJHMP

Contact Us. Comments and questions may be submitted to Anthony Manzano at: amanzano@ylwd.com.

Draft Documents

Once available, draft documents will be posted here for review and comment

2012 ORANGE COUNTY REGIONAL WATER AND WASTEWATER MULTI-JURISDICTIONAL HAZARD MITIGATION PLAN

The current hazard mitigation plan can be downloaded using the following link:

<http://www.mwdoc.com/weroc/Hazard-Mitigation>